

General Industrial Products



1apes230-231
Strapping & Packaging, Scales & Stationery232–233
Markers, Chalk & Pencils233–235
Cold Galvanising, Primers & Marking Paint235–236
Paint Brushes, Rollers, Guns & Accessories236–238
Ladders & Scaffolding
Foamer, Spray Bottles & Pressure Sprayers242
Pickets, Tie Wire, Tarpaulins & Springs243–244
Locks, Key Storage, Hasp & Staples & Hinges244-249
Cable Ties, Extension Leads & Reels249–251
Power Plugs, Sockets & Switches, Voltage Testers 252-253
Multimeters, Clamp Meters, Temp Gun & Testers 254-256
Batteries, Headlamps, Torches, Lights & Lamps 257-260
Reversing Alarms, Battery Chargers & Accessories . 261–263
Automotive Products, Wheel Chocks & Jacks263-266
Wheel Dolly, Engine Crane, Vehicle Hoists267-268
Wheel Wrenches, Tyre Changers & Balancers268-270
Creepers, Oil Drainers, Fuel Cans & Funnels270-272

Survey/Flagging Tape

- Suitable for marking out in mining, construction, surveying, forestry and numerous other applications
- High quality and durable
- Hand tearable
- Ideal for use with survey pins for highly visible marks
- 25mm x 100m



Colour	Part Number	Colour	Part Number
Glo Pink	55060700	Red	55060750
Blue	55060710	Black	55060760
Yellow	55060720	White	55060770
Orange	55060730	Black/White Stripe	55060780
Green	55060740	Blue/White Stripe	55060790

Packing Tape

- 48mm width x 75m length
- Clear colour



tesa 🖊

tesa /

tesa 🖊

Part Number

66040110

66040120

66040130

66040140

66040270

PVC Insulation Tape



Description	Size	Colour	Part Number
Single Roll	19mm x 20m	Black	66540010
Single Roll	19mm x 20m	Blue	66540020
Single Roll	19mm x 20m	Green	66540030
Single Roll	19mm x 20m	Red	66540040
Single Roll	19mm x 20m	White	66540050
Single Roll	19mm x 20m	Yellow	66540060
Single Roll	19mm x 20m	Yellow & Green Stripe	66540070
Mixed Pack	10 x Rolls of 19mm x 20m	Various	66540090

Premium Packaging Tape

4262 BR 75m x 48mm

- General purpose carbon sealing tape
- Acrylic adhesive
- Suitable for use on packages to be stored cold or in freezer rooms
- 30µm backing
- Brown
- 48mm x 75m
- Also available in clear



Sticky Tape

- Acrylic based adhesive
- Suits general office use and lightweight packaging
- Transparent



Size	Part Number
18mm x 33m	66040620
18mm x 66m	66040630

Cross Weave Filament Tape

4591 SL 50m x 50mm

- Premium quality tape
- Synthetic rubber adhesive
- High level of adhesion
- Tear resistant
- Ideally suited to bundling and strapping of heavy goods, securing pallets and reinforcing shipping cartons that are exposed to shocks during transport
- Tensile strength: 250N/cm
- 50mm x 50m
- Available in other widths



Packing Tape

- Suitable for sealing and securing all types of boxes and packages
- 25mm x 75m
- Brown



Masking Tape

- Flexible crepe paper tape with high tack rubber adhesive
- Provides excellent adhesion
- Suitable for non-critical masking
- Temperature resistant to 50°C
- Cream coloured
- Tensile strength: 85N/25mm
- Thickness: 130µm



Double Sided PVC Tape


- Made with a PVC film backing and a tacky acrylic adhesive
- Provides high performance bonding on rough or dusty surfaces
- Suitable for long term applications
- Tensile strength: 38N/cm
- Thickness: 225µm
- Available in other widths

Product Code	Size	Part Number
WH 33m x 12mm	12mm x 33m	65230010
4970 WH 33m x 24mm	24mm x 33m	65230015

NOPI Duct Tape

4051 SL 30 x 48mm

- Plasticised PVC joining tape
- Suitable for joining and sealing flexible air-conditioning ductwork
- Silver
- Tensile strength: 54N/25mm
- Thickness: 120µm
- 48mm x 30m
- Also available in black



Gaffer Tape

AT298034

tesa 🖊

tesa 🖊

- All-purpose usage
- 48mm width x 25m length
- Black colour



Single Sided Durafoam Tape

61104 BK 15m x 24mm

- Closed cell foam tape
- Made from tough, weather resistant, high temperature EPDM foam
- Suitable for sealing in outdoor conditions
- Black
- Thickness: 6.4mm
- 24mm x 15m
- Available in a range of thicknesses and widths



Cloth Tape

- Standard grade polyethylene coated tape
- 55 mesh woven PET/rayon fabric backing with a natural rubber adhesive
- Suitable for bundling, wrapping, colour coding and repairing
- Waterproof
- Hand tearable
- Tensile strength: 52N/cm
- Thickness: 260µm
- All colours available in 24mm, 36mm, 48mm, 72mm and 96mm widths
- Also available in beige



24mm x 25m		48mm x 25m			
Product Code	Colour	Part Number	Product Code	Colour	Part Number
4688 BK 24mm	Black	65230020	4688 BK 48mm	Black	65230033
4688 RD 24mm	Red	65230021	4688 RD 48mm	Red	65230027
4688 SL 24mm	Silver	65230022	4688 SL 48mm	Silver	65230028
4688 YO 24mm	Yellow	65230023	4688 YO 48mm	Yellow	65230029
4688 BL 24mm	Blue	65230024	4688 BL 48mm	Blue	65230030
4688 GN 24mm	Green	65230025	4688 GN 48mm	Green	65230031
4688 WH 24mm	White	65230026	4688 WH 48mm	White	65230032

Gaffer Tape

58663 BK 48mm

- Heavy duty cloth tape with rubber adhesive
- Sandblasting masking
- High tensile strength
- Suitable for fixing wires and cables on stage
- Temperature resistant to 93°C
- Tensile strength: 197N/25mm
- Thickness: 330µm
- 48mm x 40m



48mm x 25m		
Product Code	Colour	Part Number
4688 BK 48mm	Black	65230033
4688 RD 48mm	Red	65230027
4688 SL 48mm	Silver	65230028
4688 YO 48mm	Yellow	65230029
4688 BL 48mm	Blue	65230030
4688 GN 48mm	Green	65230031
4688 WH 48mm	White	65230032

tesa 🖊



Aluminium Foil Tape

- High strength, release-coated and self-wound aluminium foil
- Designed with an aggressive acrylic based adhesive
- Provides an excellent vapour seal and conforms well around corners and irregular shaped surfaces
- Adhesive performs well under a wide range of temperatures
- Hand tearable for easy application
- Min. temp: -32°C
- Max. continuous temp: 127°C



Size	Part Number
25mm x 50m	66040540
50mm x 55m	66040550

Flash Patch Repair Tape

- Weather resistant
- Self adhesive, cold applied sealing tape with aluminium foil coating
- Suitable for the repair of cracks and splits in gutters, roofs, downpipes, flashings, brickwork, concrete, metal and fibro sheets
- Can be painted over with a suitable paint
- Thickness: 1.5mm
- 75mm x 10m roll





See the Lubricants, Sealants & **Chemicals section for Thread Seal and** Pipe Repair Tapes, pages 197 and 201



Strapping Dispensers & Accessories & Packaging

Strapping & Accessories

Steel Strapping

- High tensile steel strapping
- Safe to use with rounded edges
- · Easy to handle when used with the steel strap dispenser
- 0.5mm

Open Metal Seals

- · Designed for use with poly strapping and manual sealing tools
- 1,000 per box

Steel Strapping Dispenser with Wheels

- Heavy duty construction for long lasting use
- Easy to use

	0	-
Description	Size	Part Number
Steel Strapping – 200m	16mm	66030240
Steel Strapping – 210m	19mm	66030280
Open Metal Seals	15mm	66030340
Open Metal Seals	19mm	66030350

Stretching Film Wrap & Dispensers

- Durable polyethylene stretch film
- Excellent puncture resistance
- Useful in stabilising sharp or bulky objects
- Black stretchwrap is ideal for concealing the contents of a pallet (deterring theft during storage and transport)



Length	Colour	Thickness	Part Number
480m	Clear	20μm	66030050
300m	Black	17μm	66030060
Dispensers	Part Number		
Stretch Film Hold	66030080		
Heavy Duty Hand Stretch Wrap Handle			66030085

Steel Strap Cutter

74900

One piece forged construction

Steel Strapping Dispenser with Wheels

- Heavy duty
- Durable vinyl coated handles
- Drop forged of high carbon steel
- Induction hardened cutting edges 58-61 HRC
- Cuts up to 28mm in width, 0.8mm in thickness, 32mm in length
- Length: 305mm
- Weight: 750g



Steel Strapping Tools

Heavy duty construction for long lasting use Easy to use

Description	Size	Part Number
Tensioner	12-19mm	66030820
Crimpers	15mm	66030830
Crimpers	19mm	66030840

Brown Paper

- Suitable for packaging and wrapping parcels for postage
- Width: 610mm
- Roll length: 440m
- Roll weight: 18kg
- 67gsm



Bubble Wrap

- Ideal for padding and protecting goods during transport
- 1.5m x 100m
- P20 bubble

KING TONY



Press Seal Poly Bags

- Resealable bags
- Suitable for a wide range of general uses
- Transparent
- Pack of 1,000



Size	Part Number	Size	Part Number
50 x 75mm	66020017	200 x 300mm	66020060
75 x 100mm	66020018	230 x 305mm	66020076
75 x 125mm	66020019	280 x 380mm	66020078
100 x 180mm	66020020	280 x 400mm	66020080
150 x 200mm	66020040	305 x 230mm	66020082
150 x 230mm	66020056	330 x 330mm	66020084
200 x 250mm	66020058	-	-

Scales, Scissors, Magnifying Glass & Markers

Digital Counting Scales

- High performance, high resolution counting scales
- Easy to read digital display panel
- 15kg capacity, accurate to 5g
- Max. display number: 9,999,999
- Pan size: 300 x 200mm
- Overall dimensions: 337(I) x 314(w) x 109(h)mm



Heavy Duty Packing Scales

- 290 x 280mm high quality stainless steel platform
- 2m flexicord control unit
- Digital display panel, accurate to 50g



Digital Warehouse Scales

- Digital LCD backlit display panel
- 600 x 450mm bed
- 300kg capacity



General Purpose Scissors

- Forged steel
- · All nickel plated



Scissors

- Ambidextrous comfort grip handle
- Consists of one knife edge blade and one serrated edge blade



Size	Part Number
200mm	62547512
230mm	95016472

Magnifying Glass

- Ideal for reading maps and fine print
- Glass diameter: 100mm
- 100mm handle





Artline 500A Whiteboard Markers

- · Low odour alcohol based ink
- Pigment based ink for bold colours
- Long lasting aluminium barrel
- Ink is Xylene free and RoHS compliant
 - Bullet nib with a 2mm line width

ArtimeouuA
Artline500A

Artline70 @

Artfine90 ©

Artline

Artline

Product Code	Colour	Part Number
150001A	Black	66010076
150003A	Blue	66010078

Artline Permanent Markers

- Instant drying alcohol based ink
- Ink is Xylene free and ROHS Compliant
- Hard wearing aluminium barrel
- For general purpose marking where a bold mark is necessary
- Permanent
- Black



Product Code	Description	Line Width	Part Number
170001	Artline 700 – Bullet Nib	0.7mm	66010091
107001	Artline 70 – Bullet Nib	1.5mm	66010092
109001	Artline 90 – Chisel Nib	2-5mm	66010093
110001	Artline 100 – Chisel Nib	7.5-12mm	66010094
111001	Artline 110 – Wide Nib	7.5-12mm	66010095
112001	Artline 120 – Broad Nib	20mm	66010096
113001	Artline 130 – Super Wide Nib	30mm	66010097

Permanent & Paint Markers, Ink, Crayons, Chalk and Chalk Holder

White Permanent Markers

- Chisel type nib
- Quick dry
- Valve controlled, opaque ink
- Suitable for almost all surfaces including metal, glass, plastic, rubber and most non-porous surfaces



Description	Nib Size	Part Number
Broad Point	6.5mm	66010098
Medium Point	3.9mm	66010099

Artline 400 Series Paint Markers

- Market leader in paint markers
- Xylene free and fade resistent ink
- Quick drying
- Completely opaque even on dark or transparent surfaces
- Long lasting crisp colour
- Permanent
- Ideal for indoor and outdoor use where permanent marking is required
- Bullet nib with 2.3mm line width



Product Code	Colour	Part Number	Product Code	Colour	Part Number
140001	Black	66010040	140033	White	66010048
140003	Blue	66010042	140007	Yellow	66010047
140009	Pink	66010044	140004	Green	66010049
140002	Red	66010046	_	_	_

P10 Paint Markers

- High performance paint marker
- Xylene-free, fast dry formula
- Replaceable, heavy duty tips
- Bold, easy to read marks
- 2mm bullet nib



Colour	Part Number
Black	66010030
Red	66010032
Yellow	66010034
White	66010036

Markal B Paintstik Markers

- Combines long-lasting durability of paint with the convenience of a crayon
- Weather and UV-resistant
- Ideal for layout, colour coding, fabrication and identification
- Marks on smooth, rough, rusty or dirty surfaces
- Suitable for use on metal, wood, plastic, concrete, rubber, glass, cardboard and paper
- Marking range: -46°C to 66°C



Colour	Part Number
Yellow	62550120
Red	62550122
White	62550124

Ballmarker Ink, Tips & Bottle

- Permanent and lightfast marks on steel, timber and tyres
- Extremely durable in all environmental conditions
- T400 lnk will mark on any surface, penetrating grease, oil and rust
- Tips feature a unique spring loaded ball valve writing head
- Ink feed controlled by a flexible 'squeeze flow' plastic bottle
- Hardened tips ensure economical ink usage
- Bottle (supplied empty) and tip sold separately

Description	Size	Part Number
Ballmarker Ink – Yellow	1ltr	66010100
Ballmarker Ink – White	1ltr	66010120
Ballmarker Ink – Red	1ltr	66010125
Ballmarker Ink – Black	1ltr	66010130
Ballmarker Bottle	125ml	66010020
Ballmarker Replacement Tip	6mm	66010021

Lumber Crayons

- Ideal for marking cartons timber and tyres
- Economical usage
- Suitable for civil works, engineering and construction applications
- 112mm long
- 13mm hexagonal diameter



Colour	Part Number	Colour	Part Number
Blue	66010201	White	66010204
Yellow	66010202	Green	66010205
Red	66010203	Black	66010206

Engineering Chalk

- Economical and semi-permanent marking
- Ideal for industrial grade applications
- Quick and easy to layout jobs
- 80 x 10 x 10mm
- 50 pieces per box



Chalk/Soapstone Holder

- Metal construction
- Can hold chalk/soapstone of size 13 x 5 x 125mm

Includes:


- Chalk
- Pocket clip



Carpenter Pencil, Cold Galvanising & Primers

Hard Lead Carpenter Pencil

- Suitable for DIY use such as marking concrete, brick work and underlay
- Premium graphite core
- Break resistant
- Super bonded lead



Bright Zinc

2087

- CRC Bright Zinc is a guick drying, zinc rich coating
- It is formulated to provide superior corrosion protection compared to standard paint systems, and dries to the colour of new galvanising
- The dried film in Bright Zinc contains 60% pure zinc, needs no primer and is sprayed directly onto bare metal
- It is designed to give up to four years protection in moderate outdoor conditions
- 350g aerosol



Need something to cut through tough packaging? See Safety **Knives in the Hand & Cutting Tools** section, page 337

Zinc-It Coating

- A single component zinc rich compound with a special epoxy binder and contains 90% of the highest purity zinc in the dried film, to give galvanic rust prevention
- Easy to apply, long term protection to steel because of cathodic action
- Metallic zinc coating is universally accepted as the best method of rust prevention flexible continuous protective film
- 350g aerosol



CRE

CRC

Cold Galvanising

GGCGA

- Organic zinc rich protective coating designed for long-term protection of iron and steel against rust and corrosion
- Provides a long lasting barrier similar in action to galvanising
- Suitable for welds and damaged galvanising, steel structures, tank exteriors, wrought iron, ducting and trailers
- 400g aerosol



Primers

GALMET

GALMET

Ftch Primer

- · Provides excellent adhesion for metal surfaces that are difficult to bond
- Suitable for use on aluminium, galvanised iron, new steel, alloys and non-ferrous metals

Grev Primer

- Quality primer range for clean and rusty metal surfaces
- Suitable for use on wrought iron railings, fences, gates and other structural steel



Description	Size	Part Number
Etch Primer	325g Aerosol	66520106
Grey Primer	350g Aerosol	66520108

DuraGal® Silver Paint

GGDSA

- Anti-corrosive silver protective paint and touch-up coating for welds and other iron and steel products giving the appearance of a new coated surface
- Suitable for DuraGal® steel welds and pre-primed steel sections
- DuraGal® is a trademark of Onesteel Ltd
- 350g aerosol



Zinc Gal Primer

- Cold galvanising primer
- Zinc-rich high performance coating, contains 91% zinc in dry film
- Provides true galvanic protection to steel and iron
- Ideal for structural steelwork in industrial environments (tanks, pipes, fences and buildings)



235

Size	Part Number
1ltr	66520115
4ltr	66520120

Marking Paint, Enamel, Marking Tools & Paint Brushes

Mine Marking Out Paint – Vertical Trigger

- Specially formulated for above/below ground areas
- Two nozzle options available for upright/inverted spray or horizontal spray application
- Bright, highly visible marks on dark surfaces
- Applications include marking out ore zones in grading control, pit walls and survey grid layouts
- Suitable for use with a mine marking handle
- 350g aerosol



Colour	Part Number	Colour	Part Number
Fluoro Orange	86410550	Red	86410522
Fluoro Pink	86410551	White	86410530
Fluoro Green	86410552	Yellow	86410538
Fluoro Blue	86410553	Fluoro Yellow	86410540
Fluoro Red	86410520	-	-

Line Marking Machine

- Ergonomic design with built-in side line attachment
- Heavy duty steel construction
- Lightweight, removable handle for spot marking
- Includes utility tray and storage for up to 5 cans of line marking paint
- Line width adjustable between approximately 60mm and 100mm



Line Marking Paint

- A fast drying acrylic paint, designed for use with the Line Marking Machine
- Specially formulated to provide long lasting lines
- Ideal for marking on car parks, factories, warehouses, sporting fields and courts
- Toluen-free formula
- A chlorinated rubber, alkyd paint designed for application over asphalt, tarsealed and concrete surfaces
- Fast drying
- 500g aerosol



Colour	Part Number	Colour	Part Number
Yellow	66010165	Black	66010175
Red	66010168	Blue	66010180
White	66010170	-	-

Zinc Stencils

- Solvent resistant zinc material
- Easy to clean and re-usable
- 50mm



Description	Part Number
0–9	66010006
A–Z	66010004

Zinc Guard Epoxy Enamel

- Single pack epoxy enamel
- Advanced zinc anti-corrosive formula for industrial use
- Provides a durable, long lasting finish
- Greater UV resistance
- Exceptional gloss levels
- Toulene-free and anti-chroming
- 325g aerosol



Colour	Part Number	Colour	Part Number
Gloss White	66520002	Cottage Green	66520010
Gloss Black	66520004	Signal Red	66520012
Deep Ocean	66520006	Golden Yellow	66520014
Ultramarine	66520008	-	-

Signwriters Brushes

Handyman Paint Brushes

Wooden handle with black bristles

• Ideal for all general purpose jobs

· Allows for more precision when doing finer paint work



Size	Part Number	Size	Part Number
No.1	62512810	No.7	62512880
No.2	62512820	No.8	62512890
No.6	62512870	-	-

Spot Marking Handle – 2 Wheel

- · Great for marking out jobs
- · Ideal for trench digging and landscaping applications
- Lightweight aluminium construction
- Improves efficiency and makes application less fatiguing





Width	Part Number	Width	Part Number
19mm/³/₄"	62512019	63mm/2½"	62512063
25mm/1"	62512025	75mm/3"	62512075
38mm/1½"	62512038	100mm/4"	62512100
50mm/2"	62512050	-	-

Paint Rollers, Roller Tray & Spray Guns

Complete Pro Mini Rollers

- Ideal for DIY applications
- Perfect size for awkward spaces and trim work
- Feature a slip-on and lock design

- General purpose use on semi-smooth to rough surfaces
- Suitable for use with all types of paint

Foam Trim

- Close texture foam is easy to clean and gives an even finish
- Suitable for gloss paint on smooth and semi-smooth surfaces

Pipe Roller

- Features three fabric rollers on a curved frame to easily cover



Description	Size	Part Number
Complete Fabric Roller	110mm with 390mm Handle	62596321
Complete Foam Roller	110mm with 390mm Handle	62596322
Complete Pipe Roller	90mm with 390mm Handle	62596323
Fabric Covers – 2 Pack	110mm	62596324
Foam Covers – 2 Pack	110mm	62596325
Replacement Handle	390mm	62596326
160mm Complete Rollers & Access	pries	
Description	Size	Part Number
Complete Fabric Roller	160mm with 300mm Handle	62596327
Complete Fabric Roller	160mm with 600mm Handle	62596328
Fabric Covers – 2 Pack	160mm	62596329
Foam Covers – 2 Pack	160mm	62596330
Replacement Handle	300mm	62596331
Replacement Handle	600mm	62596332

All Rounder Roller Covers

- Features a 12mm nap with an end cap
- Sold individually



Size	Part Number
180mm	62596236
230mm	62596238
270mm	62596240

All Rounder Roller Frames



Size	Part Number
180mm	62596020
230mm	62596220
270mm	62596222

Roller Tray

- PVC tray suitable for most professional and DIY painting jobs
- Suits 230mm roller or smaller





Gravity Feed Spray Gun

- Stainless steel needle and tip makes it compatible with water-based material
- 18-43psi
- 600ml pot
- Pattern width: approx. 240mm
- Air consumption: 14.5cfm
- Nozzle size: 1.4-2.0mm
- Air inlet: 1/4" BSP/NPT



Suction Feed Spray Gun

- High quality nozzle with inside diameter 2.0mm
- Provides a wide-angle of coverage
- All metal construction
- 18-43psi
- 1ltr pot



Spray Guns, Paint Can, Paint Mixer & Drop Sheets

High Pressure Spray Gun

- Comes with Nitto style fittings and 1ltr pot
- Delivers extremely fine atomisation
- Can be used for most professional applications including automobile jobs
- Suitable for Polyurethane, 2 Pak and enamel
- Nozzle ID: 1.7mm
- · Required pressure: 50-70psi
- Air consumption: 7.77cfm



Cover Masker Drop Sheet

- Plastic drop sheet protects furniture, carpet, doors and sills
- Straight edge for professional finish
- Easy to remove, leaves a clean finish
- Convenient to use dispenser
- 1.8m x 33m



5 Piece Professional Air Kit

• With Nitto style fittings

Includes:

- Tyre pressure gauge
- Engine cleaner gun
- Air duster
- High pressure spray gun
- Coil hose



Heavy Duty Canvas Drop Sheet

- Protects floors and furniture from paint splatter
- Ideal for professional jobs
- 4.57 x 3.65m



Paint Can with Lid

- Round
- Metal
- Comes with standard lid and handle
- 4ltr



Window Scraper

- Removes paint, glue, putty or adhesives
- Comfort grip with retractable razor blade
- Comes blister packed with blade cover
- 150mm overall length



Paint Mixer

PMX/60

- Suitable for mixing paint and various low density materials
- Has a hexagonal fluted shaft and the red powder coating provides a high level of protection against rust
- Preferably used with a variable speed reversible drill with minimum power between 400 to 600W
- Depending on the density of the material, the recommended speed is between 200 to 700rpm
- The mixer should be inserted well into the paint before the drill is turned on and the mixer should come to a complete stop before it is removed after mixing
- Fits 9.5mm drill
- Diameter: 60mm
- Overall length: 400mm





Heavy Duty Backing Grout - 5137

E951377

- Non-shrink, heavy duty epoxy grout with faster strength development than heavy duty backing grout
- Recommended for applications where rapid cure is required
- Suitable for heavy duty rail grouting, machine base grouting, high strength backing and grouting of bridge footings
- 10kg kit



32414150

Superstrength Grout

E991621

- Class Z cement-based, non-metallic, non-shrink grout
- Multi-purpose, precision, construction grout specifically designed to offer extended working time with a high effective bearing area
- Used for large, heavy operating equipment, structural columns, anchors or fixings, pre-cast and pre-stressed
- 20kg



86410510

Safecrate Step Stool

- Load tested 450kg
- Rubber feet supplied
- Stackable
- Dual hand grips
- 150kg U.D.L. (Certified)
- Orange
- 495(l) x 495(w) x 375(h)mm
- Platform size: 370(l) x 370(w)mm
- Weight: 4.5kg



95027804

Safe-T-Sten

- Made from linear low density Polyethylene (LDPE)
- Fitted with non-slip tape
- Orange
- 475(l) x 475(w) x 360(h)mm



62548108

Single Sided Step Ladder

- EN14183 Standard
- 2 steps
- Load rating: 150kg
- Size when open: 81(h) x 57(d) x 52.5(w)cm
- Height of top step: 46cm
- Weight: 6.62kg



BLACK - JACK

62548110

See all Height Safety
Equipment in the
Safety Equipment &
Consumables section,
pages 49–55

Aluminium Single Sided Step Ladder

- AS/NZS 1892.1:1996
- Heavy duty construction
- 7 steps
- Load rating: 150kg
- Closed height: 2.49m
- Size when open: 2.34(h) x 1.42(d) x 0.66(w)m
- Weight: 11.5kg



62548220

BISHOPS Port Moresby | Lae | Madang | Kimbe | Mt Hagen | Kokopo | Honiara

Step Ladders & Extension Ladder

Aluminium Double Sided Step Ladder

- AS/NZ 1892.3: 1996
- 7811 steps each side • Load rating: 150kg
- · Closed height: 3.59m
- Size when open: 3.51(h)
- x 2.34(d) x 0.81(w)m
- Weight: 28.5kg



Fibreglass Double Sided Step Ladder

AS/NZ 1892.3: 1996

BLACK - JACK

- Fibreglass rails with aluminium steps
- Heavy duty construction
- 7 steps on each side
- Load rating: 150kg
- Size when open: 2.34(h)



BLACK AJACK

Fibreglass Single Sided Step Ladder

- AS/NZ 1892.3: 1996
- Fibreglass rails with aluminium steps
- Heavy duty construction
- 5 steps
- Red with yellow top and feet
- Load rating: 150kg • Closed height: 1.87m
- Size when open: 1.74(h) x 1.09(d) x 0.58(w)m
- Weight: 10.6kg



Aluminium Extension Ladder

- EN131 standard
- 20 steps

BLACK♣JACK

- Ladder height: 3.65–5.15m
- Max. width: 454mm
- Weight: 12.55kg
- Load rating: 150kg



240

Extension Ladders, Scaffolding & Scaffold Key

Fibreglass Extension Ladder

- AS/NZS 1892.3: 1996
- Heavy duty construction
- Fibreglass rails with aluminium steps
- Lightweight and easy to handle
- Load rating: 150kg



BLACK - JACK

BLACK AJACK

Steps	Ladder Height	Weight	Part Number
20	3.26-5.37m	19.9kg	62548360
28	4.37-7.67m	30kg	62548380

2600 Series Mobile Scaffold Tower Kits & Ladders

- Complies to standards AS/NZS1576.3 1995
- Robust aluminium construction
- The fully TIG welded frames provide extra strength and a longer service life
- Fully bolted deck with non-slip plywood
- Extremely versatile frames can be used as base, building or guardrail frames
- Fitted with snap lock brace hooks
- Four swivel castors with directional brakes
- Working area: 1.2 x 2.4m
- Extra straight ladders to suit available



Scaffold Tower Kits				
Height	Part Number	Height	Part Number	
1.5m	84550101	4.5m	84550114	
2.5m	84550106	6.0m	84550120	
3.0m	84550108	6.5m	84550122	
4.0m	84550112	-	-	
Straight Ladders with Scaffold Hooks				
Height	Part Number	Height	Part Number	
3m	84550222	4.8m	84550228	
3.6m	84550224	5m	84550230	
4.2m	84550226	-	-	

Deluxe Electro-Safe Extension Ladder

- AS/NZS 1892.3
- Heavy duty construction suitable for industrial, trade and commercial use
- XHD fibreglass resists sway, turn and flex
- Rungs are top-hat riveted, providing extra resistance to twist and sway
- **Includes:** pole chain, hoop and rubber boots for extra safety
- Fitted with a side pulley and rope extension system
- Load rating: 150kg



Steps	Ladder Height	Weight	Part Number
20	3.31-5.13m	24.2kg	62548320
28	5.14-8.79m	33.5kg	62548340

Zippy Scaff Folding Mobile Scaffold Unit

- Suitable for a wide range of trades and applications
- Compact, lightweight and transportable
- Foldable and easy to erect
- Easily adjustable to different working heights
- Deck is made with slip-resistant plywood and features built-in ladder access, while frame is lightweight aluminium
- 225kg working load
- Overall dimensions for base unit: 1.96(l) x 0.74(w) x 1.96(h)m
- Max. standing height: 1.4m and 1.9m with extension
- Base weight: 42kg
- Extension weight: 19kg



Description	Part Number
Folding Mobile Scaffold Unit	84550010
Extension for Folding Mobile Scaffold Unit	84550012

Scaffold Key

- Heavy duty steel
- Rounded handle for more ergonomic use
- Perfect accessory for most scaffolding applications
- Length: 24mm



Foamer, Spray Bottles & Pressure Sprayers

Heavy Duty Foamer

SG13292

- · Easy hose-end attachment
- Choose from various dilution selections
- Holds 2.7ltr of concentrate



Dilution Bottle

SG89010

- Perfect way to apply diluted Simple Green[®]
- Adjustable nozzle allows a 'stream', 'spray' or 'foam' application
- 946ml



See Cleaners and Degreasers in the Janitorial, Hygiene, Crib & **Leisure Products section on pages**





Heavy Duty Spray Applicators

- CRC Heavy Duty Spray Applicator has a nozzle that adjusts from a fine mist to a pin point stream
- Compatible with most light liquids except paints and lacquer thinners



Product Code | Capacity 500ml 4015 1ltr

Manual Pressure Sprayer – 5ltr

simple green

simple green

 Ideal for weed killing, pest/plant control and fertilising in both homeowner





STIHL

STIHL

STIHL

Manual Backpack Sprayer – 12ltr

Backpack sprayer for occasional and professional use

Increased user comfort through pump lever mounted on the right or left and ergonomic shutoff valve

Robust design for long service life, even with professional use

Tank capacity: 12ltr Weight: 4.8kg **STIHL**

Manual Backpack Sprayer – 18ltr

· Backpack sprayer for occasional and professional use

- Increased user comfort through pump lever mounted on the right or left and length adjustment
- High quality straps and moulded back panel for greater user comfort
- Ergonomic shutoff valve with pressure gauge

Tank capacity: 18ltr



Mistblower, Stakes, Pickets, Tie Wire & Tarpaulins

Professional Mistblower

SR 450

- Designed for the harshest of professional applications
- Powerful and versatile, their strengths are most impressively demonstrated on difficult terrain or large areas of land
- Ergonomic and lightweight, easy to use with just one hand
- Accurately delivers liquids, granules or seeds over a wide area
- Optimum conditions for strong growth and productive soil
- Multi-function handle puts all the engine controls at your fingertips, allowing easy and safe operation
- Anti-vibration system
- Comfortable backpack carrying system adapted to suit the user's shoulders
- ElastoStart reduces the shock caused by the compression of the engine during starting
- Displacement: 63.3cc
- Max. air throughput: 1.3m3/hr
- Weight (without fuel): 12.8kg



Star Dropper Remover & Hammer

Remover

STIHL

- Used for removing star droppers (also called star pickets, tri pickets or fencing droppers)
- Also used for removing selected pipes and steel pegs
- Made from high tensile steel for durability and long life
- Gripper bites efficiently into dropper for easy extraction
- Long handle for excellent leverage

Hammer

- Used for driving in star (fencing) droppers
- Also used to drive in marker pegs, stakes, concreting stakes etc
- Heavy 8kg unit drives droppers very quickly and efficiently
- Solid steel handles and slug welded together (not to pipe) gives great strength



Product Code	Description	Part Number
5SDSH	Star Dropper Hammer	63575110
5SDR	Star Dropper Remover	63575150

Survey Stakes

- White top
- 4-way point
- 25 x 25mm



Length	Part Number
300mm	60010267
600mm	60010986
900mm	60010268
1,200mm	60010988

Tri Picket

- Suitable for supporting wire or wire mesh fencing
- Can also be used in agricultural jobs for supporting trees or vines
- Black



Description	Part Number
Tri Picket	63575020
Tri Picket Caps — Plastic — Pack of 100	63575010



Galvanised Tie Wire

- Galvanised to resist corrosion
- Soft and easy to use
- 5kg roll



Diameter	Gauge	Length	Part Number
1.6mm	16gge	320m	66580100
2.0mm	14gge	200m	66580120
2.5mm	12gge	120m	66580125

PE Tarpaulin

- Polyethylene tarpaulin
- Waterproof and weather resistant



Description	Colour	Weight	Size	Part Number
General Duty	Green	120gsm	3.65 x 4.85m	66550110
General Duty	Blue	120gsm	4.85 x 7.3m	66550120
Heavy Duty	Silver/Green	230gsm	6 x 7.3m	66550140
Heavy Duty	Silver	230gsm	7.3 x 7.3m	66550160
Super Heavy Duty	Silver	260gsm	7.3 x 11m	66550180

PVC Tarpaulin

- Industrial duty
- Waterproof and weather resistant
- Suitable for use as ground sheets, wind breaks, banners, and water tank covers
- 550gsm



Size	Part Number
9.15 x 9.15m	66550360
9.15 x 12.2m	66550380
9.75 x 10.97m	66550390

Tarpaulin Clips, Ball Joint Kit, Grommets, Springs & Locks

Tarp Clips

TACL5

- · Tough fibreglass reinforced nylon material
- Locks firmly onto tarpaulins, signs, banners or covers (up to 5mm in thickness)
- Rated at up to 100kg (subject to material strength)
- Pack of 4



Find Ropes in the Material Handling & Lifting section, page 102 & 103

Grommets

Used to repair canvas, tarpaulins, tents, awnings, sail cloth, lawn furniture, pool covers and more

Solid brass and rust resistant

Hole

Replacement grommets also available







Washer

Product Code	Description
GRMT/3-8/ST	Grommet Kit – Includes 12 Brass Grommets, Hole Punch, Backer Block, Setting Tool & Anvil
GRM/B/3-8/ST12	Replacement Grommets – 12 Pieces

Compression & Extension Springs

- Century Springs offer the largest and most precise spring solution available in Papua New Guinea
- Extensive range of outside diameters (3mm to 40mm) and lengths (6mm to 419mm) in various wire gauges
- Available in both extension and compression format
- Springs made to exacting standards from electroplated spring steel and stainless steel









66550900



Please contact Bishops for more information

Extension & Compression Spring Kits



	The second City and State Company (Section 2017) (1)	
Product Code	Description	Part Number
CA101	Extension Springs – 48 Pieces 12 Sizes: 1" to 4¾" Length, ¾6" to ½" Diameter	40410110
CA102	Compression Springs – 72 Pieces 12 Sizes: 11/4" to 4" Length, 3/16" to 3/4" Diameter	40410120
CA103	Accelerator Extension Springs – 36 Pieces Sizes: 4½" to 7" Length, ¾6" to ¾6" Diameter	40410130

General Security Brass Locks

- Stylish and strong solid brass lock body
- Steel shackles for maximum cut resistance
- Available keyed to differ (KD) or keyed alike (KA)



Master WH

Product Code	Description	Shackle Opening Height	Shackle Dia.	Part Number
0120D	20mm KD	11mm	4mm	62586270
0120KA	20mm KA	11mm	4mm	62586271
0130D	30mm KD	16mm	5mm	62586272
0130KA	30mm KA	16mm	5mm	62586273
0130T	30mm KA – 2 Pack	16mm	5mm	62588085
013DLJ	30mm KD Extended Shackle	65mm	5mm	62588086
0140D	40mm KD	22mm	6mm	62588088
0140KA	40mm KA	22mm	6mm	62586274
0140LFD	40mm KD Extended Shackle	38mm	6mm	62586275
0140LFKA	40mm KA Extended Shackle	38mm	6mm	62586276
0150D	50mm KD	25mm	7mm	62588092
0150KA	50mm KA	25mm	7mm	62586277

Brass Padlocks

- Suitable for general security applications
- Resistant against rust and corrosion
- Brass body and hardened steel shackle
- Comes with a set of three keys



Width	Shackle Height	Shackle Dia.	Part Number
20mm	11mm	3.2mm	62588020
32mm	16mm	5.4mm	62588030
35mm	21mm	5.5mm	62588505
38mm	19mm	6.3mm	62588040
40mm	23mm	6.4mm	62588510
50mm	25mm	8.7mm	62588050
50mm	32mm	9.5mm	62588520
63mm	32mm	10.7mm	62588060

Master WH

Master WH

Master Will

245

Solid Brass Padlock – Pro Series

6840K

- Brass body provides extra corrosion resistance in caustic, corrosive, salty environments
- Available keyed to differ (standard), keyed alike and/or master keyed
- · Lifetime guarantee
- 44mm wide body
- Shackle opening height: 30mm
- Shackle diameter: 8mm

Shackle Options:

- Boron: 30mm (standard), 40mm, 62mm or 143mm
- Brass: 30mm or 62mm
- Stainless steel: 30mm or 62mm



Contractor Padlock

- Brass body with stainless steel shackle
- 6-pin tumbler mechanism
- Self-latching or deadlocking (key retained)
- Double locking
- Width: 29mm
- Shackle height: 38mm
- · Shackle dia: 5mm



Master

PROSERES 6840

Master William

62588320

See a few pages ahead for Key Storage



Master Tuck


The Master Lock Difference Padlock Customisation

- Ownership Identification Master Lock can laser engrave your padlocks with text or logos to permanently identify your locks and reduce padlock theft
- Restricted Padlock Systems Master Lock's Edge[™] restricted padlock system is a simple and innovative cylinder design with an additional locking mechanism. New keys are only available through authorised re-sellers making unauthorised copies impossible
- Keying Options Master Lock padlocks in most cases are available keyed alike and master keyed either ex-stock or built to your exclusive order requirements in our keying cell within 48 hours meaning locks are on-site in 5 working days (unless specified standard keying is keyed to differ)



Please contact a Bishops representative for any enquires. catalogue@bishopbros.com.pg

High Security Brass Finish Padlocks – Excell™



 Tough cut boron carbide shackle is 50% harder than hardened steel

 Patented octagonal shackle is harder to grip by bolt cutters

 Multi-packs are keyed alike for instant convenience



Product Code	Description	Shackle Opening Height	Shackle Dia.	Part Number
M5BD	50mm Wide Body	25mm	9mm	62588140
M5BTRI	50mm Wide Body – 3 Pack	25mm	9mm	62588142
M5BTLF	50mm Wide Body – 2 Pack	38mm	9mm	62588141
M5BDLH	50mm Wide Body	51mm	9mm	62588143
M15BDLF	64mm Wide Body	38mm	11mm	62588144

Laminated Steel Padlocks

- Strong laminated steel bodies for superior strength
- Hardened steel and boron alloy shackles for superior cut resistance

 Available keyed to differ (KD) or keyed alike (KA)

0003D

Lifetime guarantee



Product Code	Description	Shackle Opening Height	Shackle Dia.	Part Number
0003D	40mm Wide Body KD	19mm	7mm	62588102
0003DLF	40mm Wide Body KD	38mm	7mm	62588103
0001D	44mm Wide Body KD	24mm	8mm	62588104
0005D	51mm Wide Body KD	25mm	10mm	62588106
0017D	51mm Wide Body KD	25mm	11mm	62588108
0015D	64mm Wide Body KD	32mm	11mm	62588109

Weather Tough Padlocks – Pro Series

- High security, heavy duty bodies withstand physical attacks
- Ideal for harsh outdoor conditions and dusty construction sites
- Keyway cover keeps out dust, dirt and grime
- Boron shackle (standard)
- Available keyed to differ (standard), keyed alike and/or master keyed
- Brass and stainless steel shackles available for increased corrosion resistance
- Lifetime guarantee

Shackle Options


- 6121's 29mm (standard), 38mm, 63mm or 143mm
- 6125's 35mm (standard) or 63mm
- 6127's 35mm (standard), 48mm or 63mm



Product Code	Description	Shackle Opening Height	Shackle Dia.	Part Number
6121K	54mm Wide Body	29mm	8mm	62588152
6125K	61mm Wide Body	35mm	10mm	62588154
6127K	67mm Wide Body	35mm	11mm	62588156
6627K	67mm Wide Body	48mm	11mm	62588420

Keved Alike Multi-Packs

- General security diamond brass
- Medium/high security laminated steel





Product Code	Description	Shackle Opening Height	Shackle Dia.	Part Number
0120DQ	Padlock Diamond Brass 20mm (4 Pack)	11mm	4mm	62588082
0130DQ	Padlock Diamond Brass 30mm (4 Pack)	16mm	5mm	62588083
0140DQ	Padlock Diamond Brass 40mm (4 Pack)	22mm	6mm	62588089
0003T	Padlock Laminated Steel 40mm (2 Pack)	19mm	7mm	62588105
3008D	Padlock Laminated Steel 40mm (4 Pack)	19mm	7mm	62588101
0005T	Padlock Laminated Steel 51mm (2 Pack)	25mm	10mm	62588111
0005TRILF	Padlock Laminated Steel 51mm (4 Pack)	38mm	10mm	62588107
0312TRIHM	Padlock Weather Tough 40mm (3 Pack)	19mm	10mm	62588150

Solid Brass Shrouded Padlock

- Shrouded shackle for extra protection and cut resistance
- Rust and corrosion resistant brass body
- 4-pin tumbler security
- Keyed to differ
- Width: 40mm
- Shackle height: 22mm
- Shackle dia: 7mm



Solid Iron Shroud Padlocks – Pro Series Master

- High security, heavy duty bodies withstand physical attacks
- Dual ball bearing locking mechanism resists pulling and prying
- Iron shroud protects shackle from cutting and prying
- Boron shackle
- Can be integrated into existing key systems
- Available keyed to differ (standard), keved alike and/or master keved
- Lifetime guarantee



Product Code	Description	Shackle Opening Height	Shackle Dia.	Part Number
6321K	54mm Wide Body	19mm	8mm	62588162
6325K	61mm Wide Body	19mm	10mm	62588164
6327K	67mm Wide Body	19mm	11mm	62588166

Solid Steel Case Padlocks

- High security, heavy case hardened steel body
- Chrome rust proofing provides longer life
- Boron shackle (standard)

Master WH

- Stainless steel shackles available for increased corrosion resistance
- Available keyed to differ (standard), keyed alike and/or master keyed
- Can be integrated into existing key systems
- Lifetime guarantee

Shackle Options

- 7030's 27mm (standard), 40mm or 76mm
- 7040's 30mm (standard), 40mm, 61mm or 143mm
- 7050's 37mm (standard) or 63mm



Master WH

7040K 7045k

Product Code	Description	Shackle Opening Height	Shackle Dia.	Part Number
7030K	40mm Wide Body	27mm	6mm	62588124
7040K	44mm Wide Body	30mm	8mm	62588128
7045K	44mm Wide Body (Shrouded Shackle)	30mm	8mm	62588130
7050K	51mm Wide Body	37mm	10mm	62588132



Speciality Locks

Available keyed to differ or keyed alike

· Lifetime guarantee





Master Took

Product Code	Description	Shackle Opening Height	Shackle Dia.	Part Number
0640D	Nickel Plated 40mm Wide Body (Stainless Steel Shackle)	23mm	6mm	62588118
0312D	Weather Tough Laminated Steel 40mm Body (Steel Shackle)	25mm	10mm	62588119
0040D	Stainless Steel 70mm Body (Steel Shackle)	19mm	10mm	62588120

Hidden Shackle Puck Lock

- Ideal for vans, trucks, gates and vending
- Hardened steel body
- 6-pin Pro Series cylinder
- Lifetime warranty
- Diameter: 73mm



Combination Locks, Chain & Cable Locks, & Key Storage

Combination Locks

Master Lock has an extensive range of combination locks

Including resettable and key override options, Master Lock has all applications covered backed by a lifetime guarantee



Product Code	Description	Shackle Opening Height	Shackle Dia.	Part Number
604EURD	40mm Wide Solid Brass Body (Steel Shackle)	36mm	6mm	62588216
1500D	Dial 48mm Wide Body (Steel Shackle)	19mm	7mm	62588211
0176	51mm Wide Brass Body (Hardened Steel Shackle)	22mm	8mm	62588218
0175D	51mm Wide Solid Brass Body (Hardened Steel Shackle)	25mm	8mm	62588212
0175LHD	51mm Wide Solid Brass Body (Hardened Steel Shackle)	57mm	8mm	62588213
0178	51mm Die Cast Body (Hardened Steel Shackle)	25mm	8mm	62588217
2010	55mm Stainless Steel Body (Hardened Boron Alloy Shackle)	25mm	8mm	62588214
1174D	57mm Stainless Steel Body & Stainless Steel Shackle	28mm	8mm	62588215

Select Access – Key Storage

- There is no need to hide keys under the mat, flower pot or at the neighbours anymore
- Master Lock's range of Select Access key storage devices makes it possible to leave your property locked and provide access to a select few
- With a resettable combination and backed by Master Locks lifetime guarantee a Select Access is a must for all homes



Product Code	Description	Part Number
5400D	Portable	62588251
5401D	Wall Mount	62588252
5403D	Maxi Wall Mount	62588253
5406D	Compact Portable	62588254

Cable & Chain

Master TOOK

Master Will

- The Master Lock range of high security cables and chains offer flexible protection of tools and equipment
- All backed by Master Locks lifetime guarantee





Master WH

Master WH

Product Code	Description	Length	Diameter	Part Number
0078DPF	Cable Braided Steel	1.8m	10mm	62586281
0072DPF	Cable Braided Steel	4.6m	10mm	62586280
8119DPF	Cable Lock Combination	1.5m	10mm	62586282
8428D	Python Adjustable Cable Lock	1.8m	10mm	62586283
0042DPF	Hexagonal Boron Chain	1.2m	13mm	62586284
0043DPF	Hexagonal Boron Chain	1.65m	13mm	62586285

Key Cabinets

- Suitable for storing and controlling the access and distribution of keys
- Heavy duty steel construction with full length hinged door and built-in slotted key racks
- Durable powder coated cabinet finish
- Key retaining ensures key cannot be removed until cabinet is locked
- Includes 2 keys, key holders, cross reference chart and installation hardware



Product Code	Description	Part Number
7122D	Heavy Duty Key Cabinet Holds 30 Keys	55075251
7125D	Heavy Duty Key Cabinet Holds 60 Keys	55075252
7126D	Heavy Duty Key Cabinet Holds 120 Keys	55075253
7127D	Heavy Duty Key Cabinet Holds 240 Keys	55075254
7128D	Heavy Duty Key Cabinet Holds 330 Keys	55075255
7129	Heavy Duty Key Cabinet Holds 500 Keys	55075256
7130	Heavy Duty Key Cabinet Holds 730 Keys	55075257
7117D	Plastic Key Holder – 20 Per Bag	55075258

Find a wide range of Multi-Purpose **Lubricants in the Lubricants, Sealants & Chemicals Section,** from page 182



Locksets, Deadlocks, Door Closers & Padbolts

Exterior Lockset

- Master keyed
- Outside key and inside turnbutton locks and unlocks both knobs
- Knobs and roses made from a high purity zinc alloy with satin chrome finish
- Brass cylinder and barrel
- 5 pin tumbler mechanism
- Suits door thickness: 32–48mm
- Backset: 60mm
- Strike: 70 x 28.5 x 1.2mm
- · Latch: 13mm projection brass bolt
- Latch face plate: 57 x 25mm
- Rose: 64mm dia.



Hydraulic Door Closer Parallel Arm

High strength aluminium housing

Fitted with adjustable closing and latching speeds

• Operates on a rack and pinion mechanism



Door Capacity	Part Number
25–65kg	62580140
45kg	62580160

Deadlock

- Tested to standard AS4145.2-1993
- A versatile lock suitable for both domestic and commercial applications
- Resistant to wrench, jemmy and hammer attacks
- Fitted with positive deadlocking action
- Can be opened by key from outside and by the turn knob from the inside
- Suits door thickness: 30-45mm
- Backset: 60mm



Padbolts

- Zinc plated
- Other sizes available on request




Description	Size	Part Number
Single Eye	100mm	62592020
Double Eye	200mm	62592060

Automatic Deadlatch

- Tested to standard AS4145.2-1993
- High purity zinc alloy casing with brass cylinders and barrels
- Fitted with internal and external 5 pin tumbler mechanism
- Stainless steel latch with 18mm projection
- Suits door thickness: 30-45mm
- Backset: 60mm



Gate Drop Bolt



Pneumatic Door Closer

- Suitable for internal doors weighing up to 31kg
- Fitted with a powerful spring and pneumatic recoil mechanism
- Adjustable spring tension and closing speed
- Features a hold-open setting
- Made from zinc and aluminium with a satin finish



Barrel Bolt

- Chrome plated
- Brass construction



Size	Part Number
50mm	62570020
100mm	62570040

Hasp & Staple, Hinges & Cable Ties

Hasp & Staple

- General use hasp and staple
- Hard wrought iron steel body
- Hardened steel staples and locking eyes for extra strength and cut resistance
- Tamper proof hinges
- Length: 110mm
- Accepts shackles up to: 13mm



Locking Hasp & Staple

- Chrome plated
- Twist lock means no separate padlock is necessary
- Comes with self-drill screws for installation
- Concealed fittings for extra security
- Moderate protection against corrosion
- Suitable for exterior use on cabinets or storage units
- Length: 75mm



Safety Pattern Hasp & Staple

- Zinc plated
- Comes with self-drill screws for installation
- Suitable for securing tool boxes and sheds



Length	Part Number
90mm	62584030
115mm	62584040

Heavy Duty Hasp & Staple

- Safety pattern
- Hidden self drill screws
- Extra wide plate for added security
- 200mm



Brass Butt Hinges

- Made from solid brass providing excellent corrosion resistance
- Can be recessed into door and jam
- Fixed pin style
- Can be used in internal, external and wet room applications



Length	Part Number
25mm	62586010
100mm	62586040

Bright Steel Butt Hinge

Fixed pin style

- Primecoat finish and ready to paint
- Can be recessed into door and jam
- Length: 50mm



Need screws? See the Fasteners section

TRIDON >

249

Cable Tie Assortments

Tridon cable ties are available in assorted materials, colours and sizes to suit all types of applications



Product Code	Colour	Size	Quantity	Total Pack Qty	Part Number
CTP07	Assorted	3(w) x 100(l)mm	300	E00	64510600
GIPU/	ASSULLEU	3(w) x 150(l)mm	200	500	04010000
		3(w) x 100(l)mm	25		
CTP10	Natural	5(w) x 120(l)mm	25	75	64510610
		5(w) x 200(l)mm	25		
		3(w) x 100(l)mm	50		
CTP13	Black	5(w) x 120(l)mm	50	150	64510615
		5(w) x 200(l)mm	50		
CTP18	Assorted	4(w) x 150(l)mm	75	75	64510620
		3(w) x 100(l)mm	200		
CTCP10	Dlask	4(w) x 150(l)mm	200	1 000	64510630
010710	Black	5(w) x 200(l)mm	400	1,000	04010030
		5(w) x 300(l)mm	200		

Cable Ties – Natural

- Nylon cable ties are manufactured from virgin nylon 6/6 and are UL94V-2 flammable rated
- · Handy retail packs



Product Code	Width	Length	Quantity	Part Number
CT603NTCD	3mm	60mm	100	64510015
CT103NTCD	3mm	100mm	100	64510020
CT154NTCD	4mm	150mm	100	64510030
CT204NTCD	4mm	200mm	100	64510035
CT254NTCD	4mm	250mm	100	64510042
CT304NTCD	4mm	300mm	100	64510048
CT205NTCD	5mm	200mm	100	64510040
CT255NTCD	5mm	250mm	100	64510045
CT305NTCD	5mm	300mm	100	64510050
CT405NTCD	5mm	400mm	25	64510052
CT455NTCD	5mm	450mm	25	64510054
CT208NTCD	8mm	200mm	25	64510056
CT258NTCD	8mm	250mm	25	64510058
CT308NTCD	8mm	300mm	25	64510060
CT358NTCD	8mm	350mm	25	64510062
CT408NTCD	8mm	400mm	25	64510100
CT559NTCD	9mm	550mm	25	64510064
CT759NTCD	9mm	750mm	25	64510066
CT1009NTCD	9mm	1,000mm	25	64510068
CT6512NTCD	12mm	650mm	25	64510070

Extension Leads

- Heavy duty
- Yellow
- Safety light in socket
- 3 x 1.5mm plugs
- 240V
- Plug power: 10amp
- Lead power: 15amp



Length	Part Number
10m	62043110
20m	62043120
25m	62043125
30m	62043130

Braided Extension Leads

- Tinned copper braid offers extra strength and protection
- Braided shield connected is earthed for extra protection
- Triple insulated braided flex for conductor protection
- 0.6V-1kV cable



Cable Ties - Black

Black cable ties have been U.V. stabilised to resist material breakdown and increase service life







CT603BKCD 3mm 60mm 100 64510120 CT103BKCD 3mm 100mm 100 64510130 CT154BKCD 4mm 150mm 100 64510140 CT204BKCD 4mm 200mm 100 64510150 CT254BKCD 4mm 250mm 100 64510160 CT304BKCD 4mm 300mm 100 64510250 CT205BKCD 5mm 200mm 100 64510250 CT255BKCD 5mm 250mm 100 64510255 CT255BK 5mm 250mm 500 64510260 CT305BKCD 5mm 300mm 100 64510260 CT405BKCD-100 5mm 400mm 100 64010360 CT455BKCD-100 5mm 450mm 100 64010365 CT208BKCD 8mm 200mm 25 64010370 CT258BKCD 8mm 250mm 25 64010375 CT308BKCD 8mm 350mm 25 64010385 <th>Product Code</th> <th>Width</th> <th>Length</th> <th>Quantity</th> <th>Part Number</th>	Product Code	Width	Length	Quantity	Part Number
CT154BKCD 4mm 150mm 100 64510140 CT204BKCD 4mm 200mm 100 64510150 CT254BKCD 4mm 250mm 100 64510160 CT304BKCD 4mm 300mm 100 64510250 CT205BKCD 5mm 200mm 100 64510250 CT255BKCD 5mm 250mm 100 64510255 CT255BK 5mm 250mm 500 64510260 CT305BKCD 5mm 300mm 100 64510350 CT405BKCD-100 5mm 400mm 100 64010360 CT455BKCD-100 5mm 450mm 100 64010365 CT208BKCD 8mm 200mm 25 64010370 CT258BKCD 8mm 250mm 25 64010375 CT308BKCD 8mm 350mm 25 64010380 CT358BKCD 8mm 350mm 25 64010385 CT408BKCD 8mm 400mm 25 64510480 <td>CT603BKCD</td> <td>3mm</td> <td>60mm</td> <td>100</td> <td>64510120</td>	CT603BKCD	3mm	60mm	100	64510120
CT204BKCD 4mm 200mm 100 64510150 CT254BKCD 4mm 250mm 100 64510160 CT304BKCD 4mm 300mm 100 64510170 CT205BKCD 5mm 200mm 100 64510250 CT255BKCD 5mm 250mm 100 64510255 CT255BK 5mm 250mm 500 64510260 CT305BKCD 5mm 300mm 100 64510350 CT405BKCD-100 5mm 400mm 100 64010360 CT455BKCD-100 5mm 450mm 100 64010365 CT208BKCD 8mm 200mm 25 64010370 CT258BKCD 8mm 250mm 25 64010375 CT308BKCD 8mm 350mm 25 64010380 CT358BKCD 8mm 350mm 25 64010385 CT408BKCD 8mm 400mm 25 64510480 CT408BKCD 9mm 400mm 100 65410485 <td>CT103BKCD</td> <td>3mm</td> <td>100mm</td> <td>100</td> <td>64510130</td>	CT103BKCD	3mm	100mm	100	64510130
CT254BKCD 4mm 250mm 100 64510160 CT304BKCD 4mm 300mm 100 64510170 CT205BKCD 5mm 200mm 100 64510250 CT255BKCD 5mm 250mm 100 64510255 CT255BK 5mm 250mm 500 64510260 CT305BKCD 5mm 300mm 100 64510350 CT405BKCD-100 5mm 400mm 100 64010360 CT455BKCD-100 5mm 450mm 100 64010365 CT208BKCD 8mm 200mm 25 64010370 CT258BKCD 8mm 250mm 25 64010375 CT308BKCD 8mm 350mm 25 64010380 CT358BKCD 8mm 350mm 25 64510480 CT408BKCD 8mm 400mm 25 64510480 CT408BKCD 8mm 400mm 100 65410485 CT559BKCD 9mm 550mm 25 64510121	CT154BKCD	4mm	150mm	100	64510140
CT304BKCD 4mm 300mm 100 64510170 CT205BKCD 5mm 200mm 100 64510250 CT255BKCD 5mm 250mm 100 64510255 CT255BK 5mm 250mm 500 64510260 CT305BKCD 5mm 300mm 100 64510350 CT405BKCD-100 5mm 400mm 100 64010360 CT455BKCD-100 5mm 450mm 100 64010365 CT208BKCD 8mm 200mm 25 64010370 CT258BKCD 8mm 250mm 25 64010375 CT308BKCD 8mm 300mm 25 64010380 CT358BKCD 8mm 350mm 25 64010385 CT408BKCD 8mm 400mm 25 64510480 CT408BKCD-100 8mm 400mm 100 65410485 CT559BKCD 9mm 550mm 25 64510121 CT759BKCD 9mm 750mm 25 65410487 </td <td>CT204BKCD</td> <td>4mm</td> <td>200mm</td> <td>100</td> <td>64510150</td>	CT204BKCD	4mm	200mm	100	64510150
CT205BKCD 5mm 200mm 100 64510250 CT255BKCD 5mm 250mm 100 64510255 CT255BK 5mm 250mm 500 64510260 CT305BKCD 5mm 300mm 100 64510350 CT405BKCD-100 5mm 400mm 100 64010360 CT455BKCD-100 5mm 450mm 100 64010365 CT208BKCD 8mm 200mm 25 64010370 CT258BKCD 8mm 250mm 25 64010375 CT308BKCD 8mm 300mm 25 64010380 CT358BKCD 8mm 350mm 25 64010385 CT408BKCD 8mm 400mm 25 64510480 CT408BKCD-100 8mm 400mm 100 65410485 CT559BKCD 9mm 550mm 25 64510121 CT759BKCD 9mm 750mm 25 65410487	CT254BKCD	4mm	250mm	100	64510160
CT255BKCD 5mm 250mm 100 64510255 CT255BK 5mm 250mm 500 64510260 CT305BKCD 5mm 300mm 100 64510350 CT405BKCD-100 5mm 400mm 100 64010360 CT455BKCD-100 5mm 450mm 100 64010365 CT208BKCD 8mm 200mm 25 64010370 CT258BKCD 8mm 250mm 25 64010375 CT308BKCD 8mm 300mm 25 64010380 CT358BKCD 8mm 350mm 25 64010385 CT408BKCD 8mm 400mm 25 64510480 CT408BKCD-100 8mm 400mm 100 65410485 CT559BKCD 9mm 550mm 25 64510121 CT759BKCD 9mm 750mm 25 65410487	CT304BKCD	4mm	300mm	100	64510170
CT255BK 5mm 250mm 500 64510260 CT305BKCD 5mm 300mm 100 64510350 CT405BKCD-100 5mm 400mm 100 64010360 CT455BKCD-100 5mm 450mm 100 64010365 CT208BKCD 8mm 200mm 25 64010370 CT258BKCD 8mm 250mm 25 64010375 CT308BKCD 8mm 300mm 25 64010380 CT358BKCD 8mm 350mm 25 64010385 CT408BKCD 8mm 400mm 25 64510480 CT408BKCD-100 8mm 400mm 100 65410485 CT559BKCD 9mm 550mm 25 64510121 CT759BKCD 9mm 750mm 25 65410487	CT205BKCD	5mm	200mm	100	64510250
CT305BKCD 5mm 300mm 100 64510350 CT405BKCD-100 5mm 400mm 100 64010360 CT455BKCD-100 5mm 450mm 100 64010365 CT208BKCD 8mm 200mm 25 64010370 CT258BKCD 8mm 250mm 25 64010375 CT308BKCD 8mm 300mm 25 64010380 CT358BKCD 8mm 350mm 25 64010385 CT408BKCD 8mm 400mm 25 64510480 CT408BKCD-100 8mm 400mm 100 65410485 CT559BKCD 9mm 550mm 25 64510121 CT759BKCD 9mm 750mm 25 65410487	CT255BKCD	5mm	250mm	100	64510255
CT405BKCD-100 5mm 400mm 100 64010360 CT455BKCD-100 5mm 450mm 100 64010365 CT208BKCD 8mm 200mm 25 64010370 CT258BKCD 8mm 250mm 25 64010375 CT308BKCD 8mm 300mm 25 64010380 CT358BKCD 8mm 350mm 25 64010385 CT408BKCD 8mm 400mm 25 64510480 CT408BKCD-100 8mm 400mm 100 65410485 CT559BKCD 9mm 550mm 25 64510121 CT759BKCD 9mm 750mm 25 65410487	CT255BK	5mm	250mm	500	64510260
CT455BKCD-100 5mm 450mm 100 64010365 CT208BKCD 8mm 200mm 25 64010370 CT258BKCD 8mm 250mm 25 64010375 CT308BKCD 8mm 300mm 25 64010380 CT358BKCD 8mm 350mm 25 64010385 CT408BKCD 8mm 400mm 25 64510480 CT408BKCD-100 8mm 400mm 100 65410485 CT559BKCD 9mm 550mm 25 64510121 CT759BKCD 9mm 750mm 25 65410487	CT305BKCD	5mm	300mm	100	64510350
CT208BKCD 8mm 200mm 25 64010370 CT258BKCD 8mm 250mm 25 64010375 CT308BKCD 8mm 300mm 25 64010380 CT358BKCD 8mm 350mm 25 64010385 CT408BKCD 8mm 400mm 25 64510480 CT408BKCD-100 8mm 400mm 100 65410485 CT559BKCD 9mm 550mm 25 64510121 CT759BKCD 9mm 750mm 25 65410487	CT405BKCD-100	5mm	400mm	100	64010360
CT258BKCD 8mm 250mm 25 64010375 CT308BKCD 8mm 300mm 25 64010380 CT358BKCD 8mm 350mm 25 64010385 CT408BKCD 8mm 400mm 25 64510480 CT408BKCD-100 8mm 400mm 100 65410485 CT559BKCD 9mm 550mm 25 64510121 CT7559BKCD 9mm 750mm 25 65410487	CT455BKCD-100	5mm	450mm	100	64010365
CT308BKCD 8mm 300mm 25 64010380 CT358BKCD 8mm 350mm 25 64010385 CT408BKCD 8mm 400mm 25 64510480 CT408BKCD-100 8mm 400mm 100 65410485 CT559BKCD 9mm 550mm 25 64510121 CT7559BKCD 9mm 750mm 25 65410487	CT208BKCD	8mm	200mm	25	64010370
CT358BKCD 8mm 350mm 25 64010385 CT408BKCD 8mm 400mm 25 64510480 CT408BKCD-100 8mm 400mm 100 65410485 CT559BKCD 9mm 550mm 25 64510121 CT759BKCD 9mm 750mm 25 65410487	CT258BKCD	8mm	250mm	25	64010375
CT408BKCD 8mm 400mm 25 64510480 CT408BKCD-100 8mm 400mm 100 65410485 CT559BKCD 9mm 550mm 25 64510121 CT759BKCD 9mm 750mm 25 65410487	CT308BKCD	8mm	300mm	25	64010380
CT408BKCD-100 8mm 400mm 100 65410485 CT559BKCD 9mm 550mm 25 64510121 CT759BKCD 9mm 750mm 25 65410487	CT358BKCD	8mm	350mm	25	64010385
CT559BKCD 9mm 550mm 25 64510121 CT759BKCD 9mm 750mm 25 65410487	CT408BKCD	8mm	400mm	25	64510480
CT759BKCD 9mm 750mm 25 65410487	CT408BKCD-100	8mm	400mm	100	65410485
	CT559BKCD	9mm	550mm	25	64510121
CT6512BKCD 12mm 650mm 25 65410488	CT759BKCD	9mm	750mm	25	65410487
	CT6512BKCD	12mm	650mm	25	65410488

Product Code Plug & Socket Length Part Number EDC-0442X 10m 62043145 3 x 1.5mm² EDC-0442X/15A 10m 62043146 15amp 3 x 1.5mm² EDC-0443X 10amp 15m 3 x 1.5mm² EDC-0443X/15A 15amp 15m 3 x 1.5mm² EDC-0444X 10amp 20m 3 x 1.5mm² EDC-0444X/15A 15amp 20m 3 x 1.5mm² EDC-0448X 15amp 20m 3 x 2.5mm² 62043152 EDC-0445X 10amp 25m 3 x 1.5mm² EDC-0445X/15A 15amp 25m 3 x 1.5mm² 10amp FDC-0446X 30m 3 x 1.5mm² EDC-0446X/15A 15amp 30m 3 x 1.5mm² FDC-0467X 3 x 2 5mm 15amp

Braided Extension Leads - Industrial IP56 Plug & Socket

- Tinned copper braid offers extra strength and protection
- Braided shield connected is earthed for extra protection
- Triple insulated braided flex for conductor protection
- 0.6V-1kV cable
- 3 x 1.5mm²



Product Code	Plug & Socket	Length	Part Number
EDC-0039X	10amp	20m	62043157
EDC-0040X	15amp	20m	62043158
EDC-1728X	10amp	25m	62043159
EDC-1729X	15amp	25m	62043160
EDC-1730X	10amp	30m	62043161
EDC-1731X	15amp	30m	62043162
EDC-1732X	15amp	30m	62043163

Extension Lead Reels, Cable Cover & Power Boards

4 Socket Extension Lead Reel with 10m Lead

- Comes in a hard cassette case with retractable carry handle for a more compact design
- · Comes with knob handle for manual winding of cable
- Coloured yellow and black for high visibility
- Fitted with four 13amp outlets
- Plug prongs: 3 x 1mm
- Plug power: 10amp
- 240V
- 10m lead
- 240(w) x 255(h) x 125(d)mm
- Weight: 1.97kg



Single Socket Extension Lead Reel with 20m Lead

- Self-retracting cable reel housed in a strong plastic portable case
- Coloured yellow and black for high visibility
- One 13amp outlet
- Plug prongs: 3 x 1.5mm
- Plug power: 10amp
- 240V
- 20m lead
- 250(w) x 310(h) x 150(d)mm
- Weight: 5.8kg



62043134

4 Socket Extension Lead Reel with 15m Lead

- Self-standing box-reel case with built in handle for extra strength and stability
- Comes with knob handle for manual winding of cable
- Coloured yellow and black for high visibility
- Fitted with four 13amp outlets
- Plug prongs: 3 x 1mm
- Plug power: 10amp
- 240V
- 15m lead
- 250(w) x 310(h) x 150(d)mm
- Weight: 3.43kg



Cable Cover

- Protect your cables from traffic
- Interlocking clips to make long runs
- Durable urethane construction
- 1,010(l) x 510(w) x 65(h)mm





62043136

4 Socket Extension Lead Reel with 25m Lead

- Professional grade extension reel fitted to a strong metal stand
- Suitable for harsh environments
- Knob handle for manual winding of cable, and clip for holding cable end in place when stored
- Coloured yellow and black for high visibility
- Fitted with four 13amp outlets
- Plug prongs: 3 x 1.5mm
- Plug power: 10amp
- 240V
- 25m lead
- 250(w) x 327(h) x 200(d)mm
- Weight: 4kg



Earth Leakage Unit

- 4-way outlet
- Residual current device
- Safety switch protection
- Includes: overload circuit breaker and stunt trip coil
- Fitted with combined MCB/RCD
- Australian made



Power	Part Number
10amp	70530051
15amp	70530052

62043140

4 Socket Extension Lead Reel with 50m Lead

- Heavy duty extension reel fitted to a strong metal stand
- Suitable for harsh environments
- Knob handle for manual winding of cable, and clip for holding cable end in place when stored
- · Coloured yellow and black for high visibility
- Fitted with four 13amp outlets
- Plug prongs: 3 x 1.5mm
- Plug power: 10amp
- 240V
- 50m lead
- 285(w) x 410(h) x 200(d)mm
- Weight: 7.9kg





Lifeguard Earth Leakage Outlets

Single phase portable socket outlet assembly
Manufactured in high impact polyethylene
Double insulated and weatherproof (IP66)
Fitted with double pole,

self-switching socket outlets

Comes with industrial

 strength 10kA RCD/MCB
 Lightweight, portable, practical and safe

Compact and robust



251

Outlet	Amps	Part Number
4-Way Outlet	10amp	86690363
6-Way Outlet	10amp	86690364
6-Way Outlet	15amp	86690365



Product Code	Description	Power	Voltage	Part Number
PL1PH10	3 Flat Pin	10amp	250V	86660537
PL1PH15	3 Flat Pin	15amp	250V	86660538
PLSR320	3 Round Pin	20amp	250V	86660525
PLSR332	3 Round Pin	32amp	250V	86660526
PLS3PH410	4 Round Pin	10amp	500V	86660527
PLS3PH420	4 Round Pin	20amp	500V	86660528
PLS3PH432	4 Round Pin	32amp	500V	86660529
PLS3PH440	4 Round Pin	40amp	500V	86660530
PLS3PH450	4 Round Pin	50amp	500V	86660531
PLS3PH510	5 Round Pin	10amp	500V	86660532
PLS3PH520	5 Round Pin	20amp	500V	86660533
PLS3PH532	5 Round Pin	32amp	500V	86660534
PLS3PH540	5 Round Pin	40amp	500V	86660535
PLS3PH550	5 Round Pin	50amp	500V	86660536

3 Phase Angled Plugs



Product Code	Description	Power	Voltage	Part Number
PLA3PH410	4 Round Pin Angled	10amp	500V	86660539
PLA3PH420	4 Round Pin Angled	20amp	500V	86660540
PLA3PH432	4 Round Pin Angled	32amp	500V	86660541
PLA3PH510	5 Round Pin Angled	10amp	500V	86660542
PLA3PH520	5 Round Pin Angled	20amp	500V	86660543
PLA3PH532	5 Round Pin Angled	32amp	500V	86660544

Extension Plugs & Sockets

- Heavy duty
- Transparent
- 250V
- Complies with Australian and New Zealand standards



GENS UNIQUIP

Product Code	Description	Power	Part Number
TWMPLUG10AMP	3 Pin Plug Top	10amp	86660585
TWMPLUG15AMP	3 Pin Plug Top	15amp	86660586
TWMEXT/SOC10AMP	Extension Socket	10amp	86660587
TWMEXT/SOC15AMP	Extension Socket	15amp	86660588

See Electrical Crimpers & Cutters in the Hand & Cutting Tools section, page 316

Extension Sockets GENS UNIQUIP IP66

SC04P32

Product Code	Description	Power	Voltage	Part Number
SC04P10	4 Round Pin	10amp	500V	86660589
SC04P20	4 Round Pin	20amp	500V	86660590
SC04P32	4 Round Pin	32amp	500V	86660591
SC04P40	4 Round Pin	40amp	500V	86660592
SC04P50	4 Round Pin	50amp	500V	86660593
SC05P10	5 Round Pin	10amp	500V	86660594
SC05P20	5 Round Pin	20amp	500V	86660595
SC05P32	5 Round Pin	32amp	500V	86660596
SC05P40	5 Round Pin	40amp	500V	86660597
SC05P50	5 Round Pin	50amp	500V	86660598
SC01PH10	3 Flat Pin	10amp	240V	86660599
SC01PH15	3 Flat Pin	15amp	240V	86660600

Fixed Sockets

IP66



Product Code	Description	Power	Voltage	Part Number
SC310	3 Pin	10amp	250V	86660546
SC315	3 Pin	15amp	250V	86660547
SC410	4 Round Pin	10amp	500V	86660548
SC420	4 Round Pin	20amp	500V	86660549
SC432	4 Round Pin	32amp	500V	86660550
SC510	5 Round Pin	10amp	500V	86660551
SC520	5 Round Pin	20amp	500V	86660552
SC532	5 Round Pin	32amp	500V	86660553

RCD Protected Switched Sockets

CO3PH520/4RCD







Product Code	Description	Power	Voltage	Part Number
CO1PH10RCD	3 Flat Pin	10amp	250V	86660554
CO1PH15RCD	3 Flat Pin	15amp	250V	86660555
CO3PH410RCD	4 Round Pin	10amp	500V	86660556
CO3PH420RCD	4 Round Pin	20amp	500V	86660557
CO3PH520RCD	5 Round Pin	20amp	500V	86660558
CO3PH532RCD	5 Round Pin	32amp	500V	86660559
CO3PH520/4RCD	5 Round Pin	20amp	500V	86660560
CO3PH532/4RCD	5 Round Pin	32amp	500V	86660561

KLEIN TOOLS

Milwaukee

Power Sockets, Switches, Stop Button & Voltage Testers

Switched Sockets

IP66





Product Code	Description	Power	Voltage	Part Number
CO1PH10	3 Flat Pin	10amp	250V	86660562
C01PH15	3 Flat Pin	15amp	250V	86660563
C01PHR320	3 Round Pin	20amp	250V	86660564
C01PHR332	3 Round Pin	32amp	250V	86660565
CO3PH410	4 Round Pin	10amp	500V	86660566
C03PH420	4 Round Pin	20amp	500V	86660567
CO3PH432	4 Round Pin	32amp	500V	86660568
CO3PH440	4 Round Pin	40amp	500V	86660569
CO3PH450	4 Round Pin	50amp	500V	86660570
CO3PH510	5 Round Pin	10amp	500V	86660571
CO3PH520	5 Round Pin	20amp	500V	86660572
CO3PH532	5 Round Pin	32amp	500V	86660573
CO3PH540	5 Round Pin	40amp	500V	86660574
CO3PH550	5 Round Pin	50amp	500V	86660575

Switches – Square Type

IP66



Product Code	Description	Power	Part Number
S3P20C/0	3 Pole Change Over Switch	20amp	86660576
SP320F/R	3 Pole Reversing Switch	20amp	86660577
S2P10	2 Pole Switch	10amp	86660578
S2P20	2 Pole Switch	20amp	86660579
S3P20	3 Pole Switch	20amp	86660580
S3P32	3 Pole Switch	32amp	86660581
S3P40	3 Pole Switch	40amp	86660582
S3P50	3 Pole Switch	50amp	86660416
S3P63	3 Pole Switch	63amp	86660417

Emergency Stop Button

SAL-T01Y

- Emergency stop (latching)
- Comes complete with yellow enclosure





A-NCVT-2

GENS UNIQUIP

GENS UNIQUIP

GENS UNIQUIP

- Non-contact detection of standard voltage in cables, cords, circuit breakers, lighting fixtures, switches, outlets and wires
- Non-contact detection of low-voltage in security, entertainment, communications, environmental control, and irrigation systems
- Automatically detects and indicates low voltage (12-48V AC) and standard voltage (48-1,000V AC), allowing broad application
- High intensity, bright green LED indicates the tester is operational and aids in illuminating the workspace
- Digitally controlled on/off power button
- Auto power-off feature conserves and extends battery life
- Microprocessor controlled low battery indicator
- CAT IV 1,000V rating provides expanded operation and protection
- Lightweight durable polycarbonate plastic resin construction with a convenient pocket clip
- Includes: Insert card with integrated owner's manual and 2 x AAA 1.5V batteries



62004328

Voltage LED Detector

2202-20

- Green power on light
- Power socket checker
- Bright LED light
- Red visual voltage indicator
- Loud beeper voltage indicator
- Pocket clip
- **CAT IV 1,000V**



Electronic Voltage/Continuity Tester

- Measures AC and DC voltage at 9 common levels up to 600V
- Bright LEDs indicate voltage reading without batteries installed
- Low impedance input reduces possibility of ghost voltages
- Permanently secured test leads are always there when they are needed
- Moulded lead holders are perfect for easy measurements of tamper-proof outlets
- Vibration and sound alerts for dangerous voltage levels
- Modern solid-state construction provides CAT IV 600V safety rating
- Bright worklight to illuminate your work space
- Audible continuity alerts
- at less than 270k Ω 3 x AAA batteries included
- 187(h) x 60.3(w) x 31.8(d)mm
- Weight: 230g







Multimeters

Professional Series Meters

- Solid construction and rugged rubber boots
- Data hold feature saves measurement for later viewing
- Bar graph responds quickly to changes in measurement
- Max/min/relative reading for quick troubleshooting in the field
- · Large backlit display
- Lead storage protects leads



Product Code	A-MM1000 Auto Ranging Multimeter	A-MM1300 Electrician's/ HVAC Multimeter	A-MM2000 Electrician's/ HVAC TRMS Multimeter	A-MM2300 Electrician's/ HVAC TRMS Multimeter	A-MM6000 Electrician's/ HVAC TRMS Multimeter
Measurement	·		·		
AC Current	10A	10A	10A	10A	10A
DC Current	10A	10A	10A	10A	10A
AC Voltage	1,000V	1,000V	1,000V	1,000V	1,000V
DC Voltage	1,000V	1,000V	1,000V	1,000V	1,000V
Resistance	40MΩ	60MΩ	40MΩ	60MΩ	50MΩ
Capacitance	4,000µF		4,000µF		
Frequency/ Duty Cycle	1MHz	499.9kHz	499.9kHz	499.9kHz	399.9kHz
Temperature	-30~400°C	-30~400°C	-30~400°C	-30~400°C	-30~400°C
Diode Test	/	/	/	/	/
Continuity	/	/	/	/	1
Features					
LCD Counts	4,000	6,000	4,000	6,000	6,000
Data Hold	/	/	/	/	1
Manual Range	/	/	/	/	1
Auto Range	/	/	/	/	1
Auto Power-Off	/	/	/	/	1
Backlight	/	/	/	/	1
Maximum/ Minimum Hold	1	√	1	1	1
Relative Reading	✓	1	1	1	1
Bar Graph	✓	✓	✓	✓	1
Magnetic Hanger Compatible	✓	1	1	1	1
True RMS	_	_	✓	✓	✓
Low Impedance	-	-	✓	✓	✓
Specifications					
CAT Rating	CAT IV 600V	CAT IV 600V	CAT IV 600V	CAT IV 600V	CAT IV 600V
Batteries	2 x AAA	2 x AAA	2 x AAA	2 x AAA	2 x AAA
Height	178mm	178mm	178mm	178mm	178mm
Width	88.9mm	88.9mm	88.9mm	88.9mm	88.9mm
Depth	47.6mm	47.6mm	47.6mm	47.6mm	47.6mm
Weight	397g	397g	397g	397g	397g
Included Accessories	Test Leads, Batteries, Thermocouple & Case	Test Leads, Batteries & Thermocouple	Test Leads, Batteries & Thermocouple	Test Leads, Batteries & Thermocouple	Test Leads, Batteries & Thermocouple
Part Number	64530070	64530075	64530080	64530085	64530090

Digital Multimeters

Large LCD display

KLEIN TOOLS

- · Audible continuity and diode test
- Low battery protection
- Auto power-off
- Max. display: 1999
- Accepts one 9V battery
- Temperature range: -40–1,000°C

Includes:

- 1 x test leads
- 1 x instruction manual
- 1 x battery





	Standard	Professional
Measurement		
Current AC Range	2mA-20amp ±(0.8%+1)	200mA-20amp ±(1.8%+3dgt)
Current DC Range	200μA-20amp ±(0.8%+1)	20mA-20amp ±(0.8%+1dgt)
Voltage AC Range	2-750V ±(0.8%+3)	20-750V ±(0.8%+3dgt)
Voltage DC Range	200mV-1,000V ±(0.5%+1)	200mV-1,000V ±(0.5%+1dgt)
Resistance	200Ω-20MΩ ±(0.8%+1)	200Ω-200MΩ±(0.8%+1)
Frequency	2-200kHz	2-20kHz
LCD Display	27 x 60mm	67.5 x 43mm
Specifications		
Dimensions	165(l) x 85(w) x 32(d)mm	186(l) x 86(w) x 33(d)mm
Weight	300g	500g
Colour	Black	Orange
Part Number	64530030	64530040

Digital Multimeter

2216-40

- Safety category rating CAT 111 600V
- Suitable for light commercial use
- Over-moulded case provides extra grip and durability
- Current AC Range: 0.001–10amp
- Current DC Range: 0.001–10ampVoltage AC Range: 6.0mV–600V
- Voltage DC Range: 6.0mV-600V
- Resistance: 600Ω – $40M\Omega$
- Frequency: 10Hz-50kHz

Includes:

- 1 x test lead
- · 2 x AA alkaline batteries



64530310

Digital Multimeters

DT830B

- · Transistor and diode test
- Maximum display: 1999
- Overload protection
- 9V battery
- DC voltage: 200mV-1000V ±(0.5%+2dgt)
- AC voltage: 200V and 750V \pm (1.2%+10dgt)
- DC current: 200µA-10A ±(1.0%+2dgt)
- Resistance: 2000hm-2,000k0hm
- 126(l) x 70(w) x 25(h)mm
- 115g



Milwaukee



6453006

KLEIN TOOLS

Multimeters, Fork Meter & Clamp Meters

Analogue Multimeter

- Shockproof up to 1m height
- Can determine the capacity of both manganese and alkaline batteries
- Battery check function
- LI:150µ/15m/150mA
- Weight including battery: 300g

Measurement	
Current DC Range	0.25-500mA
Voltage AC Range	10-1,000V ±(5.0%f.s)
Voltage DC Range	0.25-1,000V ±(5.0%f.s)
Resistance	$x1/x10/x1K\Omega \pm (5.0\% arc)$
Temperature Range	0-40°C
Part Number	64530020



Clamp Tester Multimeter

- LCD display, 31/2 digits
- Low battery indication
- Data hold and overload protection
- Large jaws can measure conductor with diameter up to 60mm
- Insulation test: $20M/2,000M\Omega$ \pm (2.0%rdg+2dgts)

Includes:

1 x test leads



Spare Multimeter Leads

- PVC insulation coating
- 1,000V
- Length: 900mm
- Red and black Includes:
- 1 x test pin
- 2 x jack connectors



200A AC Fork Tester

A-CL3200

- Extra large jaw opening accepts 3/0 wire
- Short jaw depth for increased access in tight spaces
- Worklight in jaw area
- Magnetic mount on back secures meter and frees hands
- Non-contact voltage tester
- Backlit display is brighter than most competitive units
- Measures low impedance
- Analog bar graph
- CAT IV 600V
- Jaw size: 16mm
- Drop protection: 1.83m
- 179(h) x 65(w)mm
- Weight: 223.96g
- Includes: Test leads, 2 x AAA batteries and case

Professional Series Clamp Meters Large jaw sizes

- Worklights illuminate dark work spaces
- Data hold captures measurements in any situation
- Built-in magnetic mount for hands-free convenience
- Non-contact voltage detection at the push of a button
- Quick-response bar graph shows elusive fluctuations



Product Code	A-CL1000	A-CL1200	A-CL1300	A-CL2000	A-CL2300	A-CL2500
Measurement						
AC Current	400A	600A	600A	400A	600A	1,000A
DC Current	_	_	-	400A	600A	1,000A
AC Voltage	750V	750V	750V	750V	750V	750V
DC Voltage	1,000V	1,000V	1,000V	1,000V	1,000V	1,000V
Resistance	40MΩ	60MΩ	$60 M\Omega$	40MΩ	$60 M\Omega$	60MΩ
Capacitance	4,000µF	6,000µF	6,000µF	4,000µF	6,000µF	6,000µF
Frequency/ Duty Cycle	499.9kHz	499.9kHz	499.9kHz	499.9kHz	499.9kHz	499.9kHz
Temperature	_	_	-30~400°C	_	-30~400°C	_
Diode Test	1	✓	✓	✓	✓	✓
Continuity	1	✓	✓	✓	✓	✓
Non-Contact Voltage	1	1	✓	1	✓	1
Features						
LCD Counts	4,000	6,000	6,000	4,000	6,000	6,000
Data Hold	✓	✓	✓	✓	✓	✓
Auto Power- Off	1	1	✓	/	✓	1
Backlight	1	✓	✓	✓	✓	1
Worklight	/	/	✓	✓	✓	1
Auto/Manual Range	1	1	✓	1	✓	1
Maximum Hold	1	1	✓	1	✓	1
Minimum Hold	/	1	✓	1	✓	/
Bar Graph	/	/	✓	/	✓	1
Magnetic Mount	1	1	√	1	√	1
Relative Reading	_	1	✓	1	✓	1
True RMS	_	_	_	/	✓	1
Specifications						
CAT Rating	CAT III 600V	CAT IV 600V	CAT IV 600V	CAT III 600V	CAT IV 600V	CAT IV 600V
Batteries	2 x AAA	2 x AAA	2 x AAA	2 x AAA	2 x AAA	2 x AAA
Jaw Size	31.8mm	31.8mm	31.8mm	31.8mm	31.8mm	31.8mm
Height	225mm	194mm	194mm	225mm	194mm	205mm
Width	85.7mm	65mm	65mm	85.7mm	65mm	65mm
Depth	38.1mm	38.1mm	38.1mm	38.1mm	38.1mm	38.1mm
Weight	303g	337g	337g	303g	337g	385.5g
Included Accessories	Test Leads, Batteries & Case	Test Leads, Batteries & Case	Test Leads, Batteries, Thermocouple & Case	Test Leads, Batteries & Case	Test Leads, Batteries, Thermocouple & Case	Test Leads Batteries & Case
Part Number	64530360	64530365	64530370	64530375	64530380	64530385



Clamp Meter, Temperature Gun, Testers & Borescope

Digital Clamp Meter

2235-40

- Thin jaw profile for easier wire measurement in panels or in bundles
- True-RMS for accurate measurement in all applications
- Built-In LED work light
- CAT III 600V for increased safety
- Rugged over-moulding increases durability and user grip
- AC Amps: 400amp
- Voltage AC: 600V
- Voltage DC: 600V
- Resistance: 40 Møhm
- Continuity: Yes
- Jaw Size: 25mm





Light up your life! Find Work Lamps just a few pages ahead



Milwaukee

Laser Temperature Gun

2266-40

- Accessory mount for voltage detector
- Thermocouple input for contact temperature measurement
- 12:1 distance to spot ratio
- High-contast, easy-to-read LCD display
- Over-moulded grip
- Basic accuracy: 1.5%
- Temperature range: -30-500°C/-22-932°F
- Contact temperature: -40-450°C/-40-852°F
- Repeatability: 0.50%
- Display resolution: 0.1°C/0.1°F
- Response time: <500ms
- Emissivity: 0.95

3 x AA alkaline batteries

LAN Scout™ Jr. Tester

A-VDV526-052

- Tests continuity on twisted pair data wiring (RJ45) connections
- Integrated tone generator supports multiple tones and control of pins carrying tone
- Heavy duty ports are designed for long life and repeated connections
- Compact, contoured dual-material chassis fits comfortably in your hand

Features:

- RJ-45 8-wire cables
- Continuity testing
- TIA-568A/B and crossover/uplink
- LCD display
- Wiremap
- Open fault
- Short fault
- Miswire fault
- Split pair fault
- Multiple style tone generator

- Auto power-off
- Low battery
- Voltage warning Shield detection
- Self-storing remote
- 117(h) x 58(w) x 28(d)mm
- Weight: 115g
- Includes: 4 x 6V LR44 Alkaline batteries



VDV Scout™ Pro Tester

- A-VDV501-809
- Tests continuity on data (RJ45), voice (RJ11/12) and video (F-Connector Coax) connections
- Simultaneous testing of video and data cables saves time and improves efficiency
- Integrated tone generator supports multiple tones and control of pins carrying tone
- Heavy duty ports are designed for long life and repeated connections
- Contoured dual material chassis fits comfortably in your hand
- Recessed F-Connector port for improved reliability
- 160(h) x 71.2(w) x 43.2(d)mm
- Weight: 256g
- Includes: Five location ID remotes for locating cable runs to wall outlets, five RJ45 remotes, five F-connector remotes and 9V alkaline batteries



KLEIN TOOLS

VDV Ranger TDR Kit

A-VDV501-815

- Tests and measures cables with the latest technology
- Time Domain Reflectometry Spread Spectrum (TDR-SS) technology provides accuracy up to +/- 1% and +/-0.91m by eliminating interference when measuring cable
- TDR-SS technology broadens TDR environments by operating in Safety Extra Low Voltage (SELV) rated environments as defined by IEC (SELV is 60V DC or Peak AC – 45V RMS)
- Measures cable length up to 914.4m including voice, data, video, doorbell, siamese, lamp-wire and NM cables
- Determines if cable run is broken or damaged
- Ensures compliance and identifies cable runs outside specification
- The Tone Generator traces and identifies cables
- Measures cable remaining in box or on a reel
- Simplifies cable estimating and bill jobs more accurately
- Includes: Custom designed polyester carrying case, adaptors and 4 x AA batteries
- Adaptor cord set includes BNC to F-Connector adaptor, F-Connector adaptor, insulated push-on F-Connector to alligator clips, insulated BNC Connector to alligator clips and insulated push-on F-Connector to RJ45 modular plug
- 173(h) x 80(w) x 33(d)mm



Borescope

A-ET510-AU

- Use to view inaccessible areas
- Features a durable camera snake with an adjustable work light
- Waterproof, dustproof camera (IP67). adjustable LED work light, high resolution screen, mirror image
- Multiple applications such as electrical, HVAC, plumbing, automotive and aircraft





86660280

Industrial Alkaline Batteries

- High power for all industrial uses
- ANSI-13A, IEC-LR20
- Zinc-Manganese Dioxide (Zn/Mn02)
- No added Mercury or Cadmium
- Classic Zinc-Manganese Dioxide (Zn/Mn02)
- No added Mercury or Cadmium



Product Code	Size	Part Number	Product Code	Size	Part Number
EN92	AAA	86620010	EN93	С	86620050
EN91	AA	86620020	EN95	D	86620055
EN22	9V	86620070	_	_	-

Aluminium Torch

- 3 x Cree LED bulbs
- Comes with wrist loop for more secure carrying
- Tough aluminium body
- Waterproof and shockproof
- 30m light distance
- $2\frac{1}{2}$ hours max. run time
- LED lifetime of up to 100,000 hours
- 45 x 35 x 130mm

Includes:

• 3 x AAA batteries



Head Lamp

- 3 x LED bulbs
- 1 x Krypton bulb
- Suits hiking, cycling and working
- Varies between short and long distance light

80 hours burn time Includes:

3 x AAA batteries



Aluminium Torch

- Heavy duty aluminium
- Weatherproof
- Fitted with Krypton bulb
- Varies between spotlight and floodlight
- Suitable for domestic and industrial use Batteries not included



Description	Head Size	Dimensions	Part Number
Accepts 3 x D Batteries	55mm	260(l) x 42(w)mm	86660260
Accepts 4 x D Batteries	59.5mm	265(I) x 52(w)mm	86660280

High Power Head Lamp

- 1 x Cree LED bulb
- Fitted with adjustable stretch-fabric head straps
- 10m visible distance
- 4.5V
- 100,000 hours LED life
- 4 hours burn time

Includes:

3 x AAA batteries



Aluminium Torch

- 1 x Xenon bulb
- 3 x LED bulbs
- LED bulbs have a lifetime of over 80,000 hours
- Waterproof and shockproof
- Adjustable focus
- Comes with wrist loop for more secure carrying

Includes:

• 3 x AAA batteries



Mini Aluminium Torch

- 9 x LED bulbs
- 24 hour battery life
- 5m visible distance
- Comes with wrist loop for more secure carrying
- 27 x 85mm
- Weight: 65g

Includes:

3 x AAA batteries



Aluminium Torch

- 10 x LED bulbs
- Weatherproof
- Two-mode operation for 3 or 10 bulbs
- Varies between spotlight and floodlight
- 39 x 39 x 160mm

Includes:

4 x AA batteries



Heavy Duty Aluminium Torch

- 1 x Xenon bulb
- 6 x LED bulbs
- · Provides ultra-bright light
- Waterproof
- Comes with wrist loop for more secure carrying

- 3 x AAA batteries
- 1 x soft pouch



Rechargeable Torch

- 3 x Cree LED bulbs
- Water resistant
- 25 Lumen
- 6 hours burn time
- 2.5 hours discharge time

Includes:

- 2 x rechargeable C cell batteries
- 1 x charger for the car/vehicle
- 1 x 240V AC charger



Mini Flashlight with Flexible Head

- 1 x ultra-bright LED bulb
- Bulb has a lifetime of 80,000 hours
- Short distance light
- 100mm with flexible arm



Description	Part Number
Accepts 3 x AAA Batteries	86660350
Accepts 2 x AA Batteries	86660360

6V Industrial Lantern

- Waterproof
- Floating
- Durable
- battery (not included)

- 67 Lumens
- Super Heavy Duty 6V battery)



De	scription	Part Number
6\	Industrial Lantern	86660020
6\	Eveready Heavy Duty Battery to Suit	86620080
Re	placement Globe to Suit	86660025

Need Reflective Tape? See the Safety Equipment & **Consumables section, page 79**



Rotating Magnetic Work Light

- Sturdy aluminium housing with 24 high intensity LED lights
- Aluminium lighted head rotates to adjust beam to required angle
- Strong magnetic base attaches to any ferrous metal surface in seconds
- Bridges a work light with a high quality flashlight, supplied with 3 x AAA batteries



LED Cordless Workshop Light

- Now with two batteries at no extra charge
- 36 LED elements 30 on the full length poly tube and 6 at the top
- Approximately 10hrs as a secondary light source before recharging is required
- Full recharge time of approximately 2.5hrs
- 7.2V 1,800m/Ah NIMH rechargeable battery included
- LED life rated at 100,000hrs
- Docking station, magnetic holder, hanging clip and 12V and 240V rechargers all inclusive
- Ideal rechargeable light source for industrial plants, mechanical workshops, food and beverage facilities, mine sites and mineral processing operations



<+> KING ΤΩΝΥ

Powerful LED Work Light 9W + 3W

- High Power LED: 9W + 3W in switchable button
- Brightness: 4,000LUX IN 0.5m
- 60° magnet swivel base and 360° functional hook
- Shockproof housing and waterproof IP65 coating
- Rechargeable battery: 3.6V 2,250mAH LI-ION
- Safety overload/underload protection
- Battery power status indicator
- AC 100 240V 50/60Hz
- DC 12 24V car charger





Burn-Brite

See Ezy Compact Rechargeable LED Inspection Light

• Features 15 high intensity LEDs

4 hours of continuous operation at 450 Lumens peak output

A compact cordless unit ideal for on-the-iob requirements and small enough for tool or glove box storage

The durable weatherproof body features a shatterproof polycarbonate lens, and convenient integral belt clip



See Ezy Rechargeable LED Inspection Light

71320

- Features 48 powerful LEDs providing 8 hours of continuous illumination
- Supplied with a 12/24V DC charger and 240V AC docking station for convenient recharging and storage when not in use
- The charger can be desk or wall mounted, making it ideal for all workshop environments
- No fade out when the battery is low
- The durable rubberised housing is shock and weather resistant with an integrated Off/On switch, hanging hook and a shatterproof polycarbonate lens
- Low battery indicator
- Lithium battery with no memory effect
- Integrated magnet
- Fold away metal swivel hook



See Ezy 240V Fluorescent Inspection Light NARVA

Fitted with 8m double insulated lead, 11W fluorescent tube and 3 pin plug/ballast

Features shock resistant rubber body and virtually unbreakable polycarbonate tube

Rubber body is resistant to petrol and oil

- Versatile spring steel hanging hook
- Ultra bright 900 Lumens
- Low heat output, safe for use around fuel and chemicals
- Complies with AS/NZS 3118, Approval No. N10490
- 240V



Portable Fluorescent Lead-Light

BBLNB410240V

NARVA

NARVA

- Solid construction and IP65 certification
- Ideal for industrial contractors and workshops, automotive workshops, mining maintenance and DIY handymen
- Waterproof, oil and petrol resistant
- 3 year warranty
- Strong, clear, impact resistant outer case
- Anti-roll finned endcaps with switch
- Uses standard T8 fluorescent lamps
- Built-in reflector
- Comes with 6m cable and 2 removable hanging hooks
- 10W, 50Hz
- 240V, 0.24amp
- Outside diameter of outer case: 55mm
- Outside diameter of endcaps: 82mm
- Length: 620mm
- Weight: 1.8kg

Halogen Lamps

- Individual square lamp fitted to a convenient portable stand
- Comes with 1.5m lead
- 240V
- Includes: 1 x halogen bulb



Description	Part Number
150W	66512510
500W	66512520

Twin Halogen Lamp

- 2 x 500W lamps on a stand
- 240V
- Comes with 1.8m cable
- Metal adjustable stand
- Bulbs included



BISHOPS Port Moresby | Lae | Madang | Kimbe | Mt Hagen | Kokopo | Honiara

Worklamp, Combination Lamps & Reversing Alarms

Find Beacons & **Revolving Lights in the Safety Equipment &** Consumables section, pages 79-80

LED Flood Beam Worklamp

- 9-64V, 550 Lumens
- A powerful yet compact work lamp with 2 x 3.0W LEDs
- Ideal for close range illumination and where space is limited
- Fully sealed (IP66) with a pre-wired, die-cast, powder coated aluminium housing
- Virtually unbreakable polycarbonate lens
- Includes stainless steel mounting hardware
- Current draw: 0.3amp @ 12V, 0.18amp @ 24V
- Lamp width: 93mm
- Lamp depth: 56mm
- Height: 81mm



LED Flood Beam Worklamp

- 9-64V, 1,200 Lumens
- Features 4 ultra-reliable 3.0W LEDs, delivering a powerful spread of whiter and brighter light
- Fully sealed (IP66) with a pre-wired, die-cast, powder coated aluminium housing
- Virtually unbreakable polycarbonate lens
- Includes stainless steel mounting hardware and 2m of pre-wired cable
- Current draw: 0.8amp @ 12V, 0.4amp@ 24V
- Lamp width: 110mm
- Lamp depth: 84mm
- Height: 137mm

Senator II LED Hybrid Flood/Spot Beam

72479

- 9-33V, 3,200 Lumens
- Features 7 high powered 5.0W LEDs, providing impressive lighting performance and delivering an even brighter light output
- Ultra-reliable LED technology offers long life and low current draw
- Ergonomically moulded handle, stainless steel mounting hardware and glass reinforced nylon housing
- Includes off/on rocker switch with weatherproof boot
- Multi-point mounting bracket features spring loaded swivel function for easy and secure rotation adjustment
- Virtually unbreakable polycarbonate lens
- Current draw: 2.3amp @ 12V, 1.15amp @ 24V
- Lamp width: 176mm
- Lamp depth: 125mm
- Height: 257mm

NARVA

NARVA

NARVA



Lamp width: 176mm Lamp depth: 125mm

Height: 257mm

Ultima 175 Combination Pencil & Broad Beam Driving Lamp Kit

Senator II Halogen Flood Beam Worklamp

Features glass reinforced nylon housing,

and stainless steel mounting hardware Off/on rocker switch with weatherproof

rubber boot and 300mm pre-wired cable

Multi-point mounting bracket with spring loaded swivel function for easy and

ergonomically moulded handle,

secure beam adjustment Includes fitted 12V H3 55W globe

71660

- 12V, 100W
- Diameter: 175mm

Includes:

- 1 x broad beam driving lamp
- 1 x pencil beam driving lamp
- 2 x transparent lens protectors
- 2 x 12V H3 100W globes
- 1 x relay
- 1 x toggle switch
- 1 x pair of spacers
- 1 x terminal and wiring pack

LED Rear Combination Lamps

- Fully sealed and hard wired
- Comes with inbuilt reflex reflectors
- IP Rating: IP66 and IP68
- 9-33V
- Current draw: 0.37amp (indicator), 0.36amp (stop), 0.10amp (tail)
- 284(I) x 100(h) x 37(d)mm



94210

NARVA

NARVA

NARVA

NARVA

Product Code	Description	Part Number
94202	Stop/Tail/Indicator Lamp	30221060
94210	Stop/Tail/Indicator/Reverse Lamp	30221065

Reversing Alarm

72570RI

- Replaces your existing reversing BA15's base globe
- Ideal for passenger cars and 4x4s
- Current draw: 1.9amp @ 12V
- Length: 45mm
- Maximum diameter: 26mm







Reversing Alarms & Battery Chargers

Fixed Reversing Alarm

72602

- Compact reversing alarm
- Dual voltage and good sound level performance make this unit suitable for a wide range of applications
- Ideal for trucks, buses, and smaller construction or industrial equipment
- 12/24V
- 97dBA
- 102(I) x 67(h) x 41(d)mm



Reversing Alarm

72620

- Offers high sound level performance and is ideal for use in quarry or mine applications
- Manually adjustable fingertip control
- 12/24V
- 87-107dBa
- 137(l) x 121(h) x 92(d)mm



Grab some Battery Terminal Protector & Battery Maintenance Aerosol in the Lubricants, Sealants & Chemicals section, **page 187**



Discovery 8 Battery Charger – 12V

- Electronic charger with no output voltage spikes
- Ideal for AGM, GEL and lead batteries
- Suitable for cars, vans and small boats
- Manual regulating capabilities for voltage and current
- 230V, 50/60Hz
- 12V
- 8amp
- 140W
- 138(I) x 236(w) x 158(h)mm
- Weight: 1.3kg



Battery Charger

- Semi-professional charger for lead storage batteries
- Voltage and current selectors
- Ammeter

NARVA

NARVA

- Auto thermal overload and polarity protection
- Single phase
- 230V, 50/60Hz



Description	Voltage	Amps	Power	Dimensions	Weight	Part Number
Progress 8	6-12V	5amp	70W	200(l) x 155(w) x 118(h)mm	2.4kg	78020020
Progress 14	6-12V	11amp	150W	200(l) x 260(w) x 175(h)mm	4.0kg	78020030
Progress 20	12-24V	16amp	300W	200(l) x 260(w) x 175(h)mm	7.0kg	78020040

Battery Charger

- Professional battery charger
- Best suited for large recharging plants
- Voltage and current selectors
- Ammeter
- Voltmeter
- Auto thermal overload protection
- Single phase
- 230V, 50/60Hz
- Voltage: 6-12-24V
- 245(I) x 250(w) x 435(h)mm



Description	Amps	Power	Weight	Part Number
Progress 25	22amp	620W	12.8kg	78020050
Progress 35	38amp	800W	18kg	78020060

Automatic 18 Battery Charger – 12–24V

- For lead storage batteries
- Electronic control
- Warning LEDs
- Current regulation potentiometer
- Single phase
- 230V, 50/60Hz
- Voltage: 12-24V
- 18amp
- 450W
- 230(l) x 215(w) x 295(h)mm
- 9.1kg





Port Moresby | Lae | Madang | Kimbe | Mt Hagen | Kokopo | Honiara

Battery Chargers, Load Testers, Clamps & Jumper Leads

Autostar 300 Portable Battery Charger – 12V

- Portable battery charger and starter
- · Charging current control and level ammeter
- Internal fuse protection
- Single phase
- 230V, 50/60Hz
- Voltage: 12V
- 38amp
- 480W
- 345(l) x 250(w) x 280(h)mm
- 14.4kg



Battery Charger – 12–24V

- Professional battery charger and starter
- Two back wheels for easy transportation
- Slow/fast charging current selector
- Thermal overload and internal fuse protection
- Single phase
- 230V, 50/60Hz
- Voltage: 12-24V
- 320(l) x 487(w) x 745(h)mm



Description	Amps	Power	Weight	Part Number
Sprint Car 540	40amp	1,200W	30.8kg	78060010
Sprint Car 640	80amp	1,400W	32kg	78060020

Battery Load Testers

- Portable
- · Capacity: Up to 1,000CA





Product Code	Description	Load	Part Number
BLT100	Compact Load Tester	100amp @ 12V, 50amp @ 6V	62004320
BLT200	Carbon Pile Load Tester	500amp @ 12V	62004324

Battery Clamp

- Solid brass with insulated rubber outer casing
- Includes cable lugs and copper bridging strap





PR**®**JECTA

PR**®**JECTA

PR**®**JECTA

PR (b) JECTA

Product Code	Colour	Part Number
BC1000B	Black	30210160
BC1000R	Red	30210162

Jumper Leads

SB400SP

- Surge protection
- Ideal for the D.I.Y. individual with a small to mid-sized vehicle
- 400amp
- Cable: 2.5m, 15mm²



Heavy Duty Jumper Leads

SB750SP

- Brass teeth clamps
- Surge protection
- Ideal for keeping in the workshop
- Commercial vehicles
- 750amp
- Cable: 3.5m, 35mm²



Heavy Duty Nitrile Jumper Leads

- Surge protection
- Solid brass teeth clamp
- Double insulated heavy duty cable offering unparalleled conductivity





Product Code	Amps	Cable	Part Number
NB750-60SP	750amp	6m/35mm ²	62040660
NB1000-45SP	1000amp	4.5m/70mm ²	62040700

Battery Cleaning, Terminals & Hydrometer, Demineralised Water & Fuse Kits



Product Code	Description	Suits	Part Number
AC200	Battery Post Anti Corrosion Pads	Posts 14–26mm Dia.	62004105
BPT12	Battery Post & Terminal Wire Brush	All Posts & Terminals	62004110
BMX100	3 Way Battery Post & Terminal Cleaner	All Posts & Terminals	62004112

Battery Jar

- Water filler
- Screw top
- 2ltr capacity



Brass Battery Terminals







Demineralised Water

- Suitable for radiators, batteries and steam irons
- Highly recommended for watering indoor and delicate plants as it does not create a mineral build-up in the soil



Product Code	Size	Part Number
19955-2DIG	2ltr	66565100
19955-4DIG	4ltr	66565120

Product Code	Description	Post	Stud	Part Number
BT614-P1	Wing Nut	Positive	8mm	30210010
BT614-N1	Wing Nut	Negative	8mm	30210012
BT642H-P1	Heavy Duty Bolt	Positive	10mm	30210016
BT642H-N1	Heavy Duty Bolt	Negative	10mm	30210018
BT32H-10	Heavy Duty End Entry	Universal	_	30210020





PR**®**JECTA



Product Code	Description	Part Number
CA105	Blade, Glass & European Types –100 Pieces 14 Sizes: Glass, 3 to 35amp, Blade, 10 to 20amp, European, 8 and 16amp	40410140
CA110	Blade Type – 110 Pieces Sizes: 3, 5, 7.5, 10, 15, 20, 25 and 30amp	40410170

Battery Hydrometer

BH100

- Measures the charge level of a battery
- Calibrated graduations



24 sizes

CA2005

Fuses auto

Metal case



BISHOPS

Port Moresby | Lae | Madang | Kimbe | Mt Hagen | Kokopo | Honiara

Auto Fuse Master Kit – 300 Piece

Glass, blade and European types

Champion

Expansion Plug Kits, Aerial Whip, Chocks, Beater Sets & Pressure Gauge

Expansion Plug Kits

Champion





Product Code	Description	Part Number
CA38	Cup Type – Imperial – 52 Pieces Steel 13 Sizes: ¹⁹ / ₂₂ " to 2½16"	40410020
CA42	Cup Type – Imperial – 35 Pieces Brass 10 Sizes: ¾" to 21/16"	40410030
CA43	Cup Type – Metric – 42 Pieces Brass 12 Sizes: 20 to 50mm	40410040
CA1411	Cup Type – Metric – 48 Pieces Steel 12 Sizes: 18 to 46.5mm	
CA98	Disc/Lens Type – Imperial – 100 Pieces Steel 16 Sizes: ¾" to 2"	

Aerial Whip with Flag

2.4m length

Aerial Whip with Flag



Heavy Duty Wheel Chocks

Hi-Vis Orange Flag - Suit Whip Aerial

- Lightweight with tough urethane construction
- Barcode imprinted on back of chock
- ANSI compliant colour illustrations on proper chocking and wheel chock placement in English

MC3011

- Replaceable rubber anti-slip traction pads
- MC3000 model includes four side handles and carrying strap on the back
- MC3011, MC3012, MC3010 and MC3009 models include recessed carry handle on the back and mounting hole for ropes, chains or brackets

MC3000

- MC3000 For mine haul trucks with tyre sizes up to 4.2m diameter and gross weight of 725t (2 chocks). Includes four side handles and carrying strap on the back
- **MC3011** For mine haul trucks and support equipment with tyre sizes up to 4.2m diameter. Use two chocks for gross weight of 387t, and four for gross weight of 725t
- MC3012 For mine haul trucks and support equipment with tyre sizes up to 3.6m. Use two chocks for gross weight of 387t
- MC3010 For mining and construction haul trucks and support equipment with tyre sizes up to 2.7m. Use two chocks for gross weight of 249t
- MC3009 For mine support equipment such as lubrication trucks and maintenance vehicles. For tyre sizes up to 1.65m. Use two chocks for gross weight of 111t



MC3012

Product Code	Capacity	Size	Weight	Part Number
MC3000	Up to 4.2m Tyres & 725t	762(l) x 559(w) x 559(h)mm	31.9kg	84060040
MC3011	Up to 4.2m Tyres & 387t	625(l) x 369(w) x 407(h)mm	14.5kg	84060045
MC3012	Up to 3.6m Tyres & 387t	557(l) x 379(w) x 270(h)mm	10.8kg	84060050
MC3010	Up to 2.7m Tyres & 249t	450(l) x 387(w) x 254(h)mm	8.62kg	84060055
MC3009	Up to 1.65m Tyres & 111t	381(l) x 384(w) x 280(h)mm	6.6ka	84060060

Rubber Wheel Chock

- Robust design eliminates roll-away
- Rope handles for easy use
- · Suitable for aircraft, mining, general vehicle use and safety conscious vehicle operators
- 150(l) x 250(w) x 150(h)mm
- Black rubber
- Sold individually



Porta Power Hydraulic Panel Beater Sets

- Heavy duty hydraulic equipment for auto body, frame repair and construction jobs
- For lifting, pushing, pulling, bending, straightening and spreading
- Automatic pump overload system helps prevent damage to ram and equipment
- Flex head features moulded rubber pad to prevent separation
- Long handles require low pumping effort
- Extension tubes snap together in seconds

Includes:

86485015

86485020

CHECKERS





Description	Capacity	Ram Lift	Min. Lift Height	Part Number
15 Piece Set	10t	150mm	470mm	62050280
17 Piece Set	4t	120mm	330mm	62050220

Tyre Pressure Gauge

· Pocket gauge with single head



MC3010

MC3009

Tyre Inflator with Gauge

- Heavy duty
- Dual chuck
- Imperial and metric readings
- 10-150psi/70-1,000kPa
- Overall length: 305mm
- Comes with gauge hose PEM 1000



Car Support Jack Stands

- Solid steel handle
- Ductile iron rack
- Self-locking
- Ratchet made out of fine cast iron milling
- Red
- Sold in pairs



Min. Height	Max. Height	Capacity (Per Stand)	Part Number
355mm	520mm	3t	62070320
395mm	605mm	6t	62070620

Tyre Inflator

- · Premium dual hold on chuck; sealing
- Length: 150mm



Heavy Duty Jack Stands

- Made from TUV certified steel
- Features five different pin heights
- Sold individually



Min. Height	Max. Height	Capacity	Part Number
390mm	660mm	5t	62070650
615mm	975mm	10t	62070680

Looking for Air Compressors? See the Workshop, Machinery & Construction **Equipment section,** page 110-112



Bellow-Type Rubber Air Jack

- Fitted with two wheels and a handle for easy movement
- Min. height: 160mm
- Max. height: 400mm
- Capacity: 1.8t
- Net weight: 21kg



Motorbike Stand Jack

- Puts your motorcycle at the best working height
- Max lift height: 374mm
- Min. height: 273mm
- 150kg capacity
- All steel construction



Mechanical Ratchet Jacks

- · Double-lever sockets for jacking in close quarters
- Drop-forged, alloy steel, heat treated components
- Plated springs to resist corrosion
- Large base insures a firm foundation
- Supports full rated capacity on the toe or the cap
- · Steel lever bar sold separately



Product Code	Capacity	Stroke	Min. Height	Weight	Part Number
85A	5t	254mm	431mm	13.6kg	77035180
24A	20t	330mm	590mm	42.2kg	77035185

Hydraulic Bottle Jacks

- 100% factory inspection
- Heat-treated extension screw
- Serrated saddle
- Wide base
- · Reinforced stress points



Professional Hydraulic Bottle Jacks

- 100% factory inspection Zinc-plated long handle



Min. Height	Max. Height	Capacity	Part Number
212mm	468mm	5t	77030705
220mm	483mm	10t	77030710
230mm	495mm	20t	77030720
244mm	492mm	30t	77030730

Air/Hydraulic Floor Jacks

- Built-in bypass hydraulic system prevents accident overloading
- Extra long T-handle allows for easy positioning and moving



	Min. Height	Max. Height	Capacity	Ram Lift	Screw Extend	Air Pressure	Part Numbe
	230mm	430mm	22t	105mm	105mm	0.75-0.85MPa	7702073
I	260mm	510mm	35t	115mm	123mm	0.75-0.85MPa	7702074

Commercial Floor Jacks

- 100% factory tested and ANSI certified for safety
- Heavy duty steel construction
- 2 piece extended handle for efficiency
- Hydraulic pump arm
- Built-in safety overload system prevents use beyond rated load capacity
- Great for use in garages and for heavy duty industrial applications
- Low profile

77030050




Description	Min. Height	Max. Height	Capacity	Dimensions	Part Number
Small Chassis	92mm	440mm	2t	667(h) x 249(l) x 170(w)mm	77040010
Small Chassis	145mm	510mm	3t	700(h) x 360(l) x 290(w)mm	77040020
Small Chassis	140mm	560mm	3t	750(h) x 380(w) x 210(w)mm	77040030
Long Chassis	150mm	560mm	5t	1,570(h) x 420(l) x 290(w)mm	77040050
Long Chassis	160mm	560mm	10t	1,670(h) x 520(l) x 330(w)mm	77040100
Long Chassis	220mm	680mm	20t	1,600(h) x 350(l) x 340(w)mm	77040200
Seal Kits					
Description				To Suit Part Number	Part Number
Suit 3t Floor Ja	ack			77040020	77095005
Suit 3t Floor Ja	Suit 3t Floor Jack			77040030	77095100
Suit 5t Floor Ja	Suit 5t Floor Jack			77040050	77095110
Suit 10t Floor	Suit 10t Floor Jack			77040100	77095120
Suit 20t Floor Jack				77040200	77095122

2-Stage Transmission Jack

- Smooth hydraulic lift and descent
- Foot pedal pump and release
- Four-leg design with heavy duty slide saddle
- 500kg capacity
- Min. lift height: 830mm
- Max. lift height: 1,935mm
- 740(w) x 1,750(h)mm





Dolly, Engine Crane, Scissor Lift & Vehicle Hoists

Dual Wheel Dolly

ARMWD700

- One person operation to remove and replace heavy truck dual wheel assemblies
- Mounted on three castor wheels for ease of transportation
- Comes with chain to hold wheels in place during transport
- Made in Australia
- Capacity: 700kg
- Hydraulic lift: 150mm stroke
- Tilt adjustment: +/- 2°
- Base area: 1100 x 940mm
- Weight: 101kg



RAV 4t 4 Post Vehicle Hoist

RAV4402

ARMSTRONG

- 4t lifting capacity
- The hoists hydraulic cylinder is located inside the fixed platform providing the cylinder with maximum possible protection
- Large diameter pulleys with self-lubricating and maintenance free bushes ensure a long service life and help to keep maintenance costs to a minimum
- Adjustable platforms to accommodate different vehicle widths
- Automatic mechanical back up safety devices with pneumatic release
- Immediately triggered safety stud devices operate in the event of a cable slackening or failing
- An automatic anti-toe trapping alarm during the final stages of vehicle hoist descent supplied standard





Hydraulic Engine Floor Crane

Heavy duty steel construction ensures lasting performance and durability

Suitable for car and small truck engines 4-hole position boom and heavy

duty 8-ton ram help provide reliable, safe functionality

Wheels offers increased mobility

Foldable frame stores easily



Lifting Range	Capacity	Part Number
0-2,355mm	0.75t	77010100
25-2,500mm	2.0t	77010200

RAV 4t Electro-Hydraulic Vehicle Hoist

KPH370.42

- · 4.2t lifting capacity
- Perfect synchronisation between the cylinders regardless of weight distribution
- Mechanical safety latches with automatic engagement and pneumatic release ensure maximum safety when the hoist is in the standing position
- Equipped with a safety valve to prevent overloading in case the hydraulic hose bursts
- Self controlled lowering speed
- Arm locking devices engage automatically thereby ensuring the stability of the vehicle being lifted



RAV 3t Electro-Hydraulic Scissor Lift

RAV518NI

- Ideal for space saving in small, medium or large workshops
- No cross rails or torsion bars between the lifting platforms ensures clear access to the underside of the vehicle
- A patented synchronisation device in the hydraulic system assures equal lifting platform height regardless of vehicle weight distribution
- Controlled speed during the initial lifting and final lowering phase of the hoist supplied standard
- All pivot points manufactured with lubricating bushes ensure a long service life
- Mechanical, electrical and hydraulic safety devices all in compliance with Australian and CE Safety Standards



RAV Electro-Hydraulic 4 Post Hoist

RAV4650

- Large clearances between the posts enables easy loading of wide vehicles
- Ideal capacity for larger type vans and medium size trucks
- Main hydraulic cylinder is located inside the fixed platform providing it with maximum protection
- High resistance, galvanised and pre-stretched metal cables
- Large diameter pulleys with self-lubricating and maintenance-free bushes
- Ideally suited for use in mine site, council, contractor and truck workshops



77045108

Vehicle Lifts, Tyre Levers & Wheel Wrenches

RAV 22t 4 Post Column Lift

RAV232NL

- 22t lifting capacity
- PLC programmable controller with self-diagnostic system ensures synchronisation of all columns, should the maximum permitted difference in level be exceeded between the carriages
- Simultaneous operation of one or more pairs of columns, or single operation of each column
- Obtain different heights between pairs of columns, while retaining the subsequent control level synchronisation
- Modular electrical systems enables different column configurations
- Automatically selects the correct main supply phase sequence
- Safety stop in case of malfunction
- Low voltage controls (24V) on all columns with dead-man buttons and safety interlock in case of interference in the activated control





RAV 22.5t Commercial Vehicle Scissor Lift

RAV725NLI

- 22.5t lifting capacity
- The platform length and the capacity of these lifts make them ideal for buses and trucks
- Obstacle-free floor space when lift is fully lowered
- No cross rails or torsion bars between lifting platforms (for maximum accessibility in the working area)
- All pivot points made with self-lubricating bushings for long life
- Platform surface in ribbed anti-slip steel plate
- Audible alarm during the final lowering phase
- Mechanical locking device with automatic engagement and pneumatic release, ensuring maximum safety when lift is in standing position
- Start-up pistons to minimise stress in the early stage of lifting



RAV 24t Electro-Hydraulic Hoist for Trucks & Buses

KP440NE

- Standard platform length of 8m suitable for trucks, buses and large industrial vehicles
- Platforms extend to 9m allowing maximum access to the vehicle
- Lifting height: 1,850mm
- Post height: 2,200mm
- 3 phase motors
- Manufactured in Italy, compliant to strict CE standards and approved to Australian standards by Worksafe



Tyre Lever

- Metal construction
- Designed to help pry the edge of a tyre away from the rim of the wheel it is mounted on




Description	Length	Part Number
Medium Duty	400mm	62090120
Heavy Duty	600mm	62090140

 $\langle \uparrow \rangle$ KING TONY

Tyre Lever

9RK41-53



- Straight pattern with profiled shank
- Length: 530mm
- Weight: 0.92kg



Two Way Truck Wheel Wrench

- 32mm Hex x 17mm square
- The prying end removes the hub caps, while the socket end removes lug nuts from the wheel
- Perfect for storing in work vehicles



Four Way Wheel Wrench

- Used for removing lug nuts from automobile wheels
- Perfect for keeping in work vehicles
- 17, 19 and 22mm sockets and 1/2" square drive



Wheel Wrench, Tyre Changers & Wheel Balancer

Wheel Nut Wrench

19911722

- · For most car wheel nuts in metric
- Chrome vanadium alloy steel
- Polished, chrome plated
- Suits 17, 19, 21, 22mm and 1/2" sockets
- Length: 400mm
- Weight: 1.7kg
- DIN 3119 ISO 6788



RAV Automatic Tyre Changer

G7441I.24

 $\langle \uparrow \rangle$ KING TONY

- Heavy duty structure to guarantee proper working conditions at all times
- Rigid self-centering chuck and wide clamping range
- Bead breaker: galvanised cylinder with simple operation
- Complete with the tubeless tyre inflation system
- For the professional tyre shops with wider rims and larger turntable
- Suitable for dealerships, large tyre shops and professional workshops
- Under table inflation
- Clamping capacity: External 24", Internal - 26.5"
- 3 phase single speed





RAV Truck Tyre Changer

- Tyre changer for commercial vehicles wheels from 12" to 27"
- Ideal for many 19" to 22.5" truck wheels
- In order to avoid any damage to the rim, the hydraulic pressure of the rim clamping chuck is adjustable
- The operating dimensions of the rim clamping unit and of the head-tool carriage allow the tyre changer to operate on a whole range of wheels, including super-single



Manual Tyre Changer



RAV Wheel Balancer

G2.119H

- · A low rotation speed balancer
- Entry level model, offering great value for money and occupies limited space, with professional performances
- Hidden weight mode allows the operator to hide wheel weights behind the spoke
- Distance and diameter are automatically retrieved through digital caliper and optical sensor
 - Automatic ALU S program
- Backlit graphic LCD display, 132 x 40mm
- Multi-function and interactive keys to guide the operator
- Suitable for medium size tyre shops and general workshop



269

BISHOPS Port Moresby | Lae | Madang | Kimbe | Mt Hagen | Kokopo | Honiara

Wheel Balancers & Aligners, Floor Creepers & Oil Pans

RAV Commercial Wheel Balancer with Wheel Lift for Trucks & Buses

GTL2.120HC

- Quick balancing, with wheel lift to reduce back injuries
- An electro-pneumatic brake holds the wheel in position
- Automatic rotation to the internal unbalance position
- Large cones/adaptors up to 281mm



RAV Entry Level Wheel Aligner – Wireless

RAVTD5080WS

- Complete with 4 measuring heads equipped with 8CCD sensors and infra-red CCD transmission, makes it possible to measure all steering angles
- The wheeled control unit houses the data processing and management computer, TFT monitor, printer, keyboard and battery charger
- Data bank with more than 90,000 vehicle data sheets already entered and further blank sheets to be filled in as and when required
- Includes: A pair of 3 point clamps, with quick locking units and ABS claws (STDA95E)



RAV Commercial 4CCD Wheel Aligner for Trucks & Buses – Wireless

RAVTD5040T-C

· The truck wheel aligner features two front measuring heads equipped with 4 infra-red CCD sensors and two rear infra-red transmitters, making it possible to measure all steering angles

The long reading distance of the measuring heads enables the user to repeat the operation to measure the angles on vehicles with three or more axles or steering axles

- The light measuring heads and absence of connection cables make the system versatile, convenient and very easy to use
- The wheeled control unit houses the data processing and management computer, TFT monitor, printer, keyboard and battery charger



Metal Base Floor Creeper

- Red metal frame fitted with a mattress and pillow for comfort while working
- Six swivel castors included
- 1,020(l) x 490(w) x 100(h)mm



Plastic Floor Creeper

- Curved strong plastic base fitted with pillow for comfort
- Six swivel castors included
- 935(I) x 450(w) x 110(h)mm



Oil Drain Pans

- Made from high density polyethylene
- Suitable for use with fuel, mineral oils, synthetics and anti-freeze
- Resistant to most chemicals and solvents
- The 14ltr pan features a spout and three handles for easy pouring



Diameter	Depth	Capacity	Part Number
355mm	100mm	6.6ltr	55080262
450mm	150mm	14ltr	55080264

Duck Bill Oil Drain Pan

- Made from high density polyethylene
- Suitable for use with fuel, mineral oils, synthetics and anti-freeze
- Resistant to most chemicals and solvents
- Duck bill design provides a larger surface area for more effective waste collection
- 17.3ltr capacity
- 820(I) x 545(w) x 200(d)mm



Oil Filter Crusher, Oil Drainer Tank, Fuel Cans & Top Up Kits

Oil Filter Crusher

ARMFC240

- High quality oil filter crusher designed for all types of oil filters
- Available in both 240 and 415V
- Pump type: electric/hydraulic
- Fitted with an electric motor for quick and efficient removal of oil from filters
- Environmentally friendly
- Made in Australia
- 240V
- Suits max oil filter size: 200(dia) x 400(l)mm

Oil Drainer Tank

and sight gauge

Pole length: 49"-69" Tank capacity: 106ltr/28gal

Collects waste oils from automotive, agricultural and machinery jobs Fitted with two 6" fixed-axle wheels and two 3" swivel castor wheels Comes with a 6.5ft discharge hose, shut-off valve, curved metal spout

19½" diameter drain bowl on a telescopic pole

- 1,000(h) x 600(w) x 400(d)mm
- Weight: 110kg



Metal Jerry Fuel Can – 20ltr

- Complies with AS/NZS2906-2001
- Three handles on top
- Very strong and has been flame and drop tested
- Fitted with spring loaded cap locking device
- Green
- 20ltr capacity



Fuel Cans

Perfect for transporting and storing premixed fuel for your 2-stroke machine or for your lawnmower

Pull out spout for easy pouring on the 5ltr can





Capacity	Part Number
2ltr	62022072
5ltr	62022074
	2ltr



Keep all those dangerous products locked away with Flammable Liquid **Storage Cabinets.**

Find them in the Material **Handling & Lifting** section, page 104

Plastics Fuel Cans

Features top and side handles for easier handling

Cap has a rubber gasket for optimum sealing

Large opening allowing for air circulation Flexible, vented pourer

is designed to reduce 'glugging'





Description	Capacity	Dimensions	Part Number
Petrol Can – Red	5ltr	250(l) x 130(w) x 250(h)mm	62022070
Petrol Can – Red	10ltr	14(w) x 45(h) x 26(l)mm	62022075
Petrol Can – Red	20ltr	17.9(w) x 51(h) x 38.5(l)mm	62022078
Diesel Can – Yellow	20ltr	17.9(w) x 51(h) x 38.5(l)mm	62022085

Multi-Purpose Top Up Kit

7701A

- Ideal for topping up difficult to access oiling points in the workshop and at home
- Suitable for all oils, automatic transmission fluids, brake fluids and some hand cleaners
- Not suitable for combustible fluids
- Self-contained unit prevents oil contamination when not in use
- 1ltr capacity





Spout Measures, Oil Pourers & Funnels

Flexible Spout Measures

- Translucent high density polyethylene construction
- For transferring metered quantity of fluids
- Marked with both metric and imperial measurements
- Complete with flexible spout with cap and polypropylene lid




Part Number

Alemlube

Alemlube

	Funnel	

- Available in a range of sizes to cater for differing flow requirements
- Screw down caps at both ends of the funnels ensure that they are contaminant free for the next time you need to use them





Product Code	Capacity	Colour	Part Number
10350CF	1.4ltr – High Flow Delivery Port	Green	68530355
10270CF	1.1ltr	Blue	68530354

Oil Pourers

MSR/P/F-5

Product Code | Capacity

- Polyethylene oil measure will not dent, scratch or corrode
- Flexible delivery spout makes the topping up of engines, gear boxes, diffs, transmissions and crank cases a quick and easy proposition
- Screw on lid helps to prevent contaminants from entering the oil measure and ultimately vehicle engines

Product Code	Capacity	Alemiube	Part Number
1000MFN	1ltr		68560132
2000MFN	2ltr		68560134
5000MFN	5ltr		68560136
10000MF	10ltr		68560138

Spill Proof Plastic Funnels

- Heavy duty polypropylene construction
- Special contoured design for easy handling
- The curved rim creates an anti-splash and spill proof funnel
- Complete with wire mesh screen, dust cover and flexible spout
- The bung attachment on the larger size allows the funnel to be mounted directly onto drums with 2" thread opening
- Translucent white for a clearer view



Product Code	Capacity	Size	Part Number
FNL/8	1.7ltr	8"	68530340
FNL/9B	3ltr	9½"	68530350
FNL/9B	3ltr	9½"	

Plastic Funnels

Heavy duty polyethylene funnel with filter and flexible spout



Doub Nous

Product Code	Size	Part Number
12150SF	150mm	68530020
12250SFN	220mm	68530060

Funnel with Flex Spout

- Polypropylene
- Capacity: 1,200cc
- Diameter: 190mm
- Length: 540mm
- Spout length: 160mm
- Weight: 240g




4 in 1 Funnel Set

11000SES

• Includes sizes 50mm, 75mm, 100mm and 120mm





Avoid spills! See Drum Funnels in the Safety Equipment & Consumables section, page 68



Aerial	
Safety	264
Air	
Duster	220
Engine Cleaner	
Jacks 265	
Spray Guns	,
	, 200
Alarm	
Reversing	, 261
Aligner	
Wheel	270
Alkaline	
Batteries	257
Aluminium	
Foil Tape	221
Ladders 239	
Torches	
	201
Analogue	
Multimeter	255
Applicators	
Spray Bottles	242
Artline	
Paint Markers	234
Permanent Markers	233
Whiteboard Markers	233
Automotive	
Δerial	264
Aerial	
Battery Chargers	, 262
Battery Chargers	, 262 263
Battery Chargers	, 262 263 263
Battery Chargers	, 262 263 263 267
Battery Chargers	, 262 263 263 267 264
Battery Chargers	, 262 263 263 267 264 270
Battery Chargers 261 Battery Terminals Demineralised Water Engine Crane Expansion Plug Kit	, 262 263 263 267 264 270 271
Battery Chargers	, 262 263 263 267 264 270 271 263
Battery Chargers	, 262 263 267 264 270 271 263 , 266
Battery Chargers	, 262 263 267 264 270 271 263 , 266 265
Battery Chargers	, 262 263 267 264 270 271 263 , 266 265 262
Battery Chargers	, 262 263 263 267 264 270 271 263 , 266 265 262 260
Battery Chargers 261 Battery Terminals 261 Demineralised Water 261 Engine Crane 262 Expansion Plug Kit 363 Fluel Cans 265 Jack Stands 265 Jack Stands 265 Lights 261	, 262 263 267 264 270 271 263 , 266 265 262 260 271
Battery Chargers 261 Battery Terminals 261 Demineralised Water 261 Engine Crane 262 Expansion Plug Kit 263 Floor Creepers 263 Fuel Cans 265 Jack Stands 265 Jack Stands 265 Jights 261 Dirainer Tank 261	,262 263 263 267 264 270 271 263 ,266 265 262 260 271 271
Battery Chargers 261 Battery Terminals 261 Demineralised Water 261 Engine Crane 262 Expansion Plug Kit 363 Fluel Cans 265 Jack Stands 265 Jack Stands 265 Jimper Leads 265 Lights 261 Oil Drainer Tank 361 Oil Filter Crusher	,262 263 263 267 264 270 271 263 ,266 265 262 260 271 271 264
Battery Chargers 261 Battery Terminals. Demineralised Water Engine Crane Expansion Plug Kit Floor Creepers. Fuel Cans. Fuse Kits. Jacks 265 Jack Stands Jumper Leads. Lights. Oil Drainer Tank Oil Filter Crusher Panel Beater Set	, 262 263 267 264 270 271 263 , 266 265 260 271 271 264 , 261
Battery Chargers 261 Battery Terminals. Demineralised Water Engine Crane Expansion Plug Kit Floor Creepers Fuel Cans. Fuse Kits Jacks 265 Jack Stands Jumper Leads Lights. Oil Drainer Tank Oil Filter Crusher Panel Beater Set Reversing Alarms 260	, 262 263 267 264 270 271 263 , 266 265 262 271 271 264 , 261 266
Battery Chargers	, 262 263 263 267 264 270 271 263 , 266 265 262 271 271 264 , 261 266 269
Battery Chargers 261 Battery Terminals 261 Demineralised Water 261 Engine Crane 262 Expansion Plug Kit 363 Fuel Cans 365 Fuel Cans 365 Jack Stands 365 Jack Stands 365 Jack Stands 365 Jimper Leads 365 Lights 366 Cil Drainer Tank 366 Cil Filter Crusher 366 Panel Beater Set 366 Reversing Alarms 3666 Transmission Jack 3666 Tyre Changers 3666 Tyre Inflators 3666	, 262 263 263 267 264 270 271 263 , 266 265 262 260 271 271 264 , 261 269 265 268
Battery Chargers 261 Battery Terminals 261 Battery Terminals 261 Demineralised Water 261 Engine Crane 262 Expansion Plug Kit 363 Floor Creepers 363 Fuel Cans 365 Fuse Kits 365 Jack Stands 665 Jack Stands 665 Jack Stands 665 Jimper Leads 665 Lights 666 Ulder Crusher 666 Panel Beater Set 666 Reversing Alarms 6666 Transmission Jack 666 Tyre Changers 6666 Tyre Changers 66666 Tyre Inflators 666666666666666666666666666666666666	, 262 263 263 267 264 270 271 263 , 266 265 262 260 271 271 264 , 261 269 265 268
Battery Chargers 261 Battery Terminals 20 Demineralised Water 20 Engine Crane 20 Expansion Plug Kit 30 Fuel Cans 30 Fuse Kits 30 Jacks 31 Jacks 3265 Jack Stands 30 Jumper Leads 30 Lights 30 Oil Drainer Tank 30 Oil Filter Crusher 30 Panel Beater Set 30 Reversing Alarms 30 Transmission Jack 30 Tryre Changers 30 Tyre Inflators 30 Tyre Pressure Gauge 30 Vehicle Hoists 30 Demineralised Water 30 Expansion 261 English 30 English 3	, 262 263 267 264 270 271 263 , 266 265 260 271 264 , 261 266 265 268 265 268 264 , 268
Battery Chargers 261 Battery Terminals 20 Demineralised Water 20 Engine Crane 20 Expansion Plug Kit 30 Fluel Cans 30 Fuse Kits 30 Jacks 31 Jacks 3265 Jack Stands 30 Jumper Leads 30 Lights 30 Uil Drainer Tank 30 Uil Filter Crusher 30 Panel Beater Set 30 Reversing Alarms 32 Tyre Changers 32 Tyre Changers 32 Tyre Levers 32 Tyre Pressure Gauge 32 Vehicle Hoists 32 Vehicle H	, 262 263 267 264 270 271 263 , 266 265 260 271 264 , 261 266 269 265 268 264 268 270
Battery Chargers 261 Battery Terminals 20 Demineralised Water 20 Engine Crane 20 Expansion Plug Kit 30 Fuel Cans 30 Fuse Kits 30 Jacks 31 Jacks 3265 Jack Stands 30 Jumper Leads 30 Lights 30 Oil Drainer Tank 30 Oil Filter Crusher 30 Panel Beater Set 30 Reversing Alarms 30 Transmission Jack 30 Tryre Changers 30 Tyre Inflators 30 Tyre Pressure Gauge 30 Vehicle Hoists 30 Demineralised Water 30 Expansion 261 English 30 English 3	, 262 263 267 264 270 271 263 , 266 265 260 271 264 , 261 266 269 265 268 264 268 270
Battery Chargers	, 262 263 263 267 264 270 271 263 , 266 265 262 271 271 264 , 261 265 269 265 268 270 270 270 270
Battery Chargers 261 Battery Terminals. Demineralised Water Engine Crane Expansion Plug Kit Floor Creepers. Fuel Cans. Fuse Kits. Jacks 265 Jack Stands Jumper Leads. Lights. Oil Drainer Tank. Oil Filter Crusher Panel Beater Set Reversing Alarms. 260 Transmission Jack Tyre Changers. Tyre Levers. Tyre Pressure Gauge Vehicle Hoists. 269 Wheel Aligners. 269	, 262 263 263 267 264 270 271 263 , 266 265 262 271 271 264 , 261 265 269 265 268 270 270 270 270



Backing	
Grout - Epoxy	239
Backpack	
Sprayers	242
Bags	
Poly Press Seal	232
Balancer	
Wheel	270
	,
Ballmarker	00
Ink, Tips & Bottles	234
Barrel	
Lock - Bolt	248
Batteries	
Alkaline	257
Charger	, 262
Clamps	
Demineralised Water	263
Hydrometer	263
Jar	
Jumper Leads	
Load Testers	
Post Cleaning Products	
Terminals	263
Bellow-Type	
Jack	265
Bike	
Locks	247
Blower	
Mist	243
Bolts	
Barrel	248
Gate	248
Pad	248
Borescope	
Camera	256
Bottle	
Ballmarker Ink	234
Jacks	266
Spray	242
Braided	
Extension Leads	250
Brass	
Battery Terminals	263
Butt Hinges	249
Expansion Plug	264
Grommets	244
Padlocks	, 246
Brown	
Paper	232
Brushes	
Paint	236
Bubble Wrap	
Rolls	220
	202
Bucket	000
Paint	238

Building Products		Chargers	
Grout	239	Battery	261, 262
Bus		Chocks	
Hoist	268	Wheel	264
Wheel Aligner	270	Clamp	
Wheel Balancer	270	Battery	060
Butt		Meters	
	240	Multimeter	
Hinges	249		250
Button		Cleaning	
Emergency Stop	253	Battery Post	263
		Clips	
		Tarpaulin	244
		Closers	
		Door	248
Cabinets		Cloth	
Key	247		00-
-,	2-11	Tape	23
Cable	054	Coatings	
Cover/Protector		Rust Protection	235, 236
Locks		Zinc Paint	235
Tester		Cold Galvanising	
Ties	9, 250	Paint	235
Camera		Combination	
Borescope	256	Padlock	247
Cans			
Fuel	271	Compression	
Paint	238	Springs	244
Canvas		Construction	
Drop Sheets - Paint	222	Scaffolding	241
Grommets.		Contractor	
	244	Padlock	245
Caps		Cords	
Metal Pickets	243	Cover/Protector	25-
Car		Extension	
Battery Chargers	, 262	Extension – Reels.	
Floor Jacks	266	Testers	
Hoists	267		
Jacks	5, 266	Core	
Jack Stands	265	Plug	264
Jumper Leads	262	Corrosion Protection	
Panel Beater Set	264	Paint	235, 236
Ratchet Jacks	265	Covers	
Scissor Lift	267	Cable	25-
Tyre Changers	269	Drop Sheets	
Tyre Gauges	1, 265	Paint Roller	
Tyre Inflator	265	Tarpaulins	
Tyre Levers	268		2 10
Wheel Aligners	270	Crane	0.05
Wheel Balancers	9, 270	Engine	267
Wheel Chocks	264	Crayons	
Wheel Dolly	267	Lumber	234
Wheel Wrenches	3, 269	Paint Markers	234
Cargo		Creeper	
Covers – Tarpaulin	243	Mechanics	270
	0	Crimpers	
Carpenters	005	•	000
Pencil	235	Steel Strapping	232
Chain		Current	
Locks	247	Clamps	
Chalk		Cutter	
Engineers	234	Steel Strapping	232
Holder			



Deadlock	
Door	248
Demineralised	
Water	263
Detectors	
Voltage	253
Diesel	
Funnel	272
Jerry Cans	271
Digital	
Clamp Meters	. 256
Multimeters	
Scales	233
Temperature Gun	256
Wire Testers	256
Dilution	
Bottles	242
Dispenser	
Film Wrap	232
Steel Strapping	
Distilled	202
	060
Water	203
Dolly	
Dual Wheel	267
Door	
Closers	248
Deadlocks	
Handle - Lockset	
Hinges	249
Double Sided	
Tape	231
Drivers	
Post	243
Driving	
Lamps	260
Drop	
Sheets - Paint	238
Duct	
Tape	221
•	201
Durafoam	004
Таре	231
Duragal	
Silver Paint	235
Forth Leakage	
Earth Leakage Outlet	251
	Z0 I
Electrical	
Borescope	
Cable Cover	
Cable Testers	Z00

Cable Ties	, 250
Clamp Meters	, 256
Emergency Stop Button	253
Extension Leads	, 251
Ladder	241
Multimeter Leads	255
Multimeters	, 255
Outlet	251
Sockets	, 253
Switches	, 253
Tape	230
Testers	256
Voltage Testers	, 255
Work Lights	, 259
Emergency	
Stop Button	253
Enamel	
Paint	226
	200
Engine	
Cleaner Gun	
Floor Crane	267
Engineers	
Chalk	234
Ероху	
Anti-Corrosive Paint	236
Backing Grout	
Enamel Paint	
Etch	
Primer	235
	200
Expansion Plugs	
Kits	264
Extension	
Ladders	, 241
	, 251
Leads - Reel	251
Springs	244
External	
Deadlocks	248
Lockset - Door	248
_	
Fence	
Metal Pickets	243
Tie Wire	243
Fibreglass	
Ladders	. 241

rence	
Metal Pickets	243
Tie Wire	243
Fibreglass	
Ladders	, 241
Filament	
Tape	230
Film	
Stretching Wrap	232
Filter	
Oil – Crusher	271
Flagging	
Tape	230
Flags	
Vehicle Safety	264

iii

Flashlights		Ground	
Flexible	258	Cover – Tarpaulin	243
Head Lamp	257	Grout	
Torches	257, 258	Ероху	239
Floodlights		Multi-Purpose	239
Halogen	259, 260	Guns	
Floor		Air Duster	238
Creepers	270	Engine Cleaner	
Engine Crane	267	Spray Paint	
Jacks	266	Temperature	
Fluorescent			
Work Lights	259	-	
Foam		• •	
Tape	221	11.1	
_ '	201	Halogen	0.50
Foamer	0.40	Floodlights	
Sprayer	242	Hammers	
Foil		Star Picket	243
Aluminium Tape	231	Hand Lamps	
Fork		Fluorescent	259
Tester	255	Handles	
Frames		Door – Lockset	248
Paint Roller	237	Spot Marking – Paint	236
Fuel		Hanging Light	
Cans	271	Workshop	258, 259
Drain Pans	270	Hasps & Staples	
Funnel	272	Locking	240
Funnels		Head	
Plastic	272	Lamps	257
Fuses			201
Kit	263	Hinges	0.40
T NC		Butt	249
		Hoists	007.000
		Vehicle	
		Hydraulic	000
		Bottle Jacks	
Gaffer Tape		Engine Crane	
Cloth	231	Floor Jacks	
Galvanising		Panel Beater Sets	
Paint	235	Scissor Lift	
Garden		Transmission Jack	
Pressure Sprayer	242	Vehicle Hoists	267, 268
Stakes		Hydrometer	
-		Battery	263
Gate	040	_	
Drop Bolt	240		
Gauges			
Pressure – Tyre			
Glass		Indicator	
Magnifying		Light	
Scraper	238	Inflator	
Gloss		Tyre	265
Enamel Paint	236	Ink	
Grab Kits		Ballmarker	234
Expansion Plug	264	Inspection	
Extension & Compression Spring	244	Camera	256
Fuse	263	Lights	
Grommets		Insulation	200
Brass	244		000
		Tape	230

	Leads	
_	Extension	250, 251
	Jumper	262
	Multimeter	255
Jacks	LED	
Bellow-Type	Head Lamps	257
Bottle	Torches	
Floor	Vehicle Rear Lamps	260
Motorbike	Work Lights	
Ratchet	Letter & Number	
Stands		000
Transmission	Stencils	236
Jar	Lever	
Battery	Tyre	268
	Lifts	
Jerry	Vehicle Hoist	267 268
Fuel Can		201,200
Jumper	Lights	
Leads	Automotive	
	Flexible	
	Head Lamps	
	Lantern	
	Portable – Hand	,
	Rechargeable	258, 259
Key	Torch	257, 258
Cabinets	Vehicle	260
Ring – Plastic 247	Work Light	258, 259, 260
Scaffolding 241	Line Marking	
<u> </u>	Machine	236
Keys	Paint	
Storage		
Kits	Load Testers	
Air Professional	Battery	
Expansion Plug	Locks	
Fuse	Barrel Bolt	248
Spring	Cable/Chain	247
	Combination	247
Knapsack	Deadlocks	248
Mistblower 243	Drop Bolt	248
Sprayers	Hasp & Staple	249
	Key Storage	
	Padbolts	
	Padlocks	
	Puck	
		270
Ladders	Locksets	
Aluminium	Door	248
Extension	Lumber	
Fibreglass	Crayons	234
Scaffold		
Step		
Lamps	IVI	
Head 257		
Rear Vehicle	Magnatia	
Work	Magnetic	
Lantern	Work Lights	258
Torch	Magnifying Glass	
	General Purpose	233
_atches	Markers	
Deadlock 248		00.4
_atching	Chalk	
Emergency Stop	Engineering Chalk	
Lead	lnk	
Loud	Lumber Crayons	234

Paint	234
Permanent	, 234
Whiteboard	233
Marking	
Machine	236
Paint	
Stakes	
Tape	230
Masking	
Tape	230
Master Kits	
	064
Expansion Plug Extension & Compression Spring	
Fuse	
	200
Measures	070
Flexible Spout	272
Mechanics	
Floor Creepers	270
Metal	
Paint	, 236
Paint Can	238
Pickets	243
Meters	
Clamp	, 256
Digital	, 255
Fork	255
Leads	255
Multimeter	, 255
Mine Marking	
Paint	236
Paint - Handles	236
Mist	
Blower	243
Mixer	
Paint	238
Mobile	
Scaffolding	241
Motorbike	2
Jack Stand	265
	200
Multimeters	055
Analogue	
Clamp	
Digital Leads	
Leaus	200
Number & Letter	
Number & Letter Stencils	236
Stencils	236
Stencils Nut	
Stencils	
Stencils Nut	

	7	

0	ffice Products	
	Brown Paper	232
	Digital Scales	233
	Magnifying Glass	233
	Paint Markers	234
	Permanent Markers	234
	Poly Press Seal Bags	
	Scissors	
	Tape	231
	Whiteboard Markers	
\cap	il	
0	Drainer Tank	071
	Drain Pans	
	Filter Crusher	
	Funnel	
	Pourers	
	Top Up Kit	2/1
0	utlet	
	Earth Leakage	251
P	ackaging	
	Brown Paper	232
	Bubble Wrap	232
	Digital Scales	233
	Stretching Film Wrap	232
P	acking	
	Tape	230
	·	200
P	adbolts	
	Lock	248
P	adlocks	
	Brass	246
	Cable/Chain	247
	Combination	247
	General	246
	Key Storage	247
	Shrouded	246
P	aint	
	Brushes	236
	Cans	
	Cold Galvanising	
	Drop Sheets	
	Duragal	
	Enamel	
	Epoxy	
	Line Marking	
	Markers	
	Marking – Handle	
	Marking Machine	236
	Mine Marking	236
	Mixer	238
	Primer	235
	Roller Covers	237
	Dellas France	00-

Roller Tray	237	Pressure	
Rust Preventatives	235, 236	Gauge – Tyre	264
Scrapers	238	Sprayers	
Silver		Primers	
Spray Guns	237,238	Paint	235
Spray Paint	235, 236		200
Stencils	236	Privacy	
Zinc	235	Deadlocks	
Paint Brushes		Locksets	248
General Purpose	236	PVC	
Signwriters	236	Tape - Double Sided	231
Panel Beater		Tape - Insulation	230
Hydraulic Sets	264		
Pans			
Oil Drain	270		
Paper			
Brown	232		
Patch		Racing	
	001	Floor Jacks	266
Repair Tape	231	Radiator	
Pencil		Distilled Water	263
Carpenters	235	Ratchet	
Permanent		Jacks	265
Markers	233, 234		
Pickets		Rechargeable	
Driver	243	Torch	
Lifter		Work Lights	258, 259
Star		Reels	
Plastic		Extension Lead	251
	220	Remover	
Drop Sheets.		Star Picket	243
Fuel Cans Funnels		Repair	
Stretch Wrap		-	001
·	202	Flash Patch Tape	201
Platform		Reversing	
Safety Step	239	Alarms	
Plug		Light	
Expansion	264	Rollers	
Plugs – Electrical		Paint Covers	237
Angled	252	Paint Frames	237
Phase	252	Paint Tray	237
Straight	252	Rubber	
Pneumatic		Wheel Chock	264
Door Closer	2/18	Rust Prevention	
	240	Paint	235 236
Post		i ant	200, 200
Hoists			
Scales	233		
Posts			
Driver	243		
Lifter	243	Safety	
Tri Picket	243	Aerial	264
Pourers		Cable Cover	251
Measure	272	Caps - Metal Pickets	243
Oil	272	Emergency Stop Button	253
Power		Flags – Vehicle	
Board – Earth Leakage Unit	251	Head Lamps	257
Plugs		Steps	
Sockets		Sample Bag	
	202, 200	Poly	020
Power Cords		•	202
Cover		Sandwich	
Electrical	250, 251	Bag – Poly	232

Scaffolding	
Key	
Mobile	241
Scales	000
Digital	233
Scissor	
Vehicle Lifts 26	, 268
Scissors	
General Purpose	233
Scout Tester	256
Scrapers	
Window	238
Sealing	
Aluminium Foil Tape	231
Flash Patch Repair Tape	
Foam Tape	
Seals	
Kit – Jacks	266
Strapping	
Sheets	
Drop – Paint	238
•	200
Signwriters Paint Brushes	006
	230
Silver	005
Paint	235
Soapstone	
Holder	234
Sockets - Electrical	
Extension	
Extension	252
Extension	252
Extension	252 2, 253
Extension	252 2, 253 260
Extension Fixed Switched. 252 Spot Light Automotive. Work Lamp	252 2, 253
Extension	252, 253 260 260
Extension Fixed Switched Switched 252 Spot Light Automotive Work Lamp Spot Marking Machine	252, 253 260 260 236
Extension Fixed Switched. 252 Spot Light Automotive. Work Lamp Spot Marking Machine. Paint	252, 253 260 260 236
Extension	252 2,253 260 260 236 236
Extension Fixed Switched 252 Spot Light Automotive Work Lamp Spot Marking Machine Paint Spray Bottles	252 2, 253 260 260 236 236
Extension Fixed Switched. 252 Spot Light Automotive Work Lamp Spot Marking Machine Paint Spray Bottles Foamer	252 2,253 260 260 236 236 242 242
Extension Fixed Switched. 252 Spot Light Automotive Work Lamp Spot Marking Machine Paint Spray Bottles Foamer Paint 238	252, 253 260 260 236 236 242 242 5, 236
Extension	2522, 2533 2600 2600 2360 2360 2420 2420 2420 2420 2420 2420 2420 24
Extension	2522, 2533 2600 2600 2360 2360 2420 2420 2420 2420 2420 2420 2420 24
Extension	252, 253 260 260 236 236 242 242 242 242, 7, 238
Extension	252, 253 260 260 236 242 242 242 242 242 236 236 242 242 242 242 242
Extension	252, 253 260 260 236 242 242 242 242 242 27, 238
Extension Fixed Switched. 252 Spot Light Automotive Work Lamp Spot Marking Machine Paint Spray Bottles Foamer Paint 238 Paint – Applicator Paint – Guns 237 Sprayers Backpack Paint – Guns 237 Pressure 237	252, 253 260 260 236 242 242 242 242 242 27, 238
Extension	2522, 253 260 260 236 236 242 242 242 242 242 242 242 242 242 24
Extension Fixed Switched. 252 Spot Light Automotive Work Lamp Spot Marking Machine Paint Spray Bottles Foamer Paint 238 Paint – Applicator Paint – Guns 237 Sprayers Backpack Paint – Guns 237 Pressure 237	2522, 253 260 260 236 236 242 242 242, 236 236 236 242 242 242 242 242 244
Extension	2522, 253 260 260 236 236 242 242 242, 236 236 236 242 242 242 242 242 244
Extension	252, 253 260 260 236 236 242 242 242 243 236 236 236 242 242 244 244 244
Extension Fixed Switched. 252 Spot Light Automotive. Work Lamp Spot Marking Machine Paint Spray Bottles Foamer Paint 238 Paint – Applicator Paint – Guns 233 Sprayers Backpack Paint – Guns 233 Springs Compression Extension Stainless Steel Locks. 246	252, 253 260 260 236 236 242 242 242 243 236 236 236 242 242 244 244 244
Extension	252, 253 260 260 236 236 242 242 247, 238 242 244 244 244
Extension Fixed Switched. 252 Spot Light Automotive. Work Lamp Spot Marking Machine Paint Spray Bottles Foamer Paint 238 Paint – Applicator Paint – Guns 233 Sprayers Backpack Paint – Guns 233 Springs Compression Extension Stainless Steel Locks. 246	2522, 253 260 260 236 242 242 242 243 242 244 244 244

Stands	
Jack	265
Motorbike Jack	265
Star	
Dropper Hammer	243
Dropper Remover	
Pickets	243
Stationery	
Brown Paper	222
Chalk	
Magnifying Glass	
Paint Markers	
Permanent Markers	
Scales	
Scissors	
Sticky Tape	
Whiteboard Markers	
	200
Steel	0.40
Padlocks 245	,
Strapping	
Strapping Cutter	
Tri Picket	243
Stencil	
Letters & Numbers	236
Step	
Ladders	, 240
Safety	239
Sticky	
Tape	230
Stihl	
	0.40
Backpack Sprayers	
Fuel Cans	
Pressure Sprayers	
	242
Stirrer	
Paint	238
Strapping	
Crimpers	232
Cutters	232
Dispenser	232
Seals	
Steel	
Tensioner	232
Stretching Film Wrap	
Dispenser Handle	232
Holder	232
Rolls	232
Support	
Jack Stands	265
Survey	
	220
Flagging Tape Stakes	
	240
Switches - Electrical	
Power	, 253

		Torches	
		Hand Held	257,258
		Head	257
		Lantern	
Tail		Rechargeable	
Light	260	Workshop Lights	
Tank		Touch Up	
Oil Drainer	271	Paint	235
	211		200
Tape		Trailer	
Aluminium Foil		Lights	
Cloth		Tarpaulin	
Double Sided PVC	231	Transmission	
Duct	231	Jacks	
Durafoam	231	Trays	
Filament	230	Paint Roller	237
Flash Patch Repair	231		201
Gaffer	231	Tri Pickets	
Insulation	230	Black	243
Masking	230	Driver	243
Packing	230	Lifter	243
PVC	230, 231	Truck	
Sticky	230	Battery Chargers	261,262
Survey/Flagging	230	Expansion Plug Kits	
Tarpaulin		Hoists	
Clips	244	Jacks	
Grommets		Jack Stands	
Polyethylene		Jumper Leads	
PVC		Lights	
	240	Panel Beater Set	
Temperature Meter		Reversing Alarms	
Clamps		Tyre Changer	
Guns		Wheel Aligner	
Multimeters	254, 255	Wheel Balancer	
Tensioner		Wheel Chocks	
Steel Strapping	232	Wheel Lift	
Tents		Wheel Wrenches	
Grommets	244	_	200,209
	244	Tyre	
Terminals		Automatic Changer	
Battery	263	Balancer	
Testers		Inflator	
Battery Load	262	Lever	
Cable	256	Manual Changer	
Fork	255	Pressure Gauges	
Multimeter	254, 255		
Voltage	253		
Textas			
Paint Markers	224		
Permanent Markers			
Whiteboard Markers	,	Vehicle	
	200	Aerial	
Thermometer		Balancer – Tyre	
Digital Multimeters	254, 255	Battery Charger	
Guns	256	Commercial Scissor Lift	
Tie		Creepers	
Wire	243	Engine Crane	
Ties		Floor Jacks	
	040.050	Fuses	
Cable	249,250	Hoists	
Timber		Jacks	
Stakes	243	Jack Stands	
Tins		Jumper Leads	
Paint	238	Lights	
	200	шуню	200

Index	
Donal Doctor Cot	064
Panel Beater Set	
Ratchet Jacks	
Rear Lamps	
Reversing Alarms 260,	
Scissor Lifts	
Transmission Jack	
Tyre Changers	
Tyre Gauges	
Tyre Inflators	
Tyre Levers	
Wheel Aligner	
Wheel Balancers	270
Wheel Chocks	264
Wheel Dolly	267
Wheel Wrenches	269
Video Tester	
Digital	256
Ŭ	200
Voice Tester	
Digital	256
Voltage	
Multimeters	255
Tester/Detector	253
\ \/	
W W	_
Warehouse	
Bubble Wrap	232
Digital Scales	233
Steel Strapping	232
Steel Strapping Tools	232
Stretching Film Wrap	232
Waste	
Drainer Tank	271
Oil Pans	
	210
Water	
Demineralised	263
Weather Proof	
Protected Sockets – Electrical	252
Welding Touch Up Paint	235

Aligners 270

V	Vire		
	Testers		256
	Tie		243
۷	Vood		
	Stakes		243
۷	Vork Light		
	Lamps	8, 259,	260
۷	Vorkshop		
	Floor Creepers		270
	Lights		
	Tyre Changers		269
	Vehicle Hoists	. 267,	268
	Wheel Aligners		270
	Wheel Balancers	. 269,	270
۷	Vrap		
	Bubble		232
	Stretch Film		232
۷	Vrapping Paper		
	Brown		232
۷	Vrenches		
	Wheel	. 268,	269



Z	inc		
	Paint	235,	236
	Primer		235
	Stencils		236
Z	ip		
	Ties	249,	250

Wheel

Whiteboard

Wind Breaks

Window