

01 SAFETY EQUIPMENT & CONSUMABLES



HAND PROTECTION

General Purpose Gloves	2-4
Oil Resistant Gloves.....	4-5
Cut Resistant Gloves & Sleeves	5-7
Mechanics & Leather Palm Gloves.....	7-8
Riggers & Impact Gloves.....	8
Heat Protective Gloves.....	8
Glove Clips	8
Disposable & Rubber Gloves	10
Chemical Resistant Gloves.....	10-11
Welding Gloves.....	11

EYE PROTECTION

Safety Glasses & Accessories	13-15
Safety Goggles.....	16-17
Lens Cleaning Products.....	17
Face Shields & Visors.....	18

RESPIRATORY PROTECTION

Disposable Respirators.....	20
Reusable Respirators & Kits.....	21-22
Cartridges & Filters.....	22-23

HEARING PROTECTION

Earplugs	25
Earmuffs	26

HEAD PROTECTION

Hard Hats & Accessories.....	27
Bump Caps	27
Sun Hats.....	27

HEIGHT SAFETY

Body Harnesses & Kits.....	28-31
Lanyards & Anchorage.....	31-32
Rescue Kits.....	32
Self-Retracting Lifelines & Tool Lanyards.....	32-33

SKIN PROTECTION & FIRST AID

Sunscreen.....	33
First Aid Kits	33-34

SITE SAFETY

Emergency Eyewash & Safety Showers.....	35-37
Spill Control Absorbent Products.....	37-40
Spill Kits & Accessories	41-43
Contaminated Waste Disposal	42-43
Spill Bunds & Pallets & Covers	43-45
Fire Extinguishers, Hoses & Accessories.....	46-47
Lockout Padlocks	48-49
Lockout Kits & Hasps.....	49
Lockout Stations & Devices.....	50-52
Lockout & Safety Tags	52-53
SDS Storage	52
Safety & Traffic Signage	54-55
Worksite Safety, Barriers & Bunting.....	55-57
Anti-Slip & Reflective Tapes	57
Buggy Whips.....	58
Glow Sticks, Hazard Lighting & Auditory Warnings.....	58-59



PHOENIX GLOVES SELECTION CHART



PHOENIX GLOVES

Compare your favourite Phoenix gloves to select the correct glove for the job at hand.

Mechanical/Construction Level or Barrier Protection
 Strength & Durability
 Chemical Resistance
 Abrasion Resistance
 Tear Resistance
 High Visibility
 General Purpose
 Heat Protection
 Fit & Comfort
 Economical
 Oily Grip

			✓	✓										✓			
			✓	✓					✓					✓			✓
					✓			✓	✓								✓
	✓							✓	✓							✓	
	✓							✓	✓							✓	
	✓							✓	✓							✓	
	✓	✓	✓		✓	✓	✓		✓	✓							✓
	✓	✓	✓		✓	✓	✓		✓	✓							✓
	✓		✓		✓	✓		✓						✓			
	✓	✓	✓		✓	✓	✓		✓	✓							
	✓	✓	✓		✓	✓	✓		✓	✓							✓
			✓											✓			

COTTON GLOVES

- Hand-knitted cotton
- Most suitable for general use
- Elastic wrist for comfort
- One size fits most



PHOENIX GLOVES



Item Code	Bishops Code
2019	55040010

KNITTED POLKADOT GLOVES

- Knitted polycotton
- 7 gauge knit for higher strength and ventilation
- Comes with PVC dots for extra grip
- One size fits all



PHOENIX GLOVES



Item Code	Bishops Code
2009	55040030

KNITTED KEVLAR GLOVES

- PVC dots provide good grip
- Heat and cut resistant Kevlar
- One size fits most
- Yellow



PHOENIX GLOVES



Item Code	Bishops Code
9001D	55040060

RUBBER-COATED GLOVES

- Rough finish coating
- Wing-thumb and cotton-knitted lining
- Elastic band on the back and a rubberised cuff
- Complies to standard CE EN388
- Natural colour



PHOENIX GLOVES



Length	Bishops Code
254mm	55040620
280mm	55040621

EN388

PROTECTIVE GLOVES AGAINST MECHANICAL RISKS

AS/NZS 2161.3 adopts the European safety standard for protective gloves against mechanical risks – EN388, designed to assess the performance of a glove and its fabric/layers. In 2016, EN388 undertook some important changes, ensuring it kept up with technology and materials that have dramatically improved over the years. The updated standard includes two new tests – TDM-100 Cut and Impact.


Look for the pictogram below on gloves to determine the best fit for purpose hand protection. The pictogram should only be used if the glove meets at least level 1 or level A for at least one of the EN388 protective categories. You may see an X used instead of a number where a glove has not met a performance level of at least 1 or has no impact protection. An X will also be used to note blade cut resistance where a superior cut rating (ISO cut resistance) has been achieved.

	ABRASION RESISTANCE 	CUT RESISTANCE (COUPE TEST) 	TEAR RESISTANCE 	PUNCTURE RESISTANCE 	CUT RESISTANCE (TDM) 	IMPACT PROTECTION
ABCDEF	1: 100 2: 500 3: 2,000 4: 8,000	1: 1.2 2: 2.5 3: 5.0 4: 10.0 5: 20.0	1: 10 2: 25 3: 50 4: 75	1: 20 2: 60 3: 100 4: 150	A: 2 B: 5 C: 10 D: 15 E: 22 F: 30	P: PASSED F: FAILED X: NOT TESTED





Abrasion Resistance

A glove's Abrasion Resistance refers to how many times it can withstand abrasive pressure from sandpaper. Measured in revolutions, gloves must last a minimum of 100 revolutions to meet the minimum standard. Abrasion resistance is especially important for handling rough materials such as bricks.



Cut Resistance (Coupe Test)

The Coupe Test is completed with a specific weight (5N) and a circular blade that will run back and forth until it cuts through the glove. The Coupe test is rated from 1 – 5. Gloves that test beyond Level 3 or produce a false Coupe Test reading will receive an "X", and the ISO Cut Test will provide the glove cut level.




TEAR Resistance

Tear Resistance is measured in Newtons with a tensile strength machine, using pre-cut palm material from four glove samples. The material is fitted into the jaws of the machine, with the tear resistance being measured as the jaws move apart at a constant rate of speed (100mm/min).




Puncture Resistance

Puncture resistance is measured using a rounded stylus – similar to a roofing nail, not a needle. This is pushed 50mm at a consistent speed of 100mm/min by a compression test machine.




Cut Resistance (TDM)

The ISO Cut Resistance test is performed with a straight blade that runs over a piece of material once, similar to if a Stanley knife ran over a piece of material. The key difference is the varied pressure that is applied, with the lowest level of pressure being 2 Newtons (204g) up to 30 Newtons (3,059g). The ISO Cut Resistance is rated A (Lowest) – F (Highest).



Impact Protection

The Impact test is a new addition to the EN388 standard, focussed on back of hand impact protection. To test, the glove is struck with 2.5kg at an impact energy of 5J. To pass the glove must transmit a maximum force of 7.0kN. This test is either a Pass (P) or Fail.





GENERAL PURPOSE & OIL-RESISTANT GLOVES

SAFETY EQUIPMENT & CONSUMABLES

HELIO 101 GENERAL PURPOSE NITRILE COATED GLOVES



- 15 gauge breathable, lightweight nylon/spandex liner
- Foam nitrile palm coating
- Light, dexterous and comfortable
- High abrasion resistance
- Suitable for wet, dry or oily applications
- Knitted stretch cuff



Item Code	Size	Cuff Colour	Bishops Code
HELIO101GY07	7 – S	Red	55040870
HELIO 101GY08	8 – M	Yellow	55040872
HELIO 101GY09	9 – L	Brown	55040874
HELIO 101GY10	10 – XL	Black	55040876
HELIO 101GY11	11 – 2XL	Blue	55040878

MAXIFLEX® ELITE™ GENERAL PURPOSE GLOVES



- DURatech® technology for outstanding durability
- 30% thinner than traditional foam nitrile gloves
- AIRtech® technology delivers 360° breathability
- Optimised grip
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort
- Touchscreen compatible



Item Code	Size	Bishops Code	Item Code	Size	Bishops Code
34-274-06	6 – XS	*34-274-06	34-274-09	9 – L	*34-274-06
34-274-07	7 – S	*34-274-07	34-274-10	10 – XL	*34-274-07
34-274-08	8 – M	*34-274-08	34-274-11	11 – 2XL	*34-274-08

* – SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

MAXIFLEX® ULTIMATE™ WITH AD-APT® GENERAL PURPOSE GLOVES



- DURatech® technology for outstanding durability of more than 18,000 abrasive cycles
- AIRtech® technology delivers 360° breathability
- AD-APT® technology keeps hands cool
- Optimised grip delivered through a micro-cup finish
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort
- Touchscreen compatible
- Also available in non-vending packs



Item Code	Size	Bishops Code	Item Code	Size	Bishops Code
42-874-06V	6 – XS	*42-874-06V	42-874-10V	10 – XL	55040346
42-874-07V	7 – S	55040343	42-874-11V	11 – 2XL	55040347
42-874-08V	8 – M	55040344	42-874-12V	12 – 3XL	*42-874-12V
42-874-09V	9 – L	55040345	–	–	–

* – SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

MAXIFLEX® ULTIMATE™ WITH AD-APT® HI-VIS GLOVES



- DURatech® technology for outstanding durability of more than 18,000 abrasive cycles
- AIRtech® technology delivers 360° breathability
- AD-APT® technology keeps hands cool
- Optimised grip delivered through a micro-cup finish
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort
- Touchscreen compatible
- Also available in vending packs
- Hi-vis yellow



Item Code	Size	Bishops Code	Item Code	Size	Bishops Code
42-874FY-06	6 – XS	*42-874FY-06	42-874FY-10	10 – XL	*42-874FY-10
42-874FY-07	7 – S	*42-874FY-07	42-874FY-11	11 – 2XL	*42-874FY-11
42-874FY-08	8 – M	*42-874FY-08	42-874FY-12	12 – 3XL	*42-874FY-12
42-874FY-09	9 – L	*42-874FY-09	–	–	–

* – SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

MAXIDRY® OILY/WET PURPOSE GLOVES



- LIQUtech® for increased resistance to oils
- Excellent comfort through a synthetic coating combined with an industry leading super light seamless knit liner
- Micro-cup non-slip grip finish allows for a controlled grip in oily and wet applications
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort
- Silicone-free
- Length: 250mm



Item Code	Size	Bishops Code	Item Code	Size	Bishops Code
56-427-07	7 – S	*56-427-07	56-427-10	10 – XL	*56-427-10
56-427-08	8 – M	*56-427-08	56-427-11	11 – 2XL	*56-427-11
56-427-09	9 – L	*56-427-09	–	–	–

* – SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

MAXIDRY® ¾ DIPPED OILY/WET PURPOSE GLOVES



- LIQUtech® for increased resistance to oils
- Excellent comfort through a synthetic coating combined with an industry leading super light seamless knit liner
- Micro-cup non-slip grip finish allows for a controlled grip in oily and wet applications
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort



Item Code	Size	Bishops Code	Item Code	Size	Bishops Code
56-425-07	7 – S	*56-425-07	56-425-10	10 – XL	*56-425-10
56-425-08	8 – M	*56-425-08	56-425-11	11 – 2XL	*56-425-11
56-425-09	9 – L	*56-425-09	–	–	–

* – SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

MAXIDRY® TYPE C GAUNTLET GLOVES

- Liquid proof with increased resistance to oils via LIQUITech® technology
- Excellent comfort through a synthetic coating combined with an industry leading super light seamless knit liner
- Micro-cup non-slip grip finish allows for a controlled grip in oily and wet applications
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort
- Length: 260mm



Item Code	Size	Bishops Code	Item Code	Size	Bishops Code
56-426-07V	7 – S	*56-426-07V	56-426-10V	10 – XL	*56-426-10V
56-426-08V	8 – M	*56-426-08V	56-426-11V	11 – 2XL	*56-426-11V
56-426-09V	9 – L	*56-426-09V	-	-	-

* – SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

MAXIDEX® HYBRID GLOVES

- Full NBR coating
- LIQUITech® technology provides a liquid-proof barrier
- ViroSan™ virucidal coating destroys or inactivates viruses on glove surface to prevent the spread of viruses
- AD-APT® cooling technology releases a natural cooling agent to keep hands cool and dry during use
- Second skin fit conforms to the hand to maximise flexibility
- Touch screen compatible
- Washable at 40°C up to 3 times
- Palm thickness: 0.7mm
- Length: 240mm



Item Code	Size	Bishops Code	Item Code	Size	Bishops Code
19-007-06	6 – XS	*19-007-06	19-007-09	9 – L	*19-007-09
19-007-07	7 – S	*19-007-07	19-007-10	10 – XL	*19-007-10
19-007-08	8 – M	*19-007-08	19-007-11	11 – 2XL	*19-007-11

* – SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

CORE BXN CUT B GENERAL PURPOSE GLOVES

- 18 Gauge HPPE liner
- Breathable micro-foam sandy nitrile palm coating
- Thumb crotch reinforcement (TCR) offers extra protection in high abrasion area
- Knitted stretch cuff
- Super dexterity and tactility
- Breathable and comfortable to wear
- Certified to LIC. NO: BMP 754503



Item Code	Size	Bishops Code
BXNG07	7 – S	55041002
BXNG08	8 – M	55041003
BXNG09	9 – L	55041004
BXNG010	10 – XL	55041005
BXNG011	11 – 2XL	55041006

MAXIFLEX® CUT™ CUT 3B GLOVES

- DURATech® technology for outstanding durability
- AIRTech® technology delivers 360° breathability
- CUTTech® technology for medium cut-protection (EN-Cut Level 3B)
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort
- Touchscreen compatible
- Also available in hi-vis yellow
- Non-venting packs available



Item Code	Size	Bishops Code	Item Code	Size	Bishops Code
34-8743-06V	6 – XS	*34-8743-06V	34-8743-10V	10 – XL	55040376
34-8743-07V	7 – S	55040370	34-8743-11V	11 – 2XL	55040378
34-8743-08V	8 – M	55040372	34-8743-12V	12 – 3XL	*34-8743-12V
34-8743-09V	9 – L	55040374	-	-	-

* – SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

MAXIFLEX® CUT™ CUT 3B ¾ DIP DOTTED PALM GLOVES

- DURATech® technology for outstanding durability
- AIRTech® technology delivers 360° breathability
- CUTTech® technology for medium cut-protection (EN-Cut Level 3B)
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort
- Touchscreen compatible



Item Code	Size	Bishops Code	Item Code	Size	Bishops Code
34-8453-06	6 – XS	*34-8453-06	34-8453-10	10 – XL	*34-8453-10
34-8453-07	7 – S	*34-8453-07	34-8453-11	11 – 2XL	*34-8453-11
34-8453-08	8 – M	*34-8453-08	34-8453-12	12 – 3XL	*34-8453-12
34-8453-09	9 – L	*34-8453-09	-	-	-

* – SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

MAXICUT® OIL™ CUT 3B ¾ DIP GLOVES

- LIQUITech® for increased resistance to oils
- Excellent comfort through a synthetic coating combined with a high performance cut protection liner (EN Cut Level 3B)
- CUTTech® technology
- Micro-cup non-slip grip finish allows for a controlled grip in oily and wet applications
- Dermatologically accredited
- Silicone-free



Item Code	Size	Bishops Code	Item Code	Size	Bishops Code
34-305-06P	6 – XS	*34-305-06P	34-305-09P	9 – L	*34-305-09P
34-305-07P	7 – S	*34-305-07P	34-305-10P	10 – XL	*34-305-10P
34-305-08P	8 – M	*34-305-08P	34-305-11P	11 – 2XL	*34-305-11P

* – SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT



CUT RESISTANT GLOVES

MAXIFLEX® CUT™ CUT 3B HI-VIS GLOVES



- DURatech® technology for outstanding durability
- AIRtech® technology delivers 360° breathability
- CUTtech® technology for medium cut-protection (EN-Cut Level 3B)
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort
- Touchscreen compatible
- Hi-vis yellow




Item Code	Size	Bishops Code	Item Code	Size	Bishops Code
34-8743FY-08V	8 – M	*34-8743FY-08V	34-8743FY-10V	10 – XL	*34-8743FY-10V
34-8743FY-09V	9 – L	*34-8743FY-09V	34-8743FY-11V	11 – 2XL	*34-8743FY-11V

* – SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

CORE CXN CUT C GLOVES NITRILE COATED



- 15 gauge HPPE liner
- Cut resistant gloves
- Breathable micro-foam sandy nitrile palm coating
- Thumb crotch reinforcement (TCR) offers extra protection in high abrasion area
- Knitted stretch cuff
- Highly dexterous, tactile and comfortable
- Australian standard certified
- High resistance to abrasion and excellent grip in wet, dry or oily conditions
- Palm Dip – Blue/Black



Item Code	Size	Bishops Code	Item Code	Size	Bishops Code
CXNBB07	7 – S	55041022	CXNBB10	10 – XL	55041025
CXNBB08	8 – M	55041023	CXNBB11	11 – 2XL	55041026
CXNBB09	9 – L	55041024	CXNBB12	12 – 3XL	55041027

MAXICUT® ULTRA™ CUT 4C GLOVES



- DURatech® technology for outstanding durability
- AIRtech® technology delivers 360° breathability
- CUTtech® technology for high cut-protection
- Optimised grip delivered through a micro-cup finish allows for a controlled grip
- Touchscreen compatible
- Supplied in vending-ready packaging
- Non-vending packs available



Item Code	Size	Bishops Code	Item Code	Size	Bishops Code
44-3745-06V	6 – XS	*44-3745-06V	44-3745-10V	10 – XL	*44-3745-10V
44-3745-07V	7 – S	*44-3745-07V	44-3745-11V	11 – 2XL	*44-3745-11V
44-3745-08V	8 – M	*44-3745-08V	44-3745-12V	12 – 3XL	*44-3745-12V
44-3745-09V	9 – L	*44-3745-09V	–	–	–

* – SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

MAXICUT® ULTRA™ CUT 4C EXTENDED CUFF GLOVES



- DURatech® technology for outstanding durability
- AIRtech® technology delivers 360° breathability
- CUTtech® technology for high cut-protection
- Optimised grip delivered through a micro-cup finish allows for a controlled grip
- Touchscreen compatible
- Length: 300mm



Item Code	Size	Bishops Code	Item Code	Size	Bishops Code
44-3745-30-06	6 – XS	*44-3745-30-06	44-3745-30-10	10 – XL	*44-3745-30-10
44-3745-30-07	7 – S	*44-3745-30-07	44-3745-30-11	11 – 2XL	*44-3745-30-11
44-3745-30-08	8 – M	*44-3745-30-08	44-3745-30-12	12 – 3XL	*44-3745-30-12
44-3745-30-09	9 – L	*44-3745-30-09	–	–	–

* – SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

MAXICUT® ULTRA™ DT™ CUT 4C 3/4 DOTTED PALM GLOVES



- DURatech® technology for outstanding durability
- AIRtech® technology delivers 360° breathability
- CUTtech® technology for high cut-protection
- Optimised grip delivered through a micro-cup finish allows for a controlled grip
- Dotted version for extra cushioning
- Touchscreen compatible



Item Code	Size	Bishops Code	Item Code	Size	Bishops Code
44-3455-06	6 – XS	*44-3455-06	44-3455-10	10 – XL	*44-3455-10
44-3455-07	7 – S	*44-3455-07	44-3455-11	11 – 2XL	*44-3455-11
44-3455-08	8 – M	*44-3455-08	44-3455-12	12 – 3XL	*44-3455-12
44-3455-09	9 – L	*44-3455-09	–	–	–

* – SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

MAXICUT® ULTRA™ CUT 4C HI-VIS GLOVES



- DURatech® technology for outstanding durability
- AIRtech® technology delivers 360° breathability
- CUTtech® technology for high cut-protection
- Optimised grip delivered through a micro-cup finish allows for a controlled grip
- Touchscreen compatible
- Also available in vending packs
- Hi-vis yellow



Item Code	Size	Bishops Code	Item Code	Size	Bishops Code
44-3745FY-06	6 – XS	*44-3745FY-06	44-3745FY-10	10 – XL	*44-3745FY-10
44-3745FY-07	7 – S	*44-3745FY-07	44-3745FY-11	11 – 2XL	*44-3745FY-11
44-3745FY-08	8 – M	*44-3745FY-08	44-3745FY-12	12 – 3XL	*44-3745FY-12
44-3745FY-09	9 – L	*44-3745FY-09	–	–	–

* – SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

MAXICUT® ULTRA™ CUT D GLOVES

- CUTech® technology for high cut-protection
- AIRtech® technology delivers 360° breathability
- Knitted synthetic liner
- Nitrile rubber coating on palm
- Micro-cup finish for optimised grip
- Reinforced area between thumb and forefinger
- Ergonomic shape to reduce fatigue
- 360° breathability
- Dermatologically accredited by the Skin Health Alliance
- Touchscreen compatible



Item Code	Size	Bishops Code	Item Code	Size	Bishops Code
44-4745-06	6 – XS	*44-4745-06	44-4745-10	10 – XL	*44-4745-10
44-4745-07	7 – S	*44-4745-07	44-4745-11	11 – 2XL	*44-4745-11
44-4745-08	8 – M	*44-4745-08	44-4745-12	12 – 3XL	*44-4745-12
44-4745-09	9 – L	*44-4745-09	–	–	–

* – SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

MAXICUT® ULTRA™ CUT E GLOVES

- CUTech® technology for high cut-protection
- AIRtech® technology delivers 360° breathability
- DURAtch® technology for outstanding durability
- Micro-cup finish for optimised grip
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort
- Touchscreen compatible
- Dermatologically accredited by the Skin Health Alliance



Item Code	Size	Bishops Code	Item Code	Size	Bishops Code
44-5745-06	6 – XS	*44-5745-06	44-5745-10	10 – XL	*44-5745-10
44-5745-07	7 – S	*44-5745-07	44-5745-11	11 – 2XL	*44-5745-11
44-5745-08	8 – M	*44-5745-08	44-5745-12	12 – 3XL	*44-5745-12
44-5745-09	9 – L	*44-5745-09	–	–	–

* – SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

TUFFSHIELD™ CUT 5 DYNEEMA ARM SLEEVE

- Provides additional forearm protection and comfort with cut level 5 resistance material, for protection when handling sharp objects
- Dyneema fibre offers good resistance to abrasion, tears and cuts
- Velcro strap to help sleeve remain in position
- Ergonomically designed for better fit and greater productivity
- One size



Length	Bishops Code
17"(430mm)	55040000

MECHANICS GLOVES

7780

- Synthetic leather palm with PU reinforcement for amazing anti-slip and abrasion
- Stretchable and breathable spandex back
- Special designed neoprene strap for extreme comfort and fitting
- Neoprene cuff with velcro closure provides a snug fit
- Thumb crotch reinforced for extra wear
- Suitable for automotive, construction, mechanical and sports applications
- Conforms to EN388 3121 Standard
- Red/black



Size	Bishops Code	Size	Bishops Code
7 – S	55040262	10 – XL	55040265
8 – M	55040263	11 – 2XL	55040266
9 – L	55040264	12 – 3XL	55040267

MECHANICS GLOVES

7664

- Synthetic leather palm with silicon for excellent abrasion and grip
- Stretchable and breathable spandex back
- Soft neoprene cuff with velcro provide comfortable and flexible fitting
- Suitable for automotive, construction and mechanical applications
- Excellent grip in wet and dry applications
- Conforms to EN388 4121 Standard
- Orange/black



Size	Bishops Code	Size	Bishops Code
7 – S	55040271	10 – XL	55040274
8 – M	55040272	11 – 2XL	55040275
9 – L	55040273	12 – 3XL	55040276

CANDY STRIPE LEATHER GLOVES

- Economy chrome leather and cotton drill with knucklebar
- Multi-purpose, light duty
- Candy stripe
- One size



Item Code	Bishops Code
1201R	55040110



LEATHER, RIGGERS, IMPACT & THERMAL GLOVES & GLOVE CLIPS

SAFETY EQUIPMENT & CONSUMABLES

REFLECTIVE SHORT PALM LEATHER GLOVES

- Leather palm with hi-vis orange back
- Reflective strip on back for extra visibility
- One size



Item Code	Bishops Code
RF1201RED	55040115

RODEO RIGGERS GLOVES

- Made from quality cow split leather
- Elastic, snug-fit design
- Yellow
- Length: 254mm



Size	Bishops Code
9 - L	55040710

RIGGERS GLOVES

7623

- Synthetic leather palm for maximum strength and durability
- Hi-vis Spandex provides extra protection
- Neoprene strap for knuckle protection as well as comfort
- Open cuff for quick and easy fit
- Suitable for automotive, construction, rigging and mechanical applications
- Hi-vis yellow/black



Size	Bishops Code	Size	Bishops Code
7 - S	55040301	10 - XL	55040305
8 - M	55040302	11 - 2XL	55040306
9 - L	55040304	12 - 3XL	55040307

OIL RIGGERS GLOVES

7988

- Ideal for many industrial applications, such as oil and gas, mining, automotive, construction, rigging, farming, mechanical, electrical and plumbing
- Palm is double synthetic leather making them mould proof
- Fourchette areas are synthetic leather
- Back of the glove is hi-vis spandex that is breathable and comfortable
- Kevlar thumb crotch
- Long neoprene cuff with synthetic pull-tab provides extreme comfort and flexibility
- The sewn TPR fingers enhance the durability and protects hands and knuckles against bumps and bruises
- Curved fingers add dexterity and reduce hand fatigue
- Excellent grip in both wet and dry applications



Size	Bishops Code	Size	Bishops Code
7 - S	55040280	10 - XL	55040283
8 - M	55040281	11 - 2XL	55040284
9 - L	55040282	12 - 3XL	55040285

MAXIDRY® ZERO™ THERMAL GLOVES

- LIQUtech® for increased resistance to oils, grease and water
- THERMtech® offers thermal resistance inside
- Coating and seamless knitting technologies impart thermal insulation properties to resist cold
- Super soft and super flexible coating provides ultimate flexibility even in extremely cold environments
- Food certified according to the European Standard
- Compliant to FDA 21CFR177



Item Code	Size	Bishops Code	Item Code	Size	Bishops Code
56-451-07	7 - S	*56-451-07	56-451-10	10 - XL	*56-451-10
56-451-08	8 - M	*56-451-08	56-451-11	11 - 2XL	*56-451-11
56-451-09	9 - L	*56-451-09	-	-	-

* - SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

GLOVE GRABBA

- A more compact two-piece design
- Keeps gloves handy while you work
- Quick release for emergency situations
- Securely holds gloves of most sizes




Item Code	Bishops Code
GG2IPOR50	55095910

A Flammability Resistance (1-4)

Gloves designed for high-heat exposure must be tested using a vertical flame test. This test measures the ability of the material to extinguish itself after being ignited.


After-Burn Time (seconds)	After-Glow Time (seconds)	Rating
Under 20 seconds	Infinity	1
Under 10 seconds	Under 120 seconds	2
Under 3 seconds	Under 25 seconds	3
Under 2 seconds	Under 5 seconds	4



B Contact Heat Resistance (1-4)

Thermal protection from contact heat is determined by measuring a temperature rise of 10°C on the inside of the glove. When the Contact Heat performance level reaches 3 or 4, the Burning Behaviour test must achieve a minimum level 3, otherwise the maximum rating for Contact Heat will be level 2.


Temp. After 15 Seconds (plate temp)	Rating
100°C	1
250°C	2
350°C	3
500°C	4



C Convective Heat Resistance (1-4)

Thermal protection from convective heat is determined by measuring the rate of temperature rise inside the glove when put in contact with a controlled gas flame. The convective heat test is used to measure a temperature rise of 24°C from the top of the cuff to the back of hand and palm. A level of performance in Convective Heat shall only be reported if a performance level 3 or 4 is obtained in the Flammability Test (Test 1).


Seconds	Rating
Under 4 seconds	1
Under 7 seconds	2
Under 10 seconds	3
Under 18 seconds	4



D Radiant Heat Resistance (1-4)

Thermal protection from Radiant Heat is determined by measuring a temperature rise of 24°C inside the glove when exposed to a defined heat source. The Radiant Heat test ensures the glove materials can resist high-heat through the back of the hand for a designated time period. The level of performance is only recorded if the glove achieves a minimum Level 3 in the Flammability Test.


Seconds	Rating
Under 5 seconds	1
Under 30 seconds	2
Under 90 seconds	3
Under 150 seconds	4



E Resistance to Small Splashes of Molten Metal (1-4)

Thermal Resistance to Small Drops of Molten Metal testing is measured by the number of molten metal drops that are required to heat the glove to 40° C inside the glove. This test measures the back and palm in a closed chamber where the lowest mean number after 4 tests is recorded. The level of performance is only recorded if the glove achieved a minimum Level 3 in the Flammability Test.


Number of Drops	Rating
Under 5	1
Under 15	2
Under 25	3
Under 35	4




F Resistance to Large Quantities of Molten Metal (1-4)

Thermal Resistance to Large Quantities of Molten Metal testing is measured with a glove sample and PVC foil simulating human skin inside a glove. Molten metal is poured over the glove sample which sits over the PVC foil. After 3 tests the skin simulant is assessed and should not show any smoothness to the grained surface. The Thermal test is considered failed if steel droplets stick to the glove or if the glove ignites or is punctured.

Grams of Molten	Rating
30g	1
60g	2
120g	3
200g	4



EN407 PROTECTION AGAINST THERMAL RISKS (HEAT & FIRE)



ABCDEF

The EN407 is a European standard designed to be used for any glove providing protection against thermal hazards. Heat proof gloves that have passed at least 1 of the 6 unique thermal hazard tests will be marked with the EN407 flame pictogram. If one or more of these numbers are replaced with an X or N/A this means that the glove has not been tested against that particular hazard.



DISPOSABLE, RUBBER & CHEMICAL RESISTANT GLOVES

SAFETY EQUIPMENT & CONSUMABLES

DISPOSABLE NITRILE EXAMINATION GLOVES

- Powder-free, close fitting
- TGA-listed for use in medical examination (ARTG108836)
- Industrial grade synthetic nitrile
- Chemical, abrasion and oil resistant
- Textured finger tips for extra grip
- 100 per box



Size	Bishops Code
Small	55040970
Medium	55040972
Large	55040974
X-Large	55040976

DISPOSABLE LATEX EXAMINATION GLOVES

- TGA-listed for use in medical examination (ARTG108836)
- Powdered for easy slip-on
- Superior comfort
- High level of flexibility and 'sensitive touch' for extra dexterity
- 100 per box



Size	Bishops Code
Medium	55040950
Large	55040955
X-Large	55040958
2X-Large	55040960

COATED PVC GLOVES

- Fully coated in red PVC
- Single-dipped
- High resistance to most acids



Length	Bishops Code
270mm	55040820
450mm	55040830

PVC CHEMICAL RESISTANT GLOVES

- Medium duty liquid repellent glove
- Interlock cotton liner
- PVC coating
- Knitted stretch cuff
- Anti-static
- Silicone-free
- Oil and grease resistant
- Length: 295mm



Item Code	Bishops Code
3001F	55040625

INDUSTRIAL RUBBER GLOVES

- Chemical and acid resistant
- Natural rubber, fully dipped
- Extra heavy duty
- Smooth finish and rolled cuff
- Complies to CE EN388
- Black



Length	Bishops Code
355mm	55040630
450mm	55040640

NCG330 NITRILE CHEMICAL RESISTANT GLOVES

- Full heavy duty nitrile gloves
- Anti-slip grip pattern on palm and fingers for better grip in wet and dry environments
- Extended cuff
- Provides good chemical resistance
- The penetration resistance has been assessed under laboratory conditions and relates only to the tested specimen
- Not tested against viruses
- Length: 330mm
- Green



Item Code	Size	Bishops Code	Item Code	Size	Bishops Code
NCG330/7	7 - S	55040900	NCG330/10	10 - XL	55040850
NCG330/8	8 - M	55040905	NCG330/11	11 - 2XL	55040855
NCG330/9	9 - L	55040845	-	-	-

MAXICHEM® NITRILE CHEMICAL GLOVES

- LIQUITech® chemical resistance
- Innovative TRITech™ Technology makes the glove 30% thinner and twice as comfortable
- Micro-cup non-slip grip finish allows for a controlled grip in wet applications
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort
- Length: 350mm



Item Code	Size	Bishops Code	Item Code	Size	Bishops Code
76-830-07	7 - S	*76-830-07	76-830-10	10 - XL	*76-830-10
76-830-08	8 - M	*76-830-08	76-830-11	11 - 2XL	*76-830-11
76-830-09	9 - L	*76-830-09	-	-	-

* - SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

MAXICHEM® LATEX CHEMICAL GLOVES



- LIQUitech® chemical resistance
- Innovative TRtech™ technology makes the glove 30% thinner and twice as comfortable
- Micro-cup non-slip grip finish allows for a controlled grip in wet applications
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort
- Food approved (EU)
- Length: 350mm



Item Code	Size	Bishops Code	Item Code	Size	Bishops Code
76-730-07	7 – S	*76-730-07	76-730-10	10 – XL	*76-730-10
76-730-08	8 – M	*76-730-08	76-730-11	11 – 2XL	*76-730-11
76-730-09	9 – L	*76-730-09	-	-	-

* – SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

MAXICHEM® CUT™ CUT 3B NITRILE CHEMICAL GLOVES



- LIQUitech® chemical resistance
- Innovative TRtech™ Technology makes the glove 30% thinner and twice as comfortable
- Micro-cup non-slip grip finish allows for a controlled grip in wet applications
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort
- Length: 350mm



Item Code	Size	Bishops Code	Item Code	Size	Bishops Code
76-833-07	7 – S	*76-833-07	76-833-10	10 – XL	*76-833-10
76-833-08	8 – M	*76-833-08	76-833-11	11 – 2XL	*76-833-11
76-833-09	9 – L	*76-833-09	-	-	-

* – SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

MAXICHEM® CUT™ CUT 3C LATEX CHEMICAL GLOVES



- LIQUitech® chemical resistance
- Innovative TRtech™ technology makes the glove 30% thinner and twice as comfortable
- Micro-cup non-slip grip finish allows for a controlled grip in wet applications
- Class leading form, fit and feel, reducing hand fatigue and increasing comfort
- Food approved (EU)
- Length: 350mm



Item Code	Size	Bishops Code	Item Code	Size	Bishops Code
76-733-07	7 – S	*76-733-07	76-733-10	10 – XL	*76-733-10
76-733-08	8 – M	*76-733-08	76-733-11	11 – 2XL	*76-733-11
76-733-09	9 – L	*76-733-09	-	-	-

* – SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

WELDING GLOVES



- Full leather, reinforced double-palm
- Grey
- Length: 254mm
- One size
- Complies to standards EN388, EN420 and EN12477



Bishops Code
55040230

WELD SERIES GLOVES



- Premium quality blue cow split leather with gold Kevlar stitching to withstand high temperatures over extended periods of time
- Reinforced palm and thumb for added durability and protection
- Fully lined wear seams welted for extra strength
- Provides protection from welding spatter and dross heat
- Ideal for usage in welding and fabrication, metal castings, mining and construction
- Length: 406mm
- One size



Item Code	Bishops Code
BGW16	55040255

RED ARMOR WELDING GLOVES



- Full leather
- Reinforced thumb and double palm Kevlar
- Kevlar stitched in the optimum way to resist burning from sparks
- Suitable for all welding situations
- Red
- Length: 460mm



Bishops Code
55040240

BLUE BOMBERS WELDING GLOVES



- Cow split leather with Kevlar
- Fully lined with all wear seams welted for additional protection
- Provides protection from welding spatter and dross heat
- Blue
- Length: 406mm



Bishops Code
55040252



IMPORTANCE OF EYEWEAR

An estimated 60% of all eye injuries occur at work, which adds up to around 30,000 work related eye injuries every year in Australia. The vast majority of these eye injuries could be prevented by following proper safety procedures and wearing appropriate personal protective equipment.

Selecting correct protection

AS/NZS 1336:2014 stipulates that eye related hazards and risks must be assessed and evaluated before selecting eye protection for a particular task or area. When selecting the appropriate eye protection, consider the following:

- Any hazards and risks relating to the tasks at hand
- Any hazards and risks relating to the environment and location
- The visual requirements of the task
- The shape of the eyewear and how compatible it will be with other PPE
- Workers eyesight and whether they need to wear prescription glasses or contacts beneath their safety eyewear
- The wearer's preference in relation to style, fit and comfort



Major hazards




Lens Coatings

Lens coatings increase the durability of eye protection and provide versatility depending on the task at hand and the working environment. The most common coatings found in the market are anti-scratch and anti-fog, which are available in various combinations. These are the most common options:

- **Anti-scratch** on the inside and outside of the lens;
- **Anti-fog** on the inside and outside of the lens;
- **Anti-scratch on the outside** of the lens and **anti-fog on the inside** of the lens.

Anti-fog coatings are suitable for working in varying temperatures and/or areas of high humidity. It is important to address any fogging issues your workers may experience to avoid reduced visibility or the removal of safety glasses while working.

Anti-scratch coatings are suitable for dusty and dirty working environments. Small particles can have an abrasive effect on an uncoated lens, decreasing its transparency and longevity.



Lens Markings


Safety eyewear should be compliant with AS/NZS 1337.1 – Eye and face protectors for occupational applications and/or AS/NZS 1337.6 – Prescription eye protectors against low and medium impact. If a product is certified to one of these standards they will display the certifier's logo on the packaging.



In addition to these logos, eyewear will have a number of markings to indicate the applications and environments it is suitable for, including impact rating and protection against specific hazards.

Test Type	Symbol	Applicable PPE
Medium Impact – 6mm ball travelling at 45m/sec	I or F	Safety glasses, goggles, some full face shields
High Impact – 6mm ball travelling at 120m/sec	V or B	Full face shields only
Extra high Impact – 6mm ball travelling at 190m/sec	A	Full face shields
Molten metal	M or 9	Face shields, wire mesh screens with plastic lenses
Splash	C or 3	Wide vision goggles with indirect ventilation
Dust	D or 4	Goggles with indirect ventilation
Gas	G or 5	Goggles without ventilation
Outdoor use	O	Safety spectacles, goggles and face shields
Sun glare	Category 0-3	Safety glasses
Transitional	Category 0-3	Safety glasses
High Temperature	H	Full face shields and goggles

The maximum impact rating safety glasses can achieve is Medium Impact; higher ratings can only be achieved when the face is protected by a full face shield.



When selecting safety glasses, goggles or face shields keep an eye out for the markings on the lens and the side arms for information on the rating and standards that apply to that particular product.

- 1 Australian Standard No. (AS/NZS 1337.1:2010)
 - 2 License No.
 - 3 Manufacturer Product Code
 - 4 Certification Mark (this could be a number or symbol)
- A** Manufacturer Identification
B Impact Resistance
C Special Performance
D Ocular Category
E Symbol for Polarisation (optional)

ZERO SAFETY GLASSES

- Wraparound frameless design
- Solid nose bridge
- Solid wide arms for added protection
- Anti-scratch lens coating on both sides
- UV400 protection
- Certified AS/NZS 1337 for medium impact protection



Item Code	Lens Colour	Bishops Code
PPE-ZERO-C	Clear	55015042
PPE-ZERO-S	Smoke	55015242

SPERIAN A700 SAFETY SPECS

- The A700 provides value whilst combining sports styling with high protection and comfort
- Exceptional value, comfort and protection
- Universal nose bridge and soft temple tips for all-day comfort
- Fashionable sports styling and lightweight design
- 9 base wrap around lens provides close to the face protection
- Material: Polycarbonate
- Weight: 21.6g
- Medium impact protection
- Approvals: AS/NZS 1337, licence No: SMK 0797



Lens Colour	Bishops Code	Lens Colour	Bishops Code
Clear Anti-Fog	55015050	Brown Anti-Fog	55015352
Grey Anti-Fog	55015252	Clear Hard Coat	55015366
Blue Anti-Fog	55015254	Grey Hard Coat	55015367

LIGHTZ SAFETY GLASSES

- Wraparound frameless design
- Solid nose bridge
- Slim arms with soft temple pads
- Anti-scratch lens coating on both sides
- UV400 protection
- Certified AS/NZS 1337 for medium impact protection



Item Code	Lens Colour	Bishops Code
LIGHTZ-C	Clear	55015043
LIGHTZ-S	Smoke	55015243
LIGHTZ-SM	Smoke Mirror	55015253

CHILL™ GLOSS SPECS

- Flexible temples comfortably keep eyewear in place
- Comfort-moulded nosepiece fits most wearers without obscuring vision
- Available in a wide array of lens tints to meet the needs of most work environments
- Wrap-around 9-base curve lens offers a close fit with excellent side protection
- Anti-fog coating helps keep lenses clear in humid or extreme environments, and are available in clear and grey tints
- Lightweight and comfortable, weighs less than 25.2g



Lens Colour	Bishops Code
Silver Mirror Hardcoat	55015368
Clear Anti-Fog	55015369
TSR Grey Anti-Fog	55015370

IMPULSE METAL-FREE SAFETY GLASSES

- Stylish frameless design
- Solid nose bridge
- Slim arms with soft temple pads
- 9C base curve lens
- Polycarbonate lens
- Anti-fog and anti-scratch coating
- Mining and food safe with no metal parts
- Certified AS/NZS 1337 for medium impact protection
- UV400 protection



Item Code	Lens Colour	Bishops Code
IMPULSE-C	Clear	55015082
IMPULSE-S	Smoke	55015282

PROPEL SAFETY GLASSES



- Frameless
- Soft nose bridge
- Dual composite, soft-liner arms
- Anti-fog lens coating on both sides
- Light mirror lens tint
- Optional quick-release headband and vented gasket sold separately
- Certified AS/NZS 1337 for medium impact protection



Item Code	Lens Colour	Bishops Code
PPE-PROPEL-A	Clear Mirror	55015066



SAFETY GLASSES

SAFETY EQUIPMENT & CONSUMABLES

REACHER SAFETY GLASSES

- Wraparound frameless design
- Non-slip flexible nose bridge
- Wide arms with soft flexible grip
- 9C base curve lens
- Anti-fog and anti-scratch coating on both sides
- Mining and food safe with no metal parts
- Certified AS/NZS 1337 for medium impact protection
- UV400 protection



Item Code	Lens Colour	Bishops Code
REACHER-C	Clear	55015084
REACHER-S	Smoke	55015284

REACHER+ METAL-FREE SAFETY GLASSES


- Wraparound frameless design
- Non-slip flexible nose bridge
- Wide arms with soft flexible grip
- 9C base curve lens
- Anti-scratch and superior anti-fog coating for high humidity environments
- Clear lens with coloured arms
- Mining and food safe with no metal parts
- Certified AS/NZS 1337 for medium impact protection
- UV400 protection



Item Code	Lens Colour	Bishops Code
REACHER+-C	Clear	55015085

CARBON SAFETY GLASSES

- Sporty lightweight frameless design
- Soft nose bridge
- Dual composite arms with soft temple pads
- Anti-fog lens coating on both sides
- Built-in brow guard
- UV400 protection
- Certified AS/NZS 1337 for medium impact protection



Item Code	Lens Colour	Bishops Code
CARBON-C	Clear	55015051
CARBON-S	Smoke	55015251
CARBON-A	Amber	55015351
CARBON-B	Brown	55015354

SPYDA SAFETY GLASSES

- Ultra-lightweight wraparound frameless design
- Spring nose-bridge for added comfort
- Wide arms for added protection
- Soft Airflex temple pads
- Low profile design suitable for use with earmuffs
- Anti-fog and anti-scratch coating on both sides
- 9C base curve lens
- Certified AS/NZS 1337 for medium impact protection
- UV400 protection



Item Code	Lens Colour	Bishops Code
SPYDA-C	Clear	55015081
SPYDA-S	Smoke	55015281

SPYDA SAFETY GLASSES WITH FOAM GASKET

- Ultra-lightweight wraparound frameless design
- Spring nose-bridge for added comfort
- Wide arms for added protection
- Soft Airflex temple pads
- 9C base curve lens
- Anti-fog and anti-scratch coating on both sides
- Smoke lens with colour-tipped arms
- Low profile design suitable for use with earmuffs
- Certified AS/NZS 1337 for medium impact protection
- UV400 protection
- Fitted with foam gasket



Item Code	Lens Colour	Bishops Code
55015082	Smoke	55015286

SPERIAN SP1000TM SEALED SPECS

- Highly adjustable flame resistant headband provides excellent fit
- Exceptional peripheral vision and coverage with wrap-around 8 base dual lens style
- Choose from the premium Durastreme™ (AF&HC) lens coating with standard anti-fog like below or choose hard coated lenses
- Durastreme™ models provide durable performance with minimised fogging thanks to top and bottom indirect ventilation and dual anti-fog/anti-scratch lenses
- Soft and flexible nose piece conforms to a variety of facial profiles and minimises slipping
- Soft high quality face cushioning and padded temple tips offer all day comfort
- AS/NZS 1337: 2010 medium impact, license number SMK 2209



Lens Colour	Bishops Code
Black/Grey	55015364

ZYNC POLARISED SAFETY GLASSES

- Full frame design
- Solid nose bridge
- Dual composite arms with soft temple pads
- Wide arms for added protection
- Anti-scratch coating on both sides
- Grey polarised lens and black frame
- Sporty wraparound style
- 99.99% UV protection
- Certified AS/NZS 1337 for medium impact protection



Item Code	Lens Colour	Bishops Code
ZYNC	Grey Polarised	55015249

SAFETY OVER-GLASSES SPECTACLES

- Polycarbonate frame
- Solid nose bridge
- Solid arms
- Anti-scratch lens coating on both sides
- Deep design allows the glasses to be worn over prescription spectacles
- 99.9% UV protection for outdoor wear



Lens Colour	Bishops Code
Clear	55015010
Smoke	55015015

BIFOCAL MAGNIFICATION SAFETY GLASSES

- Stylish frameless design
- Solid nose bridge
- Anti-fog lens coating on both sides
- Diopter lens with +1 to +3 magnification
- Lightweight wraparound design
- Clear lens
- UV400 Protection



Item Code	Magnification	Bishops Code
90080272	+1.00	55015400
90080273	+1.50	55015410
90080274	+2.00	55015420
90080275	+2.50	55015430
90080276	+3.00	55015440

SAFETY GLASSES STRAP

- Suits most safety glasses
- Comfortable and flexible neoprene
- Green



Item Code	Bishops Code
GSN-B	55015550

SAFETY GLASSES STRAP

- Made from poly cotton
- Allows glasses to be worn around neck in between use
- Prevents loss of glasses due to dropping



Item Code	Bishops Code
PPE-CORD	55015500

SAFETY GLASSES DUST GASKET

- Vented gasket to suit Propel safety glasses
- Glasses not included



Item Code	Bishops Code
1157F1	55015560

SAFETY GLASSES HEADBAND

- Quick-release headband to suit Propel safety glasses
- Glasses not included



Item Code	Bishops Code
1157-PI	55015562



SAFETY GOGGLES

SAFETY EQUIPMENT & CONSUMABLES

IMPACT SAFETY GOGGLES



- General purpose
- Fits over personal spectacles
- Ventilated for fog-free use
- Impact resistant
- Soft, flexible vinyl frame
- Lightweight, tough polycarbonate lens
- Complies to standard AS/NZS 1337:1992



Item Code	Lens Colour	Bishops Code
SE1120	Clear	55015710

PHENOS SAFETY GOGGLES



- PVC frame
- Indirect vent
- Approved for use against chemical splash
- Comfortable fit and secure foam seal
- Anti-fog and anti-scratch lens coatings
- Fits over most prescription glasses
- Adjustable strap
- Certified AS/NZS 1337 for medium impact protection
- UV400 protection



Item Code	Lens Colour	Bishops Code
PHENOS-C	Clear	55015711
PHENOS-S	Smoke	55015712

GALAXY SAFETY GOGGLES



- Closed cell foam lining
- Adjustable elasticated strap with quick-release buckle
- Unvented
- Anti-fog and anti-scratch coating on both sides
- Clear lens with black/grey frame
- Excellent dust protection
- Certified AS/NZS 1337 for medium impact protection



Item Code	Lens Colour	Bishops Code
PPE-GALAXY	Clear	55015727

RAPID SAFETY GOGGLES



- Full TPE frame
- Adjustable elasticated strap with quick-release buckle
- Unvented
- Anti-fog and anti-scratch coating on both sides
- Clear lens with orange/grey frame
- Excellent dust protection
- Ultra high UV protection
- Fits comfortably over prescription glasses and respiratory protective gear
- Certified AS/NZS 1337 for medium impact protection
- Replacement lens available separately



Item Code	Lens Colour	Bishops Code
PPE-RAPID	Clear	55015728

DURAMAXX® GOGGLES WITH FABRIC STRAP

- Modern low profile design for splash and impact protection
- Durastreme™ lens technology – anti-fog on the inside, anti-scratch on the outside adds up to three times more life to your lenses
- Elastomer body is lightweight, flexible and provides a comfortable contoured fit to different facial profiles
- Indirect ventilation system channels and directs air flow to minimise fogging and improve vision
- Pivoting and adjustable headband permits fast and easy fitting even when worn with hard hats
- Fits over most prescription eyewear
- Large panoramic field of vision
- Easily replaceable lenses
- Certified to AS/NZS 1337.1:2010



Item Code	Lens Colour	Bishops Code
1017738	Grey	55015732

CHEMICAL SPLASH GOGGLES



- Complies to standard ANSI Z87.1
- Fits over personal spectacles
- Indirect ventilation
- Soft, flexible vinyl frame
- Lightweight, tough polycarbonate lens
- Pliable nose bridge for comfort
- Anti-fog lens



Item Code	Lens Colour	Bishops Code
SE1113	Clear	55015722

CHEMICAL SPLASH GOGGLES

- Wide vision Indirect ventilation
- Flexible vinyl frame
- Lightweight tough polycarbonate lens
- Excellent protection against dust, splash and impact
- Anti-fog lens
- Complies to standard AS/NZS 1337:1992



Item Code	Lens Colour	Bishops Code
SE1128	Clear	55015725

CHEMICAL SPLASH GOGGLES

- Wide vision
- Adjustable head band
- Fitted with an indirect vent which allows airflow and reduces fog
- Are an excellent choice for general purpose applications
- Complies to standard ANSI Z87.1



Item Code	Lens Colour	Bishops Code
SE1122	Clear	55015726

CHEMICAL SPLASH GOGGLES

- Excellent protection against dust, splash and impact
- Fits over personal spectacles
- Fitted with indirect ventilation
- Flexible vinyl frame
- Has a lightweight, tough polycarbonate lens
- Complies to standard AS/NZS 1337:1992



Item Code	Lens	Bishops Code
SE1110	Clear	55015720
SE1111	Clear - Anti-Fog	55015721

ALCOHOL-FREE LENS CLEANING WIPES



- Safely and quickly cleans lenses
- Pre-moistened, non-abrasive lens towelette
- Specially formulated to clean and protect lens coating to ensure longevity
- Individually packaged towelettes
- Alcohol-free formula
- Anti-bacterial
- Towelette size: 152 x 127mm
- Box of 100



Item Code	Bishops Code
LCWAF-100	55015845

LENS CLEANING SPRAY

- Cleans spectacles and faceshields
- Anti-fog solution reduces fogging mist
- Safe for glass and plastic lenses
- 150g aerosol



Item Code	Bishops Code
220112	55015840

WALL MOUNTABLE LENS CLEANING STATION

- Convenient one-stop location for all lens cleaning needs
- All products specifically designed to care for uvex lens coatings
- Wall mountable (screws included)
- Refills available
- Also suitable to hold 100 pack uvex lens cleaning towelettes



Item Code	Bishops Code
1007	55015810

LENS CLEANING STATION

- Spectacle and faceshield lens cleaning station
 - Anti-fog solution reduces fogging mist
 - Wall mountable unit
- Includes:**
- 2 x Cans of lens cleaning spray
 - 1 x Pack of cleaning tissue



Item Code	Bishops Code
220111	55015820



FACE SHIELDS

SAFETY EQUIPMENT & CONSUMABLES

BIONIC® COMPLETE FACE SHIELD WITH CHIN GUARD

- Fully adjustable head suspension
- Ideal for protection against flying debris and particles, liquids and vapours
- Sweatband is removable for easy washing and replacement
- ABS frame with clear, uncoated polycarbonate visor
- Locking mechanism for complete safety
- Licence No: SMK 2209
- Attaches quickly and easily to a variety of hard hats with adaptor (sold separately)
- High impact and splash protection certified to AS/NZS 1337



Weight	Bishops Code
360g	55020030

COMPLETE FACE SHIELD – CLEAR VISOR



- Comes with ABS brow guard which eliminates injury
- Fitted with aluminium-bound clear visor
- 203 x 381mm
- Complies to standard CE EN166



Item Code	Bishops Code
SE1760	55020010

COMPLETE FACE SHIELD – MESH VISOR



- Comes with ABS browguard which reduces the risk of injury
- Aluminium-bound metal wire-mesh visor provides protection against flying branches and wood chips for forestry operations
- Also provides heat resistance against molten metals
- 203 x 381mm
- Complies to standard CE EN1731



Item Code	Bishops Code
SE1740	55020015

CLEAR FACE SHIELD VISOR



- Aluminium-bound acetate screen
- Suits 55020010 face shield and 55020090 bracket
- Clips easily onto bracket
- 203 x 394mm
- Complies to standards ANSI Z87.1/CE and EN 166



Item Code	Bishops Code
SE173A	55020110

DARK FACE SHIELD VISOR



- Aluminium-bound acetate screen
- Suitable for gas welding, brazing and light cutting operations
- Suits 55020010 face shield and 55020090 bracket
- Clips easily onto bracket
- Shade No.5 green visor
- 203 x 394mm



Item Code	Bishops Code
SE174D #5	55020115

WIRE MESH SHIELD VISOR



- Aluminium-bound metal wire mesh
- Provides protection against flying branches and wood chips during forestry operations
- Also protects against molten metals and where deflection of extreme heat is required
- Suits 55020010 face shield and 55020090 bracket
- 203 x 394mm
- Complies to standard CE EN1731



Item Code	Bishops Code
SE175A	55020120

MOUNTED HELMET BRACKET



- Aluminium
- ABS construction
- Grooved frame with spring coil
- Easy to install on helmet and sturdy
- Positive stop hinge automatically holds visor in raised position
- Suits 55020010 face shield
- Certified to CE EN166
- Visor not included



Item Code	Bishops Code
SE174B	55020090

TYPES OF RESPIRATORS

Tight Fitting Negative Pressure Respirators

Disposable and regular half and full-face respirators are negative pressure, relying on the wearer to draw air through the filters using their own breath.



Disposable Respirator

Single use respirators that protect against dusts, mists and fumes. Suitable for use during activities such as sanding and drilling or to protect against bushfire smoke.



Half Face Respirator

Respirators that offer protection against particulates, gases and vapours. There are a variety of filter options available that provide protection for activities such as grinding, normal spray painting, and asbestos removal. Filter cartridges are reusable.



Full Face Respirator

Full face respirators that provide a higher level of protection against particulates, gases and vapours as well as highly toxic chemicals. The benefit of a full-face respirator is that they cover the eyes and much of the face, providing additional protection against liquid splashes and irritating vapours.

Positive Pressure Respirators



Powered Air Purifying Respirator (PAPR)

PAPR units are positive pressure meaning they utilise a battery-operated unit that propels air through the filters. PAPR units can include tight fitting half and full-face masks as well as a variety of head top options depending on the application. Loose head tops may be suitable for people with certain styles of facial hair who cannot achieve a Fit Test pass with a negative pressure tight-fitting respirator.

Air-Supplied Respirators

Positive pressure respirators that provides a supply of clean air, as opposed to filtering the air in the atmosphere. Air-supplied respirators are usually used in situations where the hazard potential is extremely high, such as:


- when atmospheric conditions are unknown;
- when there is immediate danger to life or health (IDLH);
- when hazards can't be mitigated by other respiratory protection;
- when the level of hazard in the workplace is unable to be properly assessed.



Self-Contained Breathing Apparatus (SCBA)

Utilises a cylinder of clean compressed air, carried by the user, which feeds a tight-fitting full-face mask.


This provides the highest level of respiratory protection and can be used for emergency response or rescue situations.



Compressed Airline

Utilising a source of clean air, such as a cylinder or compressor, an airline feeds breathable air to a hood or face piece, either tight or loose fitting.

Airline setups are generally used for applications like 2 pack spray painting.



Airline Escape

An emergency supply of air that allows for a safe exit from a hazardous situation such as a confined space.

P1 P2 P3 & Vapour Gas

When selecting respiratory protection products it is important to choose a respirator that will provide the appropriate level of protection for its intended environment.

Once you have completed an assessment of the specific risks in your working environment, understanding protection classifications will help you select the correct product to keep the user safe during exposure to harmful contaminants.

Particulate filters

Particulate filters are divided into three classes under the AS/NZS 1716 standards for use in Australia and New Zealand.



P1: Low efficiency filter for protection against mechanically generated particles, for example silica or wood dust. Suitable for use during activities like grinding, sanding, cutting, sawing and drilling.



P2: Medium efficiency filter for use against mechanically and thermally generated particles. Protects against sub-micron thermally generated particles, for example metal fumes, fertiliser and bushfire smoke, as well as bacteria and virus particles like those generated by COVID-19 and SARS.



P3: High efficiency filter used for protection against highly toxic or highly irritant mechanically or thermally generated particles, for example insecticides, radionuclides and beryllium. Particle filters can only receive a P3 classification when worn with a full face piece.

Vapour & Gas Filters

These filters are designed to protect against specific vapours and gases using absorbent material to filter the vapour or gas molecules. They are marked according to the vapours and/or gases they protect against, usually more than one, and are classed by absorbency.


- 1 – Low to medium absorption 2 – Medium absorption 3 – High absorption

Higher absorbency indicates a higher level of protection against harmful gas or vapour molecules. There are a number of markings on vapour and gas filters that indicate the specified protection, as shown in the table below.

Filters will be labelled with the specific protection and the level of that protection, as shown in the graphic below. E.g. K1 suggests a low to medium level of protection against ammonia. The filter shown protects against organic vapours (boiling points >65°C), Acid Gases, Sulphur Dioxide and Ammonia, all at Class 1 absorbency.

A – Organic vapours (boiling points > 65°C)
AX – Organic compounds (boiling point < 65°C)
B – Acid Gases
E – Sulphur Dioxide
Hg – Mercury
K – Ammonia
P2/P3 – Particulate

- A1**
- B2**
- E1**
- K1**



Combination filters are also available, which are designed to protect against particles, vapours and gases. Combination filters will also be marked to indicate the specific vapour/gas they protect against.



DISPOSABLE MASKS & RESPIRATORS

DISPOSABLE SURGICAL MASKS

- Medical grade disposable face masks
- Elasticated ear loops
- Latex-free
- Protection level: 3, Type IR
- 50 per pack



Item Code	Bishops Code
SM-M101	55055005

PAPER DUST MASK

- Disposable and non-toxic
- Lightweight and designed with a contour fit for extra comfort
- 50 per box



Item Code	Bishops Code
	55055010

P2 KN95 FLAT FOLD RESPIRATORS

- Soft fibre construction for superb comfort and fit
- Low profile design allows for perfect fit with glasses or safety goggles
- Allows easy breathing and speaking
- Disposable and maintenance-free
- Dust and splash proof
- Anti-virus protection 95% filtration
- KN95 grade
- TGA Approved, ARTG Identifier: 344329
- 10 per pack



Item Code	Bishops Code
97019720	55055060

P1 CUP RESPIRATORS

- Pre-formed
- Exhalation valve to reduce heat build-up and improve life of mask
- Easily adjustable nose bridge band for maximum seal and versatile fit
- Wide ergonomic cup design
- Soft fibre construction
- Exhalation valve to reduce heat build-up and improve life of mask
- Twin bands for easy adjustment and wearer comfort
- Disposable and maintenance-free

Complies With:
• AS/NZS 1216: 2012



55055040



Item Code	Description	Pack Qty	Bishops Code
DMP1-20	P1 Cup Respirator	20	55055042
DMP1V-10	P1 Cup Respirator with Valve	10	55055040

P2 CUP RESPIRATORS

- Easily adjustable nose bridge band for maximum seal and versatile fit
 - Wide ergonomic cup design
 - Twin adjustable head bands for improved comfort
 - Soft fibre construction
 - Non-valved type
 - 20 per pack
- Complies With:
• AS/NZS 1716: 2012



Item Code	Description	Bishops Code
DMP2-20	P2 Cup Respirator	55055052

P2 CUP RESPIRATORS WITH VALVE

- Easily adjustable nose bridge band for maximum seal and versatile fit
 - Wide ergonomic cup design
 - Twin adjustable head bands for improved comfort
 - Soft fibre construction
 - Exhalation valve to reduce heat build-up
 - 10 per pack
- Complies With:
• AS/NZS 1716: 2012



Item Code	Description	Bishops Code
PMP2V-10	P2 Cup Respirator With Valve	55055050

P2 CUP RESPIRATORS WITH VALVE – CARBON ACTIVATED

- Exhalation valve to reduce heat build-up
 - Easily adjustable nose bridge band for maximum seal and versatile fit
 - Twin adjustable head bands for improved comfort
 - Wide ergonomic cup design
 - Soft fibre construction
 - Active carbon filter protects against nuisance-level organic vapours in addition to P2 rating
 - Disposable and maintenance free
 - 10 per pack
- Complies With:
• AS/NZS 1716: 2012



Item Code	Bishops Code
DMP2VC-10	55055054

GET MORE AT BISHOPS



HAIR NETS & SHOE COVERS

Page 79

DUAL CARTRIDGE HALF MASK RESPIRATOR

- Suitable for cartridge size diameter 70 x 30mm
- Soft, durable and pliable rubber face piece
- Elastic head bands and a deep chin cup for a roomy, comfortable seal and easy exhaling
- One size
- Cartridges sold separately



7600 SERIES FULL FACE MASK

- 100% medical grade silicone sealing area with dual flange for superior fit and comfort
- Converts to PAPR or supplied air respirator
- Latex-free
- Lens offers 200° field of vision
- Nose cup standard
- Reduces fogging and increases worker comfort
- The most comfortable full facepiece available delivers superior fit and durability
- Cartridges and filters sold separately



Item Code	Bishops Code
SE1540	55055130

ADVANTAGE 200 HALF-FACE RESPIRATOR

- Soft and light facepiece for greater comfort and stability
- AnthroCurve Sealing Surface instantly conforms to each wearer's unique facial characteristics
- Delivers exceptional stability preventing the respirator collapsing during wear
- Certified to AS/NZS 1716:2012



Size	Bishops Code
Medium/Large	55055090

Item Code	Size	Bishops Code
430357	Small	55055100
430356	Medium	55055105
430358	Large	55055110

6000 SERIES HALF FACE REUSABLE RESPIRATOR

- Low maintenance, simple and lightweight
- TPE facepiece
- Polycarbonate, high impact visor delivers a wide field of vision on full facepiece
- 4 point cradle head harness with bayonet connector
- Exhalation valve cover directs breath and moisture downward to reduce fogging
- Easy fastening neck strap
- Suitable for use with 3M™ gas, vapour and particulate cartridges and filters
- Weight: 82g



7600 SERIES FULL FACE MASK

- Silicone mask provides all day comfort and avoids latex allergens common to economy masks
- Speech diaphragm provides clarity in noisy environments
- Flexible, wide, dual-flange sealing area fits all kinds of faces
- Five strap head harness and chin cup for a more secure fit, even during strenuous jobs requiring lots of movement
- Nose cup is standard, delivering less dead air space for increased worker comfort and productivity
- Channelled anti-fog lens offers a wide 200° field of vision, plus downward view facilitates going up and down ladders



Size	Bishops Code
Small	55055099

Item Code	Description	Size	Bishops Code
XA007702633	6100 Respirator	Small	55055235
XA007702674	6300 Respirator	Large	55055240

7700 SERIES HALF FACE MASK

- Soft, non-allergenic 100% silicone mask and seal provides excellent protection, comfort and fit
- Less dead air space meaning less exhaled air is re-breathed, encouraging increased worker productivity
- Quick to dismantle and clean, with all 9 parts replaceable
- Superior exhalation valve allows workers to feel cooler and more comfortable
- Variable thickness in sealing area
- Conforms to nose bridge for improved comfort and fit
- Built-up chin area maintains fit even while talking



3S FULL-FACE RESPIRATOR

- Comfortable rubber compound material
- Wide sealing frame and deep chin stop
- Impact resistant polycarbonate lens with large field of vision
- Low exhalation resistance
- Quick and easy to don and doff
- Provides optimal air flow reducing fogging of the lens
- Size: Medium



Size	Bishops Code
Medium	55055096
Large	55055097


Item Code	Bishops Code
D2055000	55055095



COMPLETING YOUR RESPIRATORY PROTECTION SET

1

CHOOSE YOUR FACE MASK



SR100 Half Face Mask



SR200 Full Face Mask

2

CHOOSE YOUR FILTERS



P3 Combination Filter



Gas/Vapour Filters



P3 Particle Filter

3

EXTEND THE LIFE OF YOUR FILTERS WITH A PRE-FILTER



Pre-Filter



Pre-Filter Holder

7700 SERIES REUSABLE PAINTERS SPRAY RESPIRATOR KIT

- Silicone, medical grade face piece
- Twin cartridge
- Exhalation valve
- Economical choice for spray painters and agricultural sprayers requiring respiratory protection from organic vapours and particulates
- Complies with AS/NZS 1716:2012

Includes:

- 7700 Series half-face respirator
- 2 x A2 rated organic vapour filters
- 2 x P2 rated pre-filters
- Spider/retainer for fitting P2 filter to A2 filter
- 2 x respirator wipes



Item Code	Bishops Code
RHSP-7700SM	55055080

7700 WELDERS P2 RESPIRATOR KIT

- Designed for welders requiring respiratory protection from welding fumes
- Complies with AS/NZS 1716:2012 Licence No: 0563

Includes:

- 1 x 7700 Series half-face respirator
- 2 x P2 rated pancake filters with nuisance level OV protection
- 2 x mask cleaning wipes



Item Code	Bishops Code
RHSP-7700WM	55055085

RESPIRATOR DUST CARTRIDGE



- Suits 55055130 respirator
- Protects against nuisance, toxic dusts, fumes and metallic fumes of low toxicity



Item Code	Bishops Code
SE156C	55055210

RESPIRATOR CHEMICAL CARTRIDGE



- Suit 55055130 respirator
- Protects against paint spray and organic vapours of low toxicity



Item Code	Bishops Code
SE156B	55055230

ADVANTAGE HALF-FACE FILTER CARTRIDGES

- Chemical and combination filters
- Suitable for use with the Advantage 200 range of half-face respirators
- Sold in pairs



55055116



55055118

Item Code	Description	Bishops Code
430372	A2P3 R Combination Cartridge – Pair	55055116
430373	A2B2E1K1 Chemical Cartridge – Pair	55055118

ADVANTAGE FULL-FACE COMBINATION FILTER CARTRIDGE

- P3 A2 B2 P3
- Suitable for Advantage 3200 full face respirators
- Provides protection against a wide range of toxic gases and particles
- PlexTech technology for more relaxed breathing
- Robust metal housing
- Compact and lightweight
- Class AB/ST



Item Code	Bishops Code
10097993	55055122

HONEYWELL FILTERS

- Filters for protection against particulates, gases, vapours and combinations of both
- Suitable for use with the 7700 series half mask and the 7600 series full face mask
- All filters are certified to AS/NZS 1716:2012 Lic 0562



Description	Bishops Code
A1 Organic Vapour Filter	55055127
A1E1 Organic Vapour & Sulphur Dioxide Filter	55055128
A1B1E1 Organic Vapour, Acid Gas, Sulphur Dioxide Filter	55055129
A1B1E1K1 + Formaldehyde & Hydrogen Fluoride	55055131
A1 P3 Organic Vapour, HEPA Filter	55055126
A1B1E1 P3 Organic Vapour, Acid Gas, Sulphur Dioxide, Formaldehyde, HF & HEPA	55055132
K1 P3 Ammonia, Methylamine, HEPA Filter	55055133
A1B1E1K1 P3 + Formaldehyde & Hydrogen Fluoride, HEPA Filter	55055134

P2 & P3 FILTERS & ACCESSORIES



Description	Bishops Code
P2 Pre-Filter	55055123
P2 Spider & Retainer	55055120
P2 Base Plate & Retainer	55055119
P2/P3 Pancake Filter	55055117
P2/P3 Nuisance OV/AG & Ozone Pancake Filter	55055125
Pre Filter Retainer	55055124

PARTICULATE DISC FILTERS

- Suitable for use with 3M 6000/7500 Series Half Face Respirators and 3M 6000/7000 Series Full Face Respirators
- 2 per pack



Description	Bishops Code
P2 Particulate Disc Filters	55055136
P3 Particulate Disc Filters	55055135

HOW FILTERS FIT TOGETHER

Filter Cartridge

Filter

Retainer

GET MORE AT BISHOPS

INDUSTRIAL WET & DRY VACUUMS

Page 409



SELECTING HEARING PROTECTION

Consequences of noise

Exposure to loud noise can cause damage to our hearing, possibly resulting in permanent hearing loss or tinnitus. Sounds greater than 85dB(A) are likely to cause these problems and repeated exposure can cause other health issues including stress, fatigue, sleep disturbance and anxiety.

What does SLC80 mean?

Under AS/NZS 1270 hearing protection is tested and an SLC80 rating is allocated to the product. The SLC80 rating is defined as the difference between the sound level of the environment in which the hearing protection device is worn and the sound level reaching the individual wearing the product. The recommended target in ear exposure for workers is 80dB.

Determined by the SLC80 rating, a class rating from 1-5 is assigned.

Noise Level dB (A)	SLC80 Range (dB)
Less than 90	10 to 13
90 to less than 95	14 to 17
95 to less than 100	18 to 21
100 to less than 105	22 to 25
105 to less than 110	26 or greater

**All calculations based on the maximum exposure limit of 85dB for 8 hours*

Example for selecting a class for earmuffs


100dB – 80dB = 20dB (which falls into the Class 3 category)

Noise exposure guidelines

For every 3dB over 85dB, the allowable exposure time before impairment can occur is halved.


Continuous dB	Permissible Exposure Time
85dB	8 Hours
88dB	4 Hours
91dB	2 Hours
94dB	1 Hours
97dB	30 Minutes
100dB	15 Minutes
103dB	7.5 Minutes
106dB	3.75 Minutes
109dB	1.875 Minutes
112dB	0.9375 Minutes
115dB	0.46875 Minutes

For areas exceeding 110dB please seek specialist assistance. It is important to select and correctly fit appropriate hearing protection.



For areas exceeding 110dB please seek specialist assistance. It is important to select and correctly fit appropriate hearing protection.

Steps to achieve a seamless hearing conservation program in your workplace



Accurate noise detection

An effective hearing conservation program begins with measurement. Accurate measurement of an employee's exposure to hazardous noise is essential. A noise assessment (also known as survey) can help identify workers at risk, determine who needs to be included in your program, and select the proper noise control measures and appropriate hearing protectors to help reduce these risks.



Adaptable hearing protection

A variety of types and sizes of earplugs and earmuffs are available, helping your team determine the right fit for each person, and the right protection for the application. These innovative products are designed for comfortable, extended wear, and can help your team comply with your hearing protection program.




Fit test validation

Integrating hearing protection fit testing into your hearing conservation program benefits everyone from new hires to high-risk workers. A fit-testing system makes it easier to fit, train and motivate workers and to assess and manage the long-term performance of your hearing conservation program.

QB2 BANDED REUSABLE EARPLUGS

- Designed for environments with intermittent noise hazards
- Smooth, ergonomic pods fit in the ear for maximum protection
- Band design prevents ear pods from touching dirty or contaminated surfaces
- Lightweight and portable
- Pods rest partially in the ear canal
- Replacement pods available
- SLC80 21dB (Class 3)
- Complies with:**
- AS/NZS 1270: 2002



Item Code	Bishops Code
QB2HYG	55050053

DISPOSABLE LASER TRAK CORDED DETECTABLE EARPLUGS

- Easily detectable bright colours
- Non-ferrous metal grommet
- Self-adjusting polyurethane foam expands to fit almost any wearer
- Contoured T-shape provides easy insertion and wear
- SLC80 25dB (Class 4)
- Orange/blue
- Complies with:**
- AS/NZS 1270: 2002



Item Code	Bishops Code
LT-30	55050046

UNCORDED FOAM EARPLUGS

- The very soft polyurethane foam provides a comfortable and close fitting seal against harmful noise
- Orange
- 200 per box
- 25dB (Class 4)
- Complies to standard AS/NZS 1270:2002



Item Code	Bishops Code
SE1374	55050010

HI-VIS EARPLUGS

- Soft PU material
- Tapered shape
- Roll-down fit
- High visibility colour ensures onsite compliance
- SLC80 26dB (Class 5)
- Complies with:**
- AS/NZS 1270: 2002



Item Code	Description	Quantity	Bishops Code
EPU-200	Uncorded	200 Pairs	55050009
EPC-100	Corded Earplugs	100 Pairs	55050019

HI-VIS CORDED REUSABLE EARPLUGS

- Soft silicone material
- Flanged shape
- Push-in fit
- Non-toxic & environmentally friendly
- High visibility colour for onsite compliance
- SLC80 24dB (Class 4)
- Colour: hi-vis yellow
- 100 pairs
- Complies With:**
- AS/NZS 1270: 2002



Item Code	Bshops Code
EPRC-100	55050024

MAX® UNCORDED EARPLUGS

- Bell shape provides maximum in-ear comfort
- Contoured design makes earplug easier to insert and less likely to back out of ear canal
- Polyurethane foam enhances comfort over long periods of wear
- Smooth, soil resistant closed cell foam skin prevents dirt build up
- SLC80 26dB (Class 5)
- 200 pairs
- Complies with:**
- AS/NZS 1270: 2002



Item Code	Bishops Code
MAX-1	55050025

LASER LITE® EARPLUGS

- Vibrant colours make the Laser Lite® a highly visible earplug and allows at-a-glance determination of worker compliance
- Made from low pressure polyurethane foam
- Contoured T-shape design makes for easy handling
- The closed cell-foam skin is smooth and soil resistant, eliminating build up of dirt
- Magenta/yellow
- SLC80 25dB (Class 4)



Description	Bishops Code
Uncorded, Individual Poly Bag – 200 Pairs Per Box	55050012
Polycord, Individual Poly Bag – 100 Pairs Per Box	55050022
Uncorded LS-500-A Dispenser Refill – 500 Pairs	55050014
Uncorded LS-400-A Dispenser Refill – 200 Pairs	55050013

GET MORE AT BISHOPS ▶



WORKSHOP FANS

Page 331



EARMUFFS

SAFETY EQUIPMENT & CONSUMABLES

DEEP CUP EARMUFFS

- Headband style
- High attenuation
- 33dB (Class 5)
- EN352-1



CLASS 5

Item Code	Bishops Code
SE1317	55050120

VS110 VERISHEILD 100 SERIES NECKBAND EARMUFFS

- Large dimension range to comfortably fit a wide range of head sizes
- Wide cup openings ideal for workers with large ears or who wear hearing aids
- Lightweight cushioned headband
- Memory foam ear cushions for greater comfort and attenuation
- ABS moulded with internal baffle design for lighter weight
- Dielectric options with Sound Management Technology (SMT) also available
- SLC80 25dB (Class 4)
- Complies with standards ISO 9001 / 2000



CLASS 4

Item Code	Bishops Code
1035146-VS	55050229

HEADBAND EARMUFFS

- High quality ultra tough ABS plastic
 - Large soft ear pads for great fit and seal
 - Adjustable headband for secure fit
 - Insulated headband for high voltage environments
 - SLC80 33dB (Class 5)
- Complies With:
- AS/NZS 1270: 2002



CLASS 5

Item Code	Bishops Code
EMHB33	55050112

HI-VIS NECK BAND EARMUFFS

- High quality ultra tough ABS plastic
 - Large soft ear pads for great fit and seal
 - Neckband style for less interference with other PPE
 - Stainless steel neckband
 - High visibility colour for added safety
 - SLC80 32dB (Class 5)
- Complies With:
- AS/NZS 1270: 2002



CLASS 5

Item Code	Bishops Code
EMNB30	55050213

FOLD-UP TYPE EARMUFFS

- Large foam-filled cushions with deep ear cups
- Compact folding design is good for storage or carrying in a pocket
- Approved 30db (Class 5)
- Complies to standard ANSI 53.19



CLASS 5

Item Code	Bishops Code
SE1340	55050115

HARD HAT ATTACH EARMUFFS

- High quality ultra tough ABS plastic
 - Large soft ear pads for great fit and seal
 - Cap mounted to suit most compatible hard hats
 - Insulated for high voltage environments
 - SLC80 27dB (Class 5)
- Complies With:
- AS/NZS 1270: 2002



CLASS 5

Item Code	Bishops Code
EMCA27	55050212

OVER-HEAD EARMUFFS

- Headband style, lightweight
- Soft foam-filled cushions provide a good seal for protection against harmful noise
- Can be worn in three positions
- Can be worn with safety helmet
- Adjustable reinforced headband
- SNR27db (Class 5), NRB20db
- Complies to standards ANSI S3-19 and CE EN 352.1



CLASS 5

Item Code	Bishops Code
	55050110

VS130 VERISHIELD 100 SERIES HELMET ATTACHED EARMUFFS

- Large dimension range to comfortably fit a wide range of head sizes
- Wide cup openings ideal for workers with large ears or who wear hearing aids
- Lightweight cushioned headband
- Memory foam ear cushions for greater comfort and attenuation
- ABS moulded with internal baffle design for lighter weight
- Dielectric options with Sound Management Technology (SMT) also available
- SLC80 32dB (Class 5)
- Complies with standards ISO 9001 / 2000



CLASS 5

Item Code	Bishops Code
1035129-VS	55050218

UNVENTED SAFETY HELMETS



- Complies to standard ANSI Z89.1 and EN 397:1995
- Polyethylene shell assembled with 6 point adjustable nylon ratchet suspension
- Chin strap excluded
- Slotted sides to accommodate ear muffs and face shields
- ABS plastic




Colour	Bishops Code	Colour	Bishops Code
White	55045010	Green	55045050
Orange	55045020	Fluoro Yellow/Green	55045060
Yellow	55045030	Red	55045070
Blue	55045040	-	-

UNILITE VENTED SAFETY HELMET



- Peaked cap
- 6 point harness for stability and comfort
- Type 1 ABS general purpose safety helmet
- Vented for additional cooling
- ASNZS1801:1997



Item Code	Colour	Bishops Code	Item Code	Colour	Bishops Code
TA570:WH	White	55045858	TA570:GN	Green	55045846
TA570:OR	Orange	55045848	TA570:RD	Red	55045854
TA570:YE	Yellow	55045852	TA570:FLOR	Fluoro Orange	55045842
TA570:BL	Blue	55045840	TA570:FLYE	Fluoro Yellow	55045844

SAFETY HELMET WITH CLIP & LIGHT BRACKET



- Fitted with ratchet type 6 point harness
- Head lamp and bracket clip included
- ABS plastic
- White
- Complies to standard ANSI Z89.1



Item Code	Bishops Code
SE1718	55045090

BUMP CAP



- ABS shell with foam spacer
- Hi-vis fabric with ventilation mesh to reduce heat and encourage air circulation for increased wearer comfort
- Reflective detail on the cap improves visibility
- Great for protection against light impact bumps and scrapes
- Velcro® back for easy adjustment



55045005

Item Code	Colour	Bishops Code
BCLP-O	Navy	55045000
BCLP-Y	Hi-Vis Yellow	55045005

SAFETY HELMET HI-VIS BRIM WITH NECK FLAP


- Detachable wide hat brim and neck flap
- Suitable for most brands of helmets
- Hi-vis orange
- Helmet not included



Item Code	Bishops Code
EHC7400R	55045820

CANVAS SUN HATS

- Wide and protective brim
- Adjustable chin strap
- Available in white, navy blue and green



Colour	SMALL	MEDIUM	LARGE	X-LARGE
	Bishops Code	Bishops Code	Bishops Code	Bishops Code
White	55591011	55591012	55591013	55591014
Navy Blue	55591015	55591016	55591017	55591018
Green	55591019	55591020	55591021	55591022

GET MORE AT BISHOPS ▶



SUN UMBRELLA


Page 413



HEIGHT SAFETY

Safety harnesses

Ensure your team's safety at heights by making sure they are kitted out with the best fit-for-purpose harness for the job. This guide will walk you through some of the things to consider when selecting your harness.



Harness features

D-Ring – Height Safety Harnesses have fall arrest D-Rings, used to connect the harness to an appropriate lanyard or SRL. D-Rings are most commonly found on the rear of the harness however some models include front and side attachment points for confined space or rescue situations.

Webbing – Webbing refers to the harness straps, usually made out of strong polyester. This polyester webbing can be UV stabilised for strength retention even after outdoor use. Webbing can also have other special features making it more suitable for certain applications.

Buckles – Most buckles are made of aluminium, which is strong and lightweight. Buckles can also be made out of plastic and stainless steel. Stainless steel buckles and hardware are suitable for underground environments providing better longevity.

Suspension Trauma Straps – In the event of a fall, suspension trauma straps help to alleviate the risk of suspension trauma. Suspension trauma is caused by the pooling of blood due to the restriction of major arteries in the legs. Suspension trauma straps are manually deployed in the event of a fall, allowing the worker who is suspended to effectively stand on their harness to alleviate pressure around the legs and assist with blood flow.

Some premium harnesses include suspension trauma straps. If your harness does not include straps, they can be purchased separately and attached.

Harness sizing chart

Harnesses must be properly fitted to provide adequate fall protection. An ill-fitting harness will not provide the same standard of protection as a properly fitted harness.

The below size chart is designed to be utilised as a guide. You should always check follow the manufacturers size guidelines to ensure a correct fit.

Height in m	2.0														
	1.9														
	1.8														
	1.7														
	1.6														
	1.5														
		50	60	70	80	90	100	110	120	130	140				
		Body Weight in kg													

Disclaimer: This editorial contains only a general description of the products shown. While uses and performance capabilities are described, under no circumstances shall the products be used by untrained or unqualified individuals and not until the product instructions including any warnings or cautions provided have been thoroughly read and understood. Only they contain the complete and detailed information concerning proper use and care of these products.

BODY SAFETY HARNESS

- Parachute type
- 50mm width nylon belt
- easily adjustable friction buckle leg straps to absorb shock from fall-arresting forces
- D-Ring allows maximum distribution of shock load
- Complies with CE EN361



Item Code	Bishops Code
SE1846	55010440

1100 TRADIE FULL BODY FALL ARREST HARNESS



- Rear fall arrest D
- Front fall arrest loops
- Lightweight
- Carbon steel buckles
- Fully adjustable shoulder and leg straps
- Easy to fit with no restriction
- Breathable rear mesh panel aids donning
- Simple to adjust
- AS1981.1 2020 Certified



Item Code	Bishops Code
1100 TRADIE	55010423

1100 ERGO FULL BODY FALL ARREST HARNESS



- Rear fall arrest D
- Front fall arrest D
- Confined space attachment loops
- Fully adjustable leg and shoulder straps
- Breathable rear mesh panel
- Hi-vis webbing
- Suspension trauma relief straps
- AS1891.1 2020 Certified



Item Code	Bishops Code
1100 ERGO-BP	55010421

1150 EWP FULL BODY FALL ARREST HARNESS & LANYARD



- Rear fall arrest D
- Front fall arrest loops
- Lightweight
- Comes with permanently attached 1.8m shock absorbing lanyard
- Carbon steel buckles
- Fully adjustable shoulder and leg straps
- Easy to fit with no restriction
- Breathable rear mesh panel aids donning
- Simple to adjust
- AS1891.1 2020 Certified



Item Code	Bishops Code
1150 EWP	55010414

1107 ERGOiPLUS PREMIUM FULL BODY FALL ARREST HARNESS



- Rear fall arrest D and front fall arrest D
- Quick connect buckles
- iWeb inspection compliant webbing
- Xtreme guard oil and water resistant webbing
- Padded waist band and side Ds
- Rear fall arrest extension strap
- Confined space attachment loops
- Fully adjustable leg and shoulder straps
- Fully padded leg and shoulder straps
- Suspension trauma relief straps
- AS1891.1 2020 Certified



Item Code	Bishops Code
1107-ERGOiPLUS	55010430

1107 ERGO FULL BODY FALL ARREST HARNESS



- Rear fall arrest D
- Front fall arrest D
- Padded waist band and side Ds
- Rear fall arrest extension strap
- Confined space attachment loops
- Fully adjustable leg and shoulder straps
- Breathable rear mesh panel
- Hi-vis webbing
- Suspension trauma relief straps
- AS1891.1 2020 Certified



Item Code	Bishops Code
1107 ERGO-0	55010419

1500 ERGO FULL BODY TOWER WORKER HARNESS



- Rear fall arrest D
- Front fall arrest loops
- Padded waist band and side Ds
- Auxiliary buttock pole strap with 75mm rings
- Confined space attachment loops
- Fully adjustable leg and shoulder straps
- Breathable rear mesh panel
- Hi-vis webbing
- Suspension trauma relief straps
- AS1891.1 2020 Certified



Item Code	Bishops Code
1500 ERGO-0	55010429

1100 ERGOiPLUS PREMIUM FULL BODY FALL ARREST HARNESS



- Rear fall arrest D
- Front fall arrest D
- Quick connect buckles
- iWeb inspection compliant webbing
- Xtreme guard oil and water resistant webbing
- Confined space attachment loops
- Fully adjustable leg and shoulder straps
- Fully padded leg and shoulder straps
- Suspension trauma relief straps
- AS1981.1 2020 Certified



Item Code	Bishops Code
1100 ERGOiPLUS	55010424

H-STYLE VS X-STYLE – WHAT'S THE DIFFERENCE?

There are a few important differences between an H-Style and an X-Style harness.



The H-Style harness has two over-the-shoulder straps, held together with a strap across the torso forming an H shape. This harness is considered to be the most general purpose.



The X-Style harness forms an X across the torso. This style is particularly good for women as it doesn't put pressure on the chest area.



ABC OF FALL PROTECTION

The ABCs of fall protection refer to the essential components of an effective fall protection system.



A **Anchorage**
Anchorage connectors play a vital role in fall protection by providing a secure point of attachment to an existing structure. They can be temporary or permanent and must be able to support 15kN (1,500kg) for a single person anchorage, or 21kN for a two person anchorage, as stipulated in AS/NZS 1891.4 and AS/NZS 5532.



B **Body support**
Body support refers to the full body harness worn by workers that supports their weight and allows them to connect to anchorage points. Harnesses are designed to be comfortable while being supportive and come in many variations to suit different industries or applications. Full body harnesses must always be properly fitted to ensure maximum protection.



C **Connectors**
Connectors attach the harness to the anchorage. The most common connectors are shock absorbing lanyards and self-retracting lifelines, which are designed to reduce the force of a fall.




D **Descent/rescue**
Descent and rescue systems are used for the retrieval of a worker who may be injured or otherwise incapacitated, often due to a fall or entrapment in a confined space.



E **Education**
Education on fall protection and fall arrest is essential. Employees should ensure their workers are adequately trained before working at height.




F **Fall protection for tools**
Preventing dropped object incidents is an important aspect of working safely at height, as dropped tools and other objects pose a safety risk to those working below. Ensure objects are not dropped by using appropriate prevention and protection when working with objects at height.




Fall Restraint vs Fall Arrest

Although they sound similar, fall restraint and fall arrest are two different things. Fall restraint is a strategy that prevents a worker from falling. Utilising a Type 1 device, workers are prevented from moving into a hazardous position from which they may fall. Fall arrest is a strategy that aims to reduce the impact of a fall. In a fall arrest system, a worker will be allowed to fall and the system will minimise injury as much as possible by ensuring they do not fall onto a platform or object below, and by using technologies such as shock absorption.



Fall restraint



Fall arrest

Type 1

Type 1 fall arresters are manually adjusted devices that are attached to a fixed anchorage line. They can move up and down the fixed line and keep the user in a fall restraint position.

Type 2

Type 2 fall arresters are automatically retracting devices that lock when loaded with a fallen worker's weight, which provides fall arrest. They are usually attached to fixed anchorage points and include self-retracting lifelines, personal fall limiters and inertia reels.

Type 3

Type 3 fall arresters are similar to Type 2 fall arresters but with an inbuilt retrieval mechanism that helps in rescue situations.

Type 4

Type 4 fall arresters are similar Type 2 fall arresters but with an inbuilt self-rescue feature.

HEIGHT SAFETY & ROOF WORKERS KIT

Kit Includes:

- 1100 TRADIE/Spectre harness
- 3108SA-RP rope line x 15m with energy absorber
- 3506 Spectre anchor attachment sling
- K2 karabiner
- Backpack kit bag



Item Code	Bishops Code
6001SA-SPECTRE-0	55010540

SHOCK ABSORBING LANYARD

- Shock absorbing system attached to harness allow a soft, stable stop during a fall
- Provides best protection against fall-arresting forces
- Complies with CE EN361

Includes:

- 1 x 1.5m single nylon webbing lanyard
- 1 x connector
- 1 x double-lock hook
- 1 x 45mm width absorber



Item Code	Bishops Code
SE1862	55010460

3058E ERGO TWIN ELASTICATED LANYARD

- Twin leg elasticised webbing shock absorbing lanyard
- Fitted with snap hook at energy absorber end and scaffold hooks at free ends
- 1.4m to 1.8m in length
- Hi-vis webbing
- AS 1891.1- 2007 Certified



Item Code	Bishops Code
3058E-0x1.8	55010448



3053 ERGO LANYARD

- Single leg webbing shock absorbing lanyard
- Fitted with snap hook at energy absorber end and snap hook at free end
- 1.8m in length
- Hi-vis webbing
- AS1891.5 2020 Certified



Item Code	Bishops Code
3053-GP	55010463

3055 ERGO LANYARD

- Single leg webbing shock absorbing lanyard
- Fitted with snap hook at energy absorber end and scaffold hook at free end
- 1.8m in length
- Hi-vis webbing
- AS1891.5 2020 Certified



Item Code	Bishops Code
3055-SCAFF	55010475

3058 ERGO TWIN LANYARD

- Twin leg webbing shock absorbing lanyard
- Fitted with snap hook at energy absorber end and scaffold hooks at free ends
- 1.8m in length
- Hi-vis webbing
- AS1891.5 2020 Certified



Item Code	Bishops Code
3058-ACCESS	55010449

HEAVY DUTY ANCHOR STRAP

- Attachment strap
- Webbing construction
- 22kN rating (choked)
- Comes with large and small D's for choking/reaving
- Overall length: 1.3m



Item Code	Bishops Code
3501-BP	55010515

GET MORE AT BISHOPS ▶



STEEL CAP BOOTS
From Page 84



HEIGHT SAFETY ANCHORS, LINES & KITS

SAFETY EQUIPMENT & CONSUMABLES

ROUND ANCHOR STRAP

- Strong 1m round sling style attachment sling
- Minimum break strength 7kN
- Other lengths available upon request



Item Code	Size	Bishops Code
3506-BS-RP	1m	55010510

ADJUSTABLE POLE STRAP

- Pole strap
- Fitted with adjuster and snap hooks
- Comes with polyester webbing wear sleeve
- 2.5m adjustable



Item Code	Bishops Code
2700-RP	55010511

ROOF ANCHOR – TEMPORARY METAL & TIMBER

- Temporary one person roof anchor that can be installed onto a metal or tiled roof
- Multi-directional height safety anchor designed to maximise energy absorption
- Used when there is no permanent safety anchors
- Complies to AS1891.4



Item Code	Bishops Code
FASTLINK	55010520

ANCHORAGE ROPE LINE

- Fall arrest rating
- Horizontal orientation of use
- Fitted with RF1 Type 1 adjuster and fixed energy absorber park
- 15m anchorage line
- Made from 11mm Kernmantle rope
- Other lengths available upon request



Item Code	Bishops Code
3108SA-RP	55010532

HORIZONTAL SAFETY LINE

- Two person horizontal safety line
- 18m length
- Comes with 20035 ABS ratchet and two safety shackle connectors



Item Code	Bishops Code
3400-UK-0x18	55010535

GOTCHA™ ORIGINAL RESCUE KIT

- First pre-assembled remote rescue kit on the market
- Enables casualties to be raised or lowered to safety
- Kit contains rope, upper and lower pulleys, Gotcha™ Frog, telescopic pole, rope controller, rope grabber, attachment sling and karabiners, with carry bag
- Comes with 50m of rope allows approx 17m effective length in high anchor mode
- 7kg kit weight



Item Code	Bishops Code
GOTCHA-KIT-0	55010546

SAVERLINE FALL ARREST BLOCKS – SRL

- Webbing lifeline
- 150kg maximum capacity
- Comes with cut resistant webbing



Item Code	Effective Length	Bishops Code
SVLB-2	2.0m	55010658
SVLB-3	3.0m	55010657

3201 RETRACTING LANYARD – SRL

- Lightweight retracting lanyard ideal for light duty applications
- Comes with triple action karabiners and energy absorber
- 2.25m long, 50mm webbing
- Steel and plastic casing
- 100kg load rating



SpanSet

SPF 50+ SUNSCREEN

- Very high protection sunscreen
- Dry touch formula
- Protects against UVA and UVB rays
- 4 hour water resistant
- Non-greasy, non-oily
- Easy rub in
- Contains Vitamin E and Aloe Vera



Item Code	Bishops Code
3201-0x2.5	55010582

RETRACTABLE TOOL LANYARDS

KING TONY

- Warning load weight tags to attach tools
- Nylon tether with steel spring inside to absorb the shock of a dropped tool
- Increases safety while working
- Ergonomic design for hand reach capacity
- Length capacity: 800–13,00mm



Item Code	Hook Type	Weight	Bishops Code
79A21-30	2 x Lock Snaps	106g	55010506
79A22-30	1 x Lock Snap, 1 x Fixed Loop	89g	55010507

Item Code	Size	Bishops Code
ISPS5125	125ml	32818067
SS500-50	500ml	32818068

HANDY FIRST AID KIT

- Embroidered, hard wearing, zippered canvas case
- Ideal for the glove box, cupboard or suitcase when travelling
- Practical internal layout

Includes:

- 1 x 10 pack plastic adhesive strips
- 1 x conforming bandage – 50mm
- 1 x CPR card
- 1 x eye pad
- 1 x first aid pamphlet
- 1 x pair disposable gloves
- 1 x plastic magnifier
- 2 x plastic bags – small and medium
- 1 x resuscitation shield
- 1 x paper tape – 125mm x 5m
- 1 x 12 pack assorted safety pins
- 1 x scissors small
- 2 x sodium chloride satchets
- 1 x splinter probe disposable
- 1 x triangular bandage
- 1 x tweezers
- 1 x wound dressing – No.15
- 2 x wound wipes



Item Code	Bishops Code
848794	55090105

SNAKE BITE KIT

- Perfect size for keeping in the work vehicle
- Soft case

Includes:

- 2 x crepe bandages, heavy FAC, 10cm x 2m
- 1 x black fabric belt bag with velcro closure
- 1 x snake bite treatments instructions sheet



Item Code	Bishops Code
T30020	55090575

GET MORE AT BISHOPS



COOL-IT® CLOTHING

Page 66



FIRST AID KITS

SAFETY EQUIPMENT & CONSUMABLES

GENERAL PURPOSE FIRST AID KIT

- Portable hard case
- A generous first aid kit for around the home or to take on holidays
- Features a mounting bracket and positive click holding tabs
- 260(w) x 170(h) x 80(d)mm

Includes:

- 1 x emergency thermal blanket
- 1 x wound dressing – No.15
- 1 x conforming bandage – 750mm x 1.8m
- 1 x healaid cream – 25g
- 1 x fine stainless steel forceps – 125mm
- 1 x sharp/blunt stainless steel scissors – 125mm
- 1 x first aid booklet
- 1 x triangular bandage – 1,100 x 1,550mm
- 2 x sodium chloride – 15ml 0.9%
- 1 x 5 pack sterile gauze pieces – 750mm
- 1 x 30+ sunscreen sachet – 10ml (4hr + water resistant)
- 1 x porous poly bag tape paper – 125mm x 5m
- 1 x basic dressing pack
- 1 x combine dressing – 100 x 200mm
- 1 x medium crepe bandage – 750mm x 2m
- 1 x 50 sheer plastic strips – 190 x 720mm
- 1 x non-adherent – 750 x 100mm
- 2 x alcohol-free wound wipe
- 1 x 12 pack assorted safety pins
- 1 x plastic magnifier
- 1 x eye pad
- 1 x pair latex gloves



Item Code	Bishops Code
T33815	55090110

PORTABLE WORKPLACE FIRST AID KIT

- Level 1 compliant, low risk
- Polypropylene hard case
- Designed for a small to medium workplace (25–100 employees)
- 190(h) x 420(w) x 225(d)mm

Includes:

- 50 x adhesive strips
- 1 x disposable gallipot
- 2 x crepe bandage – 100mm
- 1 x adhesive tape paper – 250mm x 5m
- 1 x emergency thermal blanket
- 1 x pair nitrile gloves
- 10 x alcohol wipes
- 5 x eye pad single
- 1 x antiseptic cream – 25g
- 1 x eyewash and irrigation solution – 100ml
- 10 x non-adherent dressing – 750 x 100mm
- 1 x burns sterile dressing – 700 x 750mm
- 1 x fine forceps – 125mm
- 1 x register of injury book and pencil
- 3 x conforming bandage – 50mm
- 1 x first aid pamphlet
- 1 x CPR resuscitation card
- 3 x conforming bandage – 750mm
- 2 x 5 pack gauze sterile pieces – 750mm
- 1 x disposable resuscitation face shield
- 3 x plain clip seal medium plastic bags
- 1 x pack 100 cotton buds
- 1 x instant ice pack
- 1 x 12 pack safety pins assorted
- 1 x sharps container
- 1 x kidney dish
- 1 x sharp/blunt scissors
- 10 x wound wipes
- 1 x 10 pack splinter probe
- 4 x triangular bandage – 1,100 x 1,550mm
- 3 x wound dressing – No.15
- 6 x sodium chloride – 20ml



Item Code	Bishops Code
T101171	55090120

WORKPLACE FIRST AID KIT

- Level 1 compliant, low risk
- Wall mounted powder coated steel cabinet
- Suitable for construction sites with less than 25 employees and other workplaces with less than 100 employees
- 240(w) x 390(h) x 150(d)mm

Includes:

- 50 x adhesive strips
- 1 x adhesive tape paper – 250mm x 5m
- 10 x alcohol wipes
- 1 x antiseptic cream – 25g
- 1 x burns sterile dressing – 700 x 750mm
- 3 x conforming bandages – 50mm
- 3 x conforming bandages – 750mm
- 10 x non-adherent dressings – 750 x 100mm
- 1 x 5 pack gauze sterile pieces – 750mm
- 1 x 100 pack cotton buds
- 1 x disposable gallipot
- 1 x emergency thermal blanket
- 1 x fine forceps – 125mm
- 1 x first aid pamphlet
- 1 x instant ice pack
- 1 x kidney dish
- 2 x crepe bandages – 100mm
- 1 x pair nitrile gloves
- 3 x plastic bags
- 1 x resuscitation card & shield
- 1 x 12 pack assorted safety pins
- 1 x sharp/blunt scissors
- 1 x sharps container
- 6 x sodium chloride – 20ml
- 1 x 10 pack splinter probe
- 5 x single eye pads
- 1 x eyewash and irrigation solution – 100ml
- 4 x triangular bandages – 1,100 x 1,550mm
- 3 x wound dressings – No.15
- 10 x wound wipes
- 1 x register of injuries book and pencil



Item Code	Bishops Code
T101169	55090122

HIGH RISK PORTABLE FIRST AID KIT

- Soft case with multiple storage compartments
- Suitable for construction sites with more than 25 employees and other workplaces with more than 100 employees
- 500(w) x 320(h) x 285(d)mm

Includes:

- 2 x boxes of 50 adhesive strips
- 1 x adhesive tape paper – 250mm x 5m
- 10 x antiseptic cream sachets
- 2 x burns sterile dressing – 700 x 750mm
- 3 x conforming bandages – 50mm
- 3 x conforming bandages – 750mm
- 8 x triangular bandages – 1,100 x 1,550mm
- 1 x 100 pack cotton buds
- 2 x crepe bandages – 100mm
- 1 x disposable gallipot
- 1 x emergency thermal blanket
- 5 x single eye pads
- 1 x fine forceps – 125mm
- 2 x 5 pack gauze sterile pieces – 750mm
- 2 x instant ice packs
- 10 x non-adherent dressings – 750 x 100mm
- 10 x non-adherent dressings – 50 x 750mm
- 1 x penlight examination torch
- 10 x plastic bags
- 1 x resuscitation card & shield
- 12 x safety pins
- 1 x sharp/blunt scissors
- 1 x sharps container
- 12 x sodium chloride – 20ml
- 10 x splinter probe
- 10 x wound dressing – No.15
- 20 x wound wipes
- 1 x kidney dish
- 1 x pair nitrile gloves
- 1 x first aid booklet
- 1 x register of injuries book and pencil



Item Code	Bishops Code
T101170	55090126

EYEWASH SOLUTION

- Emergency saline solution bottle with built-in eye cap
- Hygienically sealed until required
- Twist top to break internal seal in an emergency
- Moulded eye cap features multiple streams for a smooth flow of solution while flushing
- Instructions included on the label
- FAC colour coded blue
- 500ml



Item Code	Bishops Code
876234	55090602

EYEWASH SOLUTION REFILL BOTTLE

- Use to refill eyewash stations
- Sterile isotonic solution
- 946ml (32oz)



Item Code	Bishops Code
EWB944	55090690

SALINE EYEWASH

- Personal emergency eyewash bottle
- Suitable for initial first aid treatment
- Twist-top squeeze bottle
- Comes with wall mount and signage
- Bottle: 944ml



Item Code	Bishops Code
EWB944ECS	55090703

WATER PRESERVING SOLUTION

- Antibacterial water additive
- For use with GravityFlo Eyewash Station
- Each bottle preserves up to 34L of water
- 240ml bottle
- 4 per pack



Item Code	Bishops Code
H-ANTBAC34	55090692

PERSONAL EYEWASH STATION & SALINE EYEWASH SOLUTION



- Sterile, buffered, isotonic solution
- Ideal for flushing and irrigating the eyes to remove toxic substances, loose foreign material, air pollutants, chlorinated water and to refresh irritated or tired eyes
- Station includes 2 x 944ml solution bottles



Item Code	Description	Bishops Code
SE EWS944	Eye Wash Station	55090605
SE EWR 944B4	Replacement 944ml Solution Bottle	55090701

WALL-MOUNTED EYEWASH STATION

- Hand-operated
- Cover ensures the unit is protected from contaminants at all times
- When opened, the flow of flushing water begins immediately
- Comes with integral lid, aerated diffusers, flow regulator stainless steel tubes and complete maintenance and installation instructions
- Stay-on ball valve



Item Code	Bishops Code
H-STD45G	55090630

PORTABLE GRAVITY FED EYEWASH



- Flushes hazardous substances from the eyes
- Ideal for remote locations or sites without plumbed water
- 34.1L (9 gallon) capacity
- Full tank streams water for 15 minutes at 1.5L per minute
- Lightweight, compact and portable with carry handle
- High density polyethylene tank with yellow fold down arm to activate flow, keeping hands free to hold eyelids open
- Includes bracket for wall mounting
- Label for recording inspection dates
- Each unit is supplied with 1 x 250ml bottle of eyewash preservative to help prevent the growth of bacteria in the eyewash tank
- Manufactured to meet Australian Standard AS4775-2007



Item Code
SCSS-EG34

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

GRAVITYFLO EYEWASH STATION

- Self-contained and portable
- Can be wall, table or cart mounted
- Delivers up to 34L of flushing solution at ambient temperature
- Carry handle for convenience
- Pinch valve ensures positive water flow of minimum 1.6L/min (0.4gal/min) within one second of activation
- 580(l) x 250(w) x 400(h)mm



Item Code	Bishops Code
SE 5000	55090615



EMERGENCY WASH STATIONS

GRAVITY EYEWASH STATIONS

- Portable, refillable emergency gravity eye wash stations



SE 4000



SE 4300



SE 4060



SE 4400



SE 4210B4

Item Code	Capacity	Activation
SE 4000	79L	Drop Down
SE 4300	76L	Pull-Strap
SE 4060	60L	Pull Down
SE 4400	35L	Drop Down

SE 4210B4 4 x Replacement 236ml Solution Bottles

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

FREE-STANDING PEDESTAL-MOUNTED EYEWASH STATION

- Manufactured from 304 stainless steel
- Twin aerated spray heads
- Hand and foot operated
- Stay open full flow ball valve
- Manufactured to comply to AS 4775:2007
- Flow rate: 12L/min



Item Code	Bishops Code
SE 546	55090640

AERATED EYE & FACE WASH UNITS

- Wall mount or free standing units
- 304 stainless steel
- Six aerated nozzle outlets
- Hand and foot operated
- Eye wash flow rate: 36L/min
- 136kPa minimum pressure
- Australian Manufactured to comply with AS4775



SE 400

SE 480

Item Code	Description	Mounting	Operation
SE 400	Eye & Face Wash Unit	Wall	Hand
SE 480	Eye & Face Wash Unit	Pedestal	Hand & Foot

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

STAINLESS STEEL PEDESTAL-MOUNTED EYEWASH STATION

- Free-standing unit complete with baseplate for floor-mounting
- Hand-operated
- Stainless steel bowl with green rubber aerator caps
- Flow of flushing water begins immediately
- Fitted with aerated diffusers and flow regulator
- Comes with complete maintenance and installation instructions
- Stay-on ball valve
- Optional foot treadle is available separately



Item Code	Bishops Code
H-STD85GSP	55090668

SAFETY SHOWER & EYEWASH UNITS

- Single aerated nozzle outlets on each side
- 130kPa minimum pressure
- Australian Manufactured to comply with AS4775



SE 582



SE 584HFO

SE 693HFO

Item Code	Description	Mounting	Operation	Flow Rate
SE 582	Eye Wash Unit	Wall	Hand	12L/Min
SE 584HFO	Eye Wash Unit	Pedestal	Hand & Foot	12L/Min
SE 693HFO	Shower & Eye Wash Unit	Pedestal	Hand & Foot	76L/Min (Shower) 20L/Min (Eye Wash)

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

SAFETY SHOWER & EYEWASH UNITS WITH AUTO-OPENING FLIP TOP COVER

- 304 stainless steel
- Flip-up lid keeps bowl and nozzles free from dirt, dust and other contaminants inbetween use
- Auto-opening flip top lid
- Single aerated nozzle outlets
- Eye wash flow rate: 12L/min
- Safety shower flow rate: 76/min
- Australian manufactured to comply with AS4775



SE 584HFOFTL (Open)

SE 582FTL

SE 584HFOFTL

SE 693HFOFTL

Item Code	Description	Mounting	Operation
SE 582FTL	Eye Wash Unit	Wall	Hand
SE 584HFOFTL	Eye Wash Unit	Pedestal	Hand & Foot
SE 693HFOFTL	Shower & Eye Wash Unit	Pedestal	Hand & Foot

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

COMBINATION SAFETY SHOWER & EYEWASH

- Free-standing unit complete with baseplate for floor-mounting
- Stainless steel bowl and tubing
- Eyewash section has twin-spray nozzles with dust covers and is push-plate operated
- The eyewash diffusers are fitted with fine mesh strainers, and individual flow controllers are designed to give a gentle flow of aerated water
- The water jets lift off the dust covers when operated
- Stay-on ball valve
- Optional foot treadle and pictured signage available separately



Item Code	Bishops Code
H-EXP18GS85G	55090650

COMBINATION SAFETY SHOWER & EYEWASH

- Covered eyewash unit with integral lid, aerated diffusers, flow regulator and self-adhesive pictogram sign
- Hand-operated pull rod shower control
- Shower spray nozzle
- Stay-on ball valve
- Optional foot treadle and pictured signage available separately



Item Code	Bishops Code
H-EXP18GS45G	55090665

SELF-DRAINING COMBINATION SAFETY SHOWER & EYEWASH

- Designed for outdoor use
- Free-standing, complete with baseplate for floor mounting
- Stainless steel bowl and tubing
- The main shower valve is situated directly above the water inlet and is complete with bleed pipe to drain water from the stand
- Eyewash section has twin-spray nozzles with dust covers and is push-plate operated
- The eyewash diffusers are fitted with fine mesh strainers and individual flow controllers are designed to give a gentle flow of aerated water
- The water jets lift off the dust covers when operated
- Stay-on ball valve
- Optional foot treadle and pictured signage available separately



Item Code	Bishops Code
H-EXPSD18GS85G	55090667

SAFETY SHOWERS & AERATED EYE/FACE WASH UNITS

- Hand and foot operated
- Eye wash flow rate: 36L/min
- Shower flow rate: 76L/min
- Australian manufactured to comply with AS4775



Item Code	Description
SE 607	Safety Shower & Eye/Face Wash Unit
SE 685	Safety Shower & Eye/Face Wash Unit – No Bowl
SE 253	Free-Standing Safety Shower Unit

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

THERMAL RELIEF ANTI-SCALD VALVES FOR SAFETY SHOWERS

- Stainless steel body
- Reinforced flexible hose
- Designed for use on outdoor safety showers that are exposed to the sun
- Automatically bleeds off overheated water to allow cooler water to flow through
- Valve is sensitive to temperatures only and not air pressure
- Complies with AS4775.2007



Item Code	Description
SE 1/2 HAT SP 105 FF	Factory Fitted
SE 1/2 HAT SP 105 R	Retro Fit Kit Onsite
SE 1/2 HAT SP 105	Anti-Scald Valve Only

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

PRESSURISED STAINLESS STEEL TANK SAFETY WASH UNITS

- Trolleys sold separately



Item Code	Description	Capacity
SE 509	Personal Body/Eye Wash Unit	9L
SE 590-45	Eye Wash Unit	45L
SE 590A-106-695	Eye Wash & Body Spray Unit	106L

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT



SPILL ABSORBENT PRODUCTS

SAFETY EQUIPMENT & CONSUMABLES

HEAVYWEIGHT GENERAL PURPOSE ABSORBENT PADS



- Heavy duty and dimpled for extra strength
- Absorbs oil/fuel and water based products
- Perfect for most jobs around the factory or site
- Dimensions: 500(l) x 400(w)mm
- 350gsm
- Grey
- 100 per pack



Item Code	Bishops Code
MOS-LMTX3602S	55080060

GENERAL PURPOSE ABSORBENT PADS



- Use to clean up a spill or wipe down tools and machinery
- Use to absorb most liquids including mild acids, bases, water, coolant, degreaser, paint, oil and fuels
- Medium duty, general purpose polypropylene absorbent pad
- Super absorbent, non-hazardous and non-allergenic
- Easy to use and will not degrade or chemically react with absorbed liquids
- Pad size: 450 x 450mm
- Colour: Grey



Item Code	Quantity	Absorption
SCM45M-50	50	Up to 57L Per Pack
SCM45M-100	100	Up to 114L Per Pack

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

GENERAL PURPOSE ABSORBENT PILLOWS



- Use to absorb and clean up large pooled spills
- Use to absorb all liquids including mild acids, bases, water, coolant, degreaser, paint, oil and fuels
- General purpose absorbent pillow made from compressed, meltblown polypropylene
- Super absorbent with high absorbency to weight ratio
- Easy to use and will not degrade or chemically react with absorbed liquids
- Non-hazardous, non-allergenic with little or no dust
- Colour: Grey



Item Code	Size	Absorption	Dimensions
SCM3422	Small	3.5L	340 x 220mm
SCM5837	Large	14L	580 x 370mm

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

GENERAL PURPOSE ABSORBENT BOOM



- Use to contain and clean up leaks, drips and spills in the workplace
- Clean up a spill or wipe down tools and machinery
- Use to absorb most liquids including mild acids, bases, water, coolant, degreaser, paint, oils and fuels
- General purpose absorbent mini boom with high absorbency to weight ratio
- Super absorbent, non-hazardous, non-allergenic and will not degrade or chemically react with absorbed liquids
- Absorb up to 7L per boom
- Dimensions: 1.2m x 7.5cm diameter
- Colour: Grey



Item Code
SCM12075

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

HEAVYWEIGHT OIL & FUEL ABSORBENT PADS



- Heavy duty 10mm compressed meltblown polypropylene pads
- Exceptional oil/fuel absorbency
- Reusable, easy to use
- Durable, non-allergenic, non-hazardous and dust-free
- Use in the rain or float on water to absorb oil and fuel only
- Ideal for maintenance and mine site workshops, vehicle repair shops, fuel and oil handling facilities
- Great for bilge and floor mop-up in ships, boats, naval and service vessels
- Dimensions: 500(l) x 400 (w)mm
- 350gsm
- White
- 100 per pack



Item Code	Bishops Code
BOS-LMTX3502SX	55080070

OIL & FUEL ABSORBENT PADS



- Absorb oil, fuel, diesel, petrol and other hydrocarbons
- Use to absorb and clean up leaks, drips and spills or for wiping down tools and machinery
- Manufactured from super absorbent polypropylene – non-hazardous and non-allergenic
- Super absorbent polypropylene is non-hazardous and non-allergenic
- Easy to use and will not degrade or chemically react with absorbed liquids
- Water repellent (hydrophobic) – can be used in and around water
- Colour: White



Item Code	Absorption	Pack Quantity	Size	Bishops Code
MBP-10	14L Per Pack	10	480 x 430mm	55080050
SCOF45S-50	35L Per Pack	50	450 x 450mm	*SCOF45S-50
SCOF45T-100	140L Per Pack	100	450 x 450mm	*SCOF45T-100

*** - SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT**

OIL & FUEL ABSORBENT ROLL

- Provides fast coverage over large areas
- Absorbs all known hydrocarbons
- Repels water and water-based liquids, perfect for protecting shorelines or river banks
- Absorbs up to 20 times its weight
- 200gsm
- Roll size: 1 x 50m



Item Code	Bishops Code
BR215	55080085

HEAVY DUTY OIL & FUEL ABSORBENT ROLL



- Absorbs oil, fuel, diesel, petrol and other hydrocarbons
- Use to absorb and clean up leaks, drips and spills or wipe down tools and equipment
- Heavy duty oil and fuel only absorbent roll
- Super absorbent polypropylene is non-hazardous and non-allergenic
- Easy to use and will not degrade or chemically react with absorbed liquids
- Water repellent (hydrophobic) – can be used in and around water
- Absorb 344L per roll
- Dimensions: 50(l)m x 1(w)m
- Colour: White



Item Code
SCOF50T

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT



OIL & FUEL ABSORBENT PILLOW

- Suitable for placing under machinery and drums leaking oils and fuels
- Repels water
- Size: 450 x 450mm
- Sold individually



Item Code	Bishops Code
DB206	55080072

OIL & FUEL ABSORBENT PILLOWS



- Absorbs oil, fuel, diesel, petrol and other hydrocarbons
- Use to absorb and clean up large pooled spills
- Large oil and fuel absorbent pillow made from compressed, meltblown polypropylene
- Super absorbent with high absorbency to weight ratio
- Water repellent (hydrophobic) – can be used in and around water
- Easy to use and will not degrade or chemically react with absorbed liquids
- Non-hazardous and non-allergenic with little or no dust
- Absorbs up to 14L per pillow
- Dimensions: 580 x 370mm
- Colour: White



Item Code	Bishops Code
SCOF5837	55080086

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

OIL & FUEL FLOATING ABSORBENT BOOMS

- Absorbs oils, fuels and other hydrocarbons
- Repels water, making it ideal for rivers, creeks, canals and other marine environments
- Doubled outer layer for extra durability



Item Code	Size	Pack Qty	Bishops Code
FB201/4	200mm x 3m	4	55080090
FB214/2	200mm x 6m	2	55080095

OIL & FUEL ABSORBENT BOOMS



- Absorbs oil, fuel, diesel, petrol and other hydrocarbons
- Use to contain, divert and clean up leaks, drips and spills in the workplace
- Oil and fuel only absorbent mini boom with high absorbency to weight ratio
- Super absorbent, non-hazardous, non-allergenic and will not degrade or chemically react with absorbed liquids
- Water repellent (hydrophobic) – can be used in and around water
- Colour: White



Item Code	Absorption	Dimensions	Bishops Code
SCOF12075	7L	1.2m x 7.5cm	55080096
SCOF30075	18L	3.0m x 7.5cm	55080087

HAZCHEM ABSORBENT PADS

- Absorb spills of hazardous chemicals/liquids
- Hazchem polypropylene absorbent pad with high absorbency to weight ratio
- Super absorbent, non hazardous and non-allergenic
- Easy to use and will not degrade or chemically react with absorbed liquids
- Colour: Pink



Item Code	Description	Absorption	Pack Qty	Size	Bishops Code
SCH45S-50	Standard Duty	33L Per Pack	50	450 x 450mm	55080080
SCH41T-50	Heavy Duty	70L Per Pack	50	400 x 500mm	55080082

HAZCHEM ABSORBENT ROLL

- Provides fast coverage over large areas
- Absorbs up to 20 times its weight of acids, caustics, alkalis, oils and fuels
- Meets EPA requirements
- 400gsm
- Roll size: 50m x 50m



Item Code	Bishops Code
EBR309	55080086

HAZCHEM ABSORBENT PILLOW



- Absorb spills of hazardous chemicals/liquids
- Hazchem absorbent polypropylene pillow with high absorbency to weight ratio
- Super absorbent, non-hazardous and non-allergenic
- Will not degrade or chemically react with absorbed liquids
- Absorbs 3.4L per pillow
- Dimensions: 340 x 220mm
- Colour: Pink



Item Code	Bishops Code
SCH3422	55080084

HAZCHEM ABSORBENT MINI BOOM



- Use to contain, divert and clean up leaks, drips and spills of hazardous chemicals in the workplace or form an absorbent barrier around drums, vehicles and machinery
- Hazchem absorbent polypropylene mini boom with high absorbency to weight ratio
- Super absorbent, non hazardous and non-allergenic
- Will not degrade or chemically react with absorbed liquids
- Absorbs 7L per boom
- Dimensions: 1.2m x 7.5cm diameter
- Colour: Pink



Item Code	Bishops Code
SCH12075	55080096

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT



ABSORBENT SWEEP, DRAIN COVERS & WIPES

SAFETY EQUIPMENT & CONSUMABLES

HAZCHEM ABSORBENT BOOMS

- Absorbs acids, caustics, alkalis, oils and fuels
- Can absorb up to 20 times its weight
- Meets EPA requirements
- Blue



Item Code	Size	Bishops Code
EMB12100	75mm x 1.2m	55080097
EMB30100	75mm x 3.0m	55080098

FLOORSWEEP PREMIUM BIOACTIVE ABSORBENT

- Premium cellulose absorbent
- Encapsulates oil spills and breaks down hydrocarbons
- Advanced compound for rapid absorption
- Unlike other absorbent, does not contain crystalline silica which is harmful to humans
- Environmentally friendly
- Safe for landfill
- 10kg bag



Item Code	Bishops Code
FS10KG	55080369

BUDGETSORB FLOORSWEEP

- General purpose floorsweep for concrete and hard surfaces
- Absorbs oil, fuel, acids, bases, coolants, paint, solvents and chemicals
- Made from a 100% renewable resource – a blend of coir peat and cellulose based organics
- 100% organic and biodegradable
- Non-abrasive and non-leaching – organic fibre will not discharge absorbed pollutants
- Fast wicking action – ideal for placing on and around a spill to solidify and absorb before sweeping up



Item Code	Size	Absorption	Bishops Code
BSB20L	20L/3.6kg	Up to 11L Per Bag	55080355
BSB50L	50L/9kg	Up to 27L Per Bag	55080360

HAZCHEM ABSORBENT PARTICULATE

- Absorb acids, bases, coolants, paint, solvents, oil and hazardous chemicals
- Ideal for placing on and around a spill to solidify and absorb
- Compressed meltblown polypropylene loose absorbent fibre
- Super absorbent, non-leaching, non-hazardous and non-allergenic with high absorbency to weight ratio
- Easy to use and will not degrade or chemically react with absorbed liquids
- Absorb up to 50L per bag
- Bag size: 2.5kg
- Colour: Pink



Item Code
SCHPC

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

DRAIN WARDEN WITH PILLOW



- Capture solids, silt and oils in stormwater drains
- Place below a stormwater drain grate to minimise or prevent hydrocarbons/sediment from entering the drain
- Heavy duty 200 micron geotextile fabric with integral flow bypass (for periods of high flow)
- Contains an oil and fuel absorbent pillow which is hydrophobic (water repellent) – can absorb up to 14L of oil
- Suitable for drains up to 1m² – fabric is cut to suit drain size or shape
- Additional or replacement pillows can be ordered separately (Item Code: SCOF5837)



Item Code
ST12

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

DRAIN COVERS



- Prevent spills from entering drains
- Heavy duty urethane construction
- Flexible, 'sticky' urethane which moulds to even and uneven surfaces
- Provides protection for a wide range of chemicals and hydrocarbons
- Includes bright yellow 'Canvacon' carry/storage bag with velcro closure
- Protectors are easily cleaned, stored and available to reuse
- Choose a size that overlaps your drain grate by at least 10cm
- Do not leave in direct heat for long periods of time



Item Code	Size
UDP600	0.6m x 0.6m
UDP900	0.9m x 0.9m
UDP1200	1.2m x 1.2m

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

WORKTUFF ALL PURPOSE WIPES



- Tough construction so they won't fall apart, even after absorbing six times their weight in liquid
- Clean up most liquids including coolant, degreaser, fuels, oils, grease or even water
- Ideal for cleaning hydraulic hoses, fuel lines, pipes, fittings, equipment, machinery, tools, work benches and hands
- Tough, durable and super absorbent polypropylene wipe
- Lint-free
- Size: 300 x 300mm
- 50 per pack



Item Code
GAPW

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

GET MORE AT BISHOPS



BAG OF RAGS

Page 403

GENERAL PURPOSE 30L VEHICLE SPILL KIT



- Suitable to absorb all liquids including coolant, oil, fuel, degreaser, paint, blood and mild acids
- Stows easily in vehicles behind seats, in trailers, work trucks, cabs and trays

Includes:

- 1 x Grey General Purpose Absorbent Mini Boom – 1.2m x 7.5cm
- 10 x Spill Crew Grey General Purpose, Medium Duty, Absorbent Pads – 45 x 45cm
- 1 x Pair Red Gauntlet PVC Gloves – 450mm long (EN388 3121 rating)
- 2 x Polyethylene Contaminated Waste Disposal Bags – 100micron
- 1 x 500g Drum Seal
- 1 x Blue PVC Carry Bag



Item Code	Bishops Code
SKGPMT-CS1	55080006

OIL & FUEL 50L LIGHT VEHICLE SPILL KIT



- Suitable to absorb oil, fuel, diesel, petrol, solvents and other petroleum products
- Stows easily in vehicles behind seats, in trailers, work trucks, cabs and trays

Includes:

- 20 x White Oil & Fuel Standard Duty Pads – 45 x 45cm
- 1 x White Oil & Fuel Absorbent Mini Boom – 1.2m x 7.5cm
- 1 x 8L Bag Global Peat Oil & Fuel Absorbent
- 1 x Polyethylene Contaminated Waste Disposal Bag – 100micron
- 1 x Pair Red Gauntlet PVC Gloves – 450mm long (EN388 3121 rating)
- 1 x A4 Spill Kit Instructions
- 1 x Yellow PVC Carry Bag – 660 x 1,025mm



Item Code	Bishops Code
SKHMT-CS	55080004

GENERAL PURPOSE 120L PREMIUM SPILL KIT



- Suitable to absorb all liquids including coolant, oil, fuel, degreaser, paint, blood, mild acids
- Ideal for indoor and outdoor – workshops, laundries, hospitals, water treatment plants

Includes:

- 3 x Grey General Purpose Absorbent Mini Boom – 1.2m x 7.5cm
- 1 x Grey General Purpose Absorbent Mini Boom – 2.4m x 7.5cm
- 1 x 50 Pack Grey General Purpose Low Lint Absorbent Pads – 45 x 45cm
- 1 x 50L Bag Budgetsorb Floorsweep Absorbent
- 5 x Polyethylene Contaminated Waste Disposal Bags – 100micron
- 1 x Pair Red Gauntlet PVC Gloves – 450mm long (EN388 3121 rating)
- 1 x 120L Wheelie Bin – Sky Blue
- 1 x General Purpose Front Label
- 1 x A4 Spill Kit Instructions



Item Code	Bishops Code
SKGP120-CS1	55080000

OIL & FUEL 50L SMALL TRUCK SPILL KIT



- Suitable to absorb oil, fuel, diesel, petrol, solvents and other petroleum products
- Ideal for unsealed areas in and around mine sites, drilling rigs and workshops

Includes:

- 50 x White Oil & Fuel Standard Duty Pads – 45 x 45cm
- 3 x White Oil & Fuel Absorbent Mini Booms – 1.2m x 7.5cm
- 2 x Small White Oil & Fuel Absorbent Pillows – 34 x 22cm
- 1 x Pair Red Gauntlet PVC Gloves – 450mm long (EN388 3121 rating)
- 3 x Polyethylene Contaminated Waste Disposal Bags – 100micron
- 1 x A4 Spill Kit Instructions
- 1 x Yellow PVC Carry Bag – 660 x 1,475mm



Item Code	Bishops Code
SKHMDT-CS1	55080005

GENERAL PURPOSE 240L SPILL KIT



- Suitable to absorb all liquids including coolant, oil, fuel, degreaser, paint, blood and mild acids
- Ideal for indoor and outdoor – workshops, laundries, hospitals, water treatment plants

Includes:

- 40 x Grey General Purpose Low Lint Absorbent pads – 45 x 45cm
- 3 x Grey General Purpose Absorbent Mini Booms – 1.2m x 7.5cm
- 1 x Grey General Purpose Absorbent Mini Booms – 2.4m x 7.5cm
- 3 x General Purpose Absorbent Pillows – 34cm x 22cm
- 3 x 50L Bags Budgetsorb Floorsweep
- 1 x Pair Red Gauntlet PVC Gloves – 450mm long (EN388 3121 rating)
- 5 x Polyethylene Contaminated Waste Disposal Bags – 100micron
- 1 x Audit Tag
- 1 x 240L Wheelie Bin – Sky Blue
- 1 x PVC Wheelie Bin instruction Sheet Holder
- 1 x A4 Spill Kit Instructions
- 1 x General Purpose Front Label



Item Code	Bishops Code
SKGPB240-CS1A	55080002

OIL & FUEL 120L SPILL KIT



- Suitable to absorb oil, fuel, diesel, petrol, solvent and other petroleum products
- Ideal for sealed surfaces in and around workshops, warehouses or loading docks

Includes:

- 2 x White Oil & Fuel Absorbent Mini Booms – 1.2m x 7.5cm
- 1 x Small White Oil & Fuel Absorbent Pillows – 34 x 22cm
- 20 x White Heavy Duty Oil & Fuel Pads – 45 x 45cm
- 2 x 20L Bags Budgetsorb General Purpose Absorbent Floorsweep
- 7 x Polyethylene Contaminated Waste Disposal Bags – 100micron
- 1 x Pair Red Nitrile Gloves – 33cm (Size 9)
- 1 x Dustpan & Nylon Brush
- 1 x 120L Yellow Wheelie Bin
- 1 x A4 Spill Kit Instructions



Item Code	Bishops Code
SKH120-CS4	55080001



SPILL KITS

SAFETY EQUIPMENT & CONSUMABLES

MARINE 190L SPILL KIT



- Suitable to absorb oil, fuel, diesel, petrol, solvents and other petroleum products
- Ideal for harbours, ponds, ports, marinas or inland waterways
- Absorbent capacity: Up to 190L

Includes:

- 10 x Heavy Duty Oil & Fuel Pads
- 3 x Bilge Socks
- 2 x Oil & Fuel Marine Booms
- 1 x Heavy Duty Oil & Fuel Absorbent Roll
- 2 x Pairs Red PVC Gloves
- 3 x Audit Tags
- 10 x Disposable Contaminated Waste Bags
- 1 x Spill Kit Lid Cover



Item Code	Bishops Code
SKM240-CS1	55080045

OIL & FUEL 240L SPILL KIT



- Suitable to absorb oil, fuel, diesel, petrol, solvent and other petroleum products
- Ideal for sealed surfaces in and around workshops, warehouses or loading docks

Contents

- Includes: x 50 Pack White Oil & Fuel Standard Duty Pads – 45 x 45cm
- 4 x White Oil & Fuel Absorbent Mini Booms – 1.2m x 7.5cm
- 1 x Large White Oil & Fuel Absorbent Pillow – 58 x 37cm
- 2 x 28L Bags Global Peat Oil & Fuel Floor Absorbent
- 4 x Pairs Red Gauntlet PVC Gloves – 450mm long (EN388 3121 rating)
- 5 x Polyethylene Contaminated Waste Disposal Bags & Ties – 100micron
- 5 x Cable Ties
- 1 x Dustpan & Nylon Brush
- 1 x A4 Spill Kit Instructions
- 1 x 240L Wheelie Bin – Yellow



Item Code	Bishops Code
SKH240-CS11	55080003

HAZCHEM 20L SPILL KIT



- Suitable to absorb acids, bases, coolants, solvents, oils, fuels and hazardous chemicals
- Ideal for vehicles, workshops, warehouses, factories and laboratories

Includes:

- 1 x Pink Hazchem Absorbent Mini Boom – 1.2m x 7.5cm
- 1 x Contaminated waste disposal bag, polyethylene – 100micron
- 10 x Pink Standard Duty Hazchem Absorbent Pads – 45 x 45cm
- 1 x Pair Red Gauntlet PVC Gloves – 450mm long (EN388 3121 rating)
- 1 x Red PVC Carry Bag with Label – 660 x 1,025mm



Item Code	Bishops Code
SKCMT-CS1	55080024

HAZCHEM 240L HIGH PERFORMANCE SPILL KIT



- Suitable to absorb acids, bases, coolants, solvents, oils, fuels, and hazardous chemicals
- Ideal for workshops, warehouses, factories, chemical plants and laboratories

Includes:

- 3 x Pink Hazchem Absorbent Mini Boom – 1.2m x 7.5cm
- 1 x Pink Hazchem Absorbent Mini Boom – 2.4m x 7.5cm
- 2 x 50 Packs Pink Hazchem Standard Duty Absorbent Pads – 45 x 45cm
- 2 x 2.5kg Bags Pink Polypropylene Hazchem Absorbent Particulate
- 1 x Pair Nitrile Gloves – 33cm (Size 9)
- 1 x Chemmax1 Type 3-4 Coverall – X-Large
- 1 x 500g Drum Seal
- 1 x Safety Goggles
- 10 x Polyethylene Contaminated Waste Disposal Bags – 100micron
- 1 x 240L Wheelie Bin – Red
- 3 x Audit Tags
- 1 x A4 Spill Kit Instructions



Item Code	Bishops Code
SKC240-CS1	55080042

CONTAMINATED WASTE BAGS

- Heavy duty bags made from chemical resistant polyethylene
- To be used at the end of the spill clean up procedure
- Comes with cable ties to secure the contents of each bag
- 560(l) x 700(w)mm
- Thickness: 150µm
- 10 per pack



Item Code	Bishops Code
X-BAT10	55080365

GET MORE AT BISHOPS



GENERAL RUBBISH BINS

Page 409

VORTEX HIGH TEMPERATURE INFERNO



- Use to incinerate used absorbents, oily waste, filters and other combustible waste
- High temperature incinerator for absorbents, greasy rags, oil and fuel filters, office waste, food service waste, packing material and non infectious waste
- Incinerated waste can be safely sent to landfill for disposal
- Design based on the 3Ts principle – Time, Turbulence and Temperature
- Small and portable with stainless steel frame
- 240V electric blower with RCD protection and flow control valve
- Includes air lance with adjustable air flow control valve
- Includes drum grate (supplied loose) to fit a standard 205L open head drum
- One person only required to load and operate the unit
- 99% smoke, ash and pollution free (emission test report available upon request)
- Flue extender sold separately

Flue Extender:

- Extend the flue of the incinerator secondary chamber outlet
- Stainless steel construction
- 900mm long x 250mm diameter
- Inferno sold separately



CSSVI-1

Item Code	Description
CSSVI-1	Vortex High Temperature Inferno
CSSVI-F	Flue Extender

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

GET MORE AT BISHOPS



CHEMICAL RESISTANT GLOVES

Page 10

DRIP TRAYS

- Perfect for janitorial storage rooms and automotive workshops
- Made of polyethylene for excellent chemical resistance



Item Code	Description	Capacity	Size	Bishops Code
TSSDTM	Medium	20L	520(l) x 360(w) x 80(h)mm	55080250
TSSDTL	Large	45L	810(l) x 610(w) x 100(h)mm	55080260

STORAGE TRAYS

- Provides safe, banded storage drums and containers
- Ribbed base design provides additional strength and spill clearance
- Made from chemical resistant rotomoulded polyethylene for superior durability
- No grate



55080272

Item Code	Description	Capacity	Size	Bishops Code
TSSGPT1	Medium	110L	730(l) x 730(w) x 295(h)mm	55080270
TSSGPT2	Large	230L	1,290(l) x 730(w) x 295(h)mm	55080272

DRUM OVERPACKS

- Made of high-density yellow polyethylene
- Tool-free screw-down closure with gasket lid for positive seal
- Weatherproof with UV inhibitors
- Nestable for convenient storage
- Approved for use with Packaging Group I, II and III
- Certified for use as DOT salvage drums 49 CFR 173.3(c)
- UL 94HB flammability rating
- FDA 21 CFR 177.1520 food grade
- Capacity: 360L



Item Code	Bishops Code
TSS1237	55080130

PORTABLE WASH PAD

- 900gsm PVC material
- Compact and portable wash pad
- Foam-filled ends allow for easy drive-through
- Open size: 3 x 6m
- Folded size: 600 x 800 x 350mm
- Weight (dry): 20kg



Item Code	Bishops Code
TSSWPS	55080398

STANDARD DUTY COLLAPSIBLE BUNDS



- Pop-up portable bund to create a safe and secure spill containment area to capture drips, leaks or spills
- Use to store drums, IBCs, machinery or vehicles
- Externally mounted wall braces permit the walls to be quickly collapsed for access
- Rapid set up and set down
- Ideal for use as a washpad for vehicles, plant or machinery
- Standard duty 900gsm orange PVC
- Compatible with oil, diesel and a range of chemicals (refer to GSC for specific compatibility)
- Supplied with carry/storage bag



SCCB2.4x2.4-SD

Item Code	Size	Bishops Code
SCCB2.4x2.4-SD	2.4 x 2.4m	*SCCB2.4x2.4-SD
SCCB3.6x2.4SD	3.6 x 2.4m	55080390
SCCB6.8x3.2SD	6.8 x 3.2m	55080395

*** - SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT**



SPILL BUNDS & PALLETS

HEAVY DUTY COLLAPSIBLE BUNDS

Global Spill & Safety



- Pop-up portable bund to create a safe and secure spill containment area to capture drips, leaks or spills
- Use to store drums, IBCs, machinery or vehicles
- Externally mounted wall braces permit the walls to be quickly collapsed for access to the bund
- Rapid set up and set down
- Ideal for use as a washpad for vehicles, plant or machinery
- Manufactured from heavy duty 1,350gsm black PVC
- Compatible with oil, diesel and a range of chemicals (refer to GSC for specific compatibility)
- Supplied with carry/storage bag



SCCB3 2X2-HD

Item Code	Size	Bishops Code
SCCB2.4X1.2HD	2.4 x 1.2m	55080380
SCCB3.2X2-HD	3.2 x 2m	55080385

2 DRUM SPILL CONTAINER



- Compatible with most forklifts and pallet trucks
- Helps to create an OH&S compliant workplace
- Non-skid removable deck
- Suits 205L drums
- Sump capacity: 236L
- Dimensions: 750(l) x 1,300(w) x 440(h)mm
- Weight: 20kg



Item Code

SJ-100-002

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

STACKABLE 4 DRUM SPILL CONTAINER



- Compatible with most forklifts and pallet trucks
- Helps to create an OH&S compliant workplace
- Suits 205L drums
- Non-skid removable deck
- Sump capacity: 236L
- Dimensions: 1,460(l) x 1,460(w) x 305(h)mm
- Weight: 37kg



Item Code

SJ-110-006

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

2 DRUM BUNDED PALLET



- Can store up to 2 x 205L drums
- Spill capacity: 230L – exceeds Australian Standards
- Corrosion resistant
- Pallet truck and forklift friendly
- Unique spill gutter – immediately identify if a product is leaking as the liquid flows to the edges
- Removable, non-slip, heavy-duty fibreglass grate
- UV stable heavy-duty poly construction
- Nestable for transport
- 1,290(l) x 860(w) x 440(h)mm
- SWL: 500kg
- Weight: 28kg



Item Code

MXP1001

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

4 DRUM BUNDED PALLET



- Can store up to 4 x 205L drums
- Spill capacity: 230L – exceeds Australian Standards
- Corrosion resistant
- Pallet truck and forklift friendly
- Unique spill gutter – immediately identify if a product is leaking as the liquid flows to the edges
- Removable, non-slip, heavy-duty fibreglass grate
- UV stable heavy-duty poly construction
- Nestable for transport
- 1,290(l) x 1,290(w) x 250(h)mm
- SWL: 1,000kg
- Weight: 33kg



Item Code

MXP1002

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

ROLL TOP DRUM SPILL PALLET

- Rotomoulded from 100% polyethylene
- Removable non-slip grates
- Lockable for extra security
- Can be moved with a forklift when loaded
- Meets EPA requirements
- Holds 4 x 205L drums
- Sump capacity: 410L
- 1,450(l) x 1,400(w) x 2,070(h)mm
- Comes flat packed



Item Code

TSSBP4RT

Bishops Code

55080136

POLYETHYLENE SPILL PALLETS

Global Spill & Safety



- Heavy duty Australian Made storage bund to capture leaks, drips and spills
- Manufactured from chemical resistant polyethylene for corrosion resistance to oils, fuels and most chemicals
- Removable polypropylene grated tops – allows easy access for draining or cleaning
- Built-in spill containment sump
- Load tested in Australia by NATA accredited engineers – dynamic compression test certificate(s) available



Item Code	Drum Capacity	Max. UDL	Sump Capacity	Dimensions	Bishops Code
DB2G	2 x 205L	1,100kg	246L	123(l) x 64(w) x 51.5(h)cm	55080100
DB3G	3 x 205L – In-Line	1,100kg	250L	182(l) x 63(w) x 35(h)cm	*DB3G
DB4G	4 x 205L	2,800kg	242L	123(l) x 123(w) x 28(h)cm	55080120
DB4GIL	4 x 205L – In-Line	2,800kg	245L	242(l) x 62(w) x 25.2(h)cm	*DB4GIL

SPILL PALLET COVERS

COVS-DB2G	Cover to Suit 2 Drum Spill Pallet	55080142
COVS-DB4G	Cover to Suit 4 Drum Spill Pallet	55080138

* – SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

SINGLE IBC BUNDED PALLET

- Stores 1 x 1,000L IBC
- Spill capacity: 1,150L – exceeds Australian Standards
- Corrosion resistant
- Pallet truck and forklift friendly
- Anti-slip, heavy duty FRP grating
- Low profile, zero 'pooling' area for dangerous chemicals
- Super heavy-duty polyethylene construction for harsh climates
- Solid tapered lip for maximum rigidity and longevity
- Nestable for transport
- 1,760(l) x 1,350(w) x 800(h)mm
- SWL: 1,650kg
- Weight: 107kg



Item Code	Bishops Code
MXP6001	55080146

DOUBLE IBC BUNDED PALLET

- Stores 2 x 1,000L IBC
- Spill capacity: 1,300L – exceeds Australian Standards
- Corrosion resistant
- Pallet truck and forklift friendly
- Anti-slip, heavy duty FRP grating
- Low profile, zero 'pooling' area for dangerous chemicals
- Super heavy-duty polyethylene construction for harsh climates
- Solid tapered lip for maximum rigidity and longevity
- Nestable for transport
- 2,550(l) x 1,350(w) x 580(h)mm
- SWL: 3,200kg
- Weight: 116kg



Item Code	SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT
MXP6002	

POLYETHYLENE IBC SPILL PALLETS

- Heavy duty Australian made storage bund to capture leaks, drips and spills
- Manufactured from chemical resistant polyethylene for corrosion resistance to oils, fuels and most chemicals
- Includes drain plugs in sump
- Forklift pockets for easy relocation
- Load tested in Australia by NATA accredited engineers – dynamic compression test certificate(s) available



Item Code	Capacity	Max. UDL	Sump Capacity	Dimensions	Bishops Code
DBSIBC	1 x 1,000L IBC	2,000kg	1,150L	190(l) x 150(w) x 75(h)cm	55080148
DBDIBC	2 x 1,000L IBC	3,600kg	1,470L	278(l) x 148(w) x 66(h)cm	*DBDIBC

* – SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

IBC SPILL PALLET COVERS

- Allows IBC tanks to be safely stored outdoors while protecting the load and the sump from rainwater
- Made from welded heavy duty coated PVC
- Elastic shock cord keeps cover in place
- Easily removable when access is required



Item Code	Description	Bishops Code
TSSBB1C	Single IBC Spill Pallet Cover	55080132
TSSBB2C	Dual IBC Spill Pallet Cover	55080134

2 DRUM BUND PVC COVER & GALVANISED FRAME

- Cover and frame to suit 2 drum bund
- Heavy-duty UV stabilised PVC
- Flat packs for transport
- Easy to assemble
- Tonneau bars to support the roof during heavy rainfall and prevent pooling
- Double zip offers easy access for loading and unloading
- Camlock straps to secure the PVC cover to the frame
- Galvanised steel frame
- Bund not included
- Height: 1,300mm



Item Code	SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT
MXP6501	

4 DRUM BUND PVC COVER & GALVANISED FRAME

- Cover and frame to suit 4 drum bund
- Heavy-duty UV stabilised PVC
- Flat packs for transport
- Easy to assemble
- Tonneau bars to support the roof during heavy rainfall and prevent pooling
- Double zip offers easy access for loading and unloading
- Camlock straps to secure the PVC cover to the frame
- Galvanised steel frame
- Bund not included
- Height: 1,300mm



Item Code	SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT
MXP6502	

SINGLE IBC BUND PVC COVER & GALVANISED FRAME

- Cover and frame to suit single IBC bund
- Heavy-duty UV stabilised PVC
- Rigid tonneau bars to support roof during heavy rainfall and stop it pooling
- Double full length zippers ensure easy access to the bund while providing a weather proof seal
- Robust design galvanised RHS frame to contend with tough exterior conditions
- Easy to assemble
- Camlock straps to secure the PVC cover to the frame
- Internal dimensions: 1,700(l) x 1,300(w) x 1,640(h)mm
- Bund not included
- 38kg



Item Code	SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT
MXP6503	

DOUBLE IBC BUND PVC COVER & GALVANISED FRAME

- Cover and frame to suit double IBC bund
- Heavy-duty UV stabilised PVC
- Rigid tonneau bars to support roof during heavy rainfall and stop it pooling
- Double full length zippers ensure easy access to the bund while providing a weather proof seal
- Robust design galvanised RHS frame to contend with tough exterior conditions
- Easy to assemble
- Camlock straps to secure the PVC cover to the frame
- Internal dimensions: 2,300(l) x 1,300(w) x 1,640(h)mm
- Bund not included
- 40kg



Item Code	SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT
MXP6504	



FIRE EXTINGUISHER GUIDE

Colour	Type	Class						Comments
		A	B	C	D	E	F	
	Water	✓	✗	✗		✗	✗	Dangerous if used on flammable liquid, energised electrical equipment and cooking oil/fat fires.
	Wet Chemical	✓	✗	✗		✗	✓	Dangerous if used on energised electrical equipment.
	Foam	✓	✓	✗		✗	⚠	Dangerous if used on energised electrical equipment.
	Powder ABE	✓	✓	✓		✓	✗	Look carefully at the extinguisher to determine if it is a BE or ABE Powder BE unit as the capability is different.
	Powder BE	✗	✓	✓		✓	✓	
	Carbon Dioxide	⚠	⚠	✗		✓	✗	Not suitable for outdoor use or smouldering deep seated A Class fire.
	Vaporising Liquid	✓	⚠	⚠		✓	✗	Check the characteristics of the specific extinguishing agent. 5 yearly servicing must be done by ODS & SGG licensed persons.
	Fire Blanket	⚠	⚠	✗		✗	✓	Fire Blankets may be used as a thermal barrier against radiated heat and to control a fire on clothes being worn by a person.

Use only special purpose extinguishers and seek expert advice.

- Class A** = Wood, Paper, Plastic
- Class B** = Flammable & Combustible Liquids
- Class C** = Flammable Gases
- Class D** = Metal Fire
- Class E** = Electrically Energised Equipment
- Class F** = Cooking Oils & Fats

- ✓ the class or classes in which agent is most effective
- ✗ not recommended for these class of fires
- ⚠ indicates that the Extinguishant is not the agent of choice for the class of fire, but it may have a limited extinguishing capability
- ⚠ solvents such as alcohol or acetone mix with water and therefore require special foam



DONT FORGET THE PASS WORD

- P**ull the pin
- A**im low at the base of the fire
- S**queeze the handle to spray the fire
- S**weep from side to side at the base of the fire until extinguished

FIRE BLANKET

- Blankets consist of a woven fibreglass fire resistant fabric
- Single use only
- Designed to fight a variety of stove top fires from fat and cooking oils, as well as clothing fires
- Can be kept in the kitchen, caravan or boat
- Blanket size: 1.2 x 1.8m
- Complies with:
 - AS/NZS 3504



Item Code	Bishops Code
EFB-12	55090304

ABE TYPE FIRE EXTINGUISHERS

- Dry Chemical Powder (DCP)
- Multi-purpose extinguishers, suitable to use on fires involving wood, cloth, paper, combustible liquids, electrical equipment and more
- Not recommended for use on fat fires in the kitchen



Size	Bishops Code	Size	Bishops Code
1kg	55090306	4.5kg	55090310
2.5kg	55090308	9kg	55090320

FOAM FIRE EXTINGUISHER

- Rating 3A: 20B
- Fitted with a shock-absorbing base for extra strength and safety
- Suitable for wood, paper and plastic fires (type A fires), flammable and combustible liquids (type B fires) and cooking oils and fats (type F fires – limited)
- Dangerous if used on electrical fires



Size	Bishops Code
9L	55090360

CO₂ FIRE EXTINGUISHER

- Lightweight aluminium alloy cylinder
- Transport style pull-out pin
- Forged brass head
- Complies to standards AS 1841.6
- Recommended for Class E electrical hazard fires, but also has limited capabilities for extinguishing small, indoor Class A paper and Class B flammable liquid fires



Size	Bishops Code
5kg	55090365

FIRE EXTINGUISHER BRACKETS

- Designed to safely secure a fire extinguisher to a vehicle or wall



55090382



55090325

Description	Bishops Code
Heavy Duty – Suit 2.5kg to 4.5kg Extinguisher	55090382
Heavy Duty – Suit 9kg Extinguisher	55090325

FIRE EXTINGUISHER COVERS

- Designed to protect fire extinguishers in harsh and dusty environments
- Also suitable for use outdoors
- Maximum UV resistance



Description	Bishops Code
To Suit 1.0kg & 1.5kg Extinguishers	55090340
To Suit 2.5kg & 4.5kg Extinguishers	55090345
To Suit 9.0kg Extinguishers	55090350

FIRE HOSE REEL

- Comes with chrome brass spray jet nozzle
- Hose size: 36m x 19mm



Item Code	Bishops Code
EA36HR	55090300

FIRE HOSE REELS, CABINETS & ACCESSORIES

AUSTRALIAN STANDARD HOSE REELS

Applications:

- Fire hose reels are designed to be used as a first response action method which any member of the community can use
- They are suitable for Class A fires

Features:

- Factory assembled with 36m x 19mm hose
- Twist operation brass hose nozzle
- Waterway gooseneck to prevent the hose from collapsing when wound onto the reel
- Corrosion-resistant waterway
- Watermark certified stop valve
- Conforms to AS/NZS 1221:1997

HOSE REEL CABINETS

Applications:

- A fire hose reel cabinet is designed to assist with the prevention of damage, deterioration, and vandalism of a fire hose reel

Features:

- Comply to Australian standards
- Designed with building contractors requirements in mind for good presentation, space-saving, and functional design
- Easy to install with connections to hose reel inlet



Stainless Steel Hose Reel



Fixed Hose Reel



Hose Reel Cabinet



Fixed Hose Reel Cabinet



Hose Reel Cover



Hose Reel Sign



SPECIAL ORDER: CONTACT YOUR BISHOPS REPRESENTATIVE FOR MORE INFORMATION & TO ORDER THESE PRODUCTS

NOZZLES

Applications:

- A wide variety of nozzles are suitable for water service within many environments such as marine, mining, industrial, and manufacturing from high-pressure washdown to fire protection

Features:

- Power jet twist spray nozzles
- Refinery fog nozzles
- Size range 3/4" to 1 1/2"
- Female pipe thread suitable for BSP or NPT
- FM approved options available

Materials:

- Polycarbonate
- Brass
- Thermoplastic
- Rubber gasket to create a pressure-type seal



Polycarbonate Nozzles



SPECIAL ORDER: CONTACT YOUR BISHOPS REPRESENTATIVE FOR MORE INFORMATION & TO ORDER THESE PRODUCTS



LOCKOUT/TAGOUT

What is Lockout/Tagout?

Lockout/Tagout (LOTO) is an important safety procedure that minimises the risk of injury or death during the maintenance or repair of equipment and machinery. A LOTO system ensures the energy source of equipment or machinery is shut down and can not be re-engaged until the required maintenance or repair is complete.

Lockout refers to the process of switching off and locking, also called isolating, the energy source of equipment or machinery using safety padlocks in conjunction with lockout devices that are specific to the energy source type. Energy sources vary, but commonly include electricity, hydraulic pressure, steam, gas or compressed air. An isolated energy source will prevent a worker from inadvertently switching on machinery or equipment while somebody is working on it.

Tagout refers to the labelling of a lockout device in order to communicate the reason for its isolation to others. Tags should provide comprehensive information on why isolation is required, the time of isolation and the name of the person who is performing the isolation. For a LOTO system to be effective, only the person who attaches a safety padlock and lockout device should remove them.

Who needs to use Lockout/Tagout?

Accidents that occur during maintenance or repair of equipment and machinery are often caused by non-isolated power sources and the dangers that come from this. All employers have a duty of care to workers on their site, and Lockout/Tagout procedures are therefore necessary for all workplaces with moving machinery or equipment.

What Lockout/Tagout equipment do I need?

To determine the LOTO equipment that you require at your workplace you should develop a comprehensive LOTO procedure. When putting together your LOTO procedure, you should consider:

- **How many employees you have on site** – this will affect the quantity of LOTO products required. For example, each employee needs to have their own safety padlock and they are the only person who is allowed to remove that padlock if it is isolating an energy source. Some employees may require more than one safety padlock, but their padlocks should all open with the same key to eliminate the need for carrying more than one key.
- **What energy sources you will need to isolate** – a comprehensive assessment of the machinery and equipment that may need to be isolated will allow you to determine the different LOTO products that are required. For example, some equipment may not have the ability to be isolated using just a safety padlock; they may require a valve lockout or a circuit breaker. You may also have machinery that will be worked on by more than one person at a time, which would require a safety lockout hasp or a group key box.

All machinery and equipment with hazardous energy sources should have their own tailored policy displayed next to the device.

All employees should be fully trained in following your Lockout/Tagout procedure.



0406 ZENEX™ NYLON SHACKLE PADLOCKS



- All components are non-sparking and non-magnetic – plastic, copper, brass
- Ideal for electrical isolations and areas prone to corrosion
- Tough, lightweight, non-conductive Zenex™ body withstands chemicals and performs effectively in extreme conditions
- Choice of 8 colours for easy lockout identification
- Key-retaining ensures padlocks are not left unlocked
- Laser engrave on up to 4 sides
- Reserved for safety keyway
- Keyed-to-differ as standard, also available keyed-alike and master-keyed
- Custom labelling available
- Shackle diameter: 6mm
- Shackle opening height: 38mm



Item Code	Colour	Bishops Code	Item Code	Colour	Bishops Code
0406BLK	Black	55075184	0406PRP	Purple	55075198
0406BLU	Blue	55075156	0406RED	Red	55075151
0406GRN	Green	55075161	0406YLW	Yellow	55075166
0406ORJ	Orange	55075178	-	-	-

0410 ZENEX™ LOCKOUT PADLOCKS



- Dedicated safety padlocks designed exclusively for lockout/tagout applications
- Tough, lightweight, dielectric Zenex™ body withstands chemicals and performs effectively in extreme conditions
- Choice of 8 colours for easy lockout identification
- Key-retaining ensures padlocks are not left unlocked
- Laser engrave on up to 4 sides
- Reserved for safety keyway
- Keyed-to-differ as standard, also available keyed-alike and master-keyed
- Custom labelling available
- Shackle diameter: 6mm
- Shackle opening height: 38mm



Item Code	Colour	Bishops Code	Item Code	Colour	Bishops Code
0410BLK	Black	55075170	0410PRP	Purple	55075187
0410BLU	Blue	55075155	0410RED	Red	55075150
0410GRN	Green	55075160	0410YLW	Yellow	55075165
0410ORJ	Orange	55075186	-	-	-

LOCKOUT PADLOCKS – KEYED ALIKE

- Safety padlocks suitable for lockout applications
- Nylon body with steel shackle
- High visibility colour
- Keyed alike
- Option to add additional padlocks on the same keying system
- 3 per pack
- Body size: 38 x 44 x 20mm
- Shackle diameter: 6.4mm



Item Code	Bishops Code
853206	55075175

S31 COMPACT LOCKOUT PADLOCKS



- Tough, lightweight, dielectric Zenex™ body withstands chemicals and performs effectively in extreme conditions
- 4.76mm 316 stainless steel shackle is ideal for fitting narrow or hard to reach isolation points
- Ideal for isolations outdoors or in corrosive environments
- Reserved for safety keyway
- Key-retaining ensures padlocks are not left unlocked
- Laser engrave on up to 4 sides
- Keyed-to-differ as standard, also available keyed-alike and master-keyed
- Custom labelling available
- Shackle diameter: 4.76mm
- Shackle opening height: 38mm



Item Code	Colour	Bishops Code	Item Code	Colour	Bishops Code
S31RED	Red	55075152	S31GRN	Green	55075162
S31YLW	Yellow	55075206	S31ORJ	Orange	55075212
S31BLU	Blue	55075208	S31WHT	White	55075176

A1105 ANODISED ALUMINIUM LOCKOUT PADLOCKS



- The American Lock No. A1105
- 38mm wide anodised aluminium body
- Chrome plated, boron alloy shackle for superior cut resistance
- Anodised finish is suitable for lockout in food processing facilities
- Corrosion resistant finish ideal for tough environments
- Shackle height: 25mm
- Shackle diameter: 6mm
- Keyed-to-differ as standard, also available keyed-alike and master keyed
- Longer shackles available on request



Item Code	Colour	Item Code	Colour	Item Code	Colour
S1105RED	Red	S1105GRN	Green	S1105BLK	Black
S1105YLW	Yellow	S1105PRP	Purple	S1105BRN	Brown
S1105BLU	Blue	S1105ORJ	Orange	S1105CLR	Silver

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

PHOTO IDENTIFICATION PADLOCK LABEL



- Padlock identification is an essential element of a safe and efficient lockout/tagout system
- Makes the user immediately identifiable
- Picture is sealed under laminate
- Accepts 19 x 19mm photo
- Suits Master Lock 406, 410, S31, and S33 padlocks
- Padlock not included
- 6 labels per pack



Item Code	Bishops Code
S142	55075145

ELECTRICIAN'S MINI LOCKOUT KIT

- Includes:**
- 1 x Carry Pouch
 - 1 x Red Padlock
 - 5 x Heavy Duty Lockout Tags
 - 1 x Small 'No Hole' Breaker Lockout
 - 1 x Large 'No Hole' Breaker Lockout
 - 1 x Universal Multi-Pole Lockout
 - 1 x Small Plug Lockout
 - 1 x 25mm Lockout Jaws
 - 1 x Single Breaker Lockout



Item Code	Bishops Code
848825	55075002

SAFETY LOCKOUT POUCHES & KITS



- Lockout kits combine and organise commonly used electrical and valve lockout devices
- Personal lockout kits are for an individual and all padlocks are supplied keyed alike
- Group lockout kits are for multiple workers and all padlocks are supplied keyed different
- More kits available, including valve lockout kits, combinations of electrical and valve lockout kits, or build your own



Item Code	Description	Bishops Code
1456P410KA	Personal Lockout Kit	55075013
1457V410KA	Personal Lockout Kit – Valve Focus	*1457V410KA
1457E410KA	Personal Lockout Kit – Electrical Focus	*1457E410KA
1457VE410KA	Personal Lockout Kit – Electrical & Valve Focus	*1457VE410KA
1458VE410	Group Lockout Kit – Electrical & Valve Focus	*1458VE410
S1010	Compact Lockout Pouch – Unfilled	55075001
S1017	Personal Lockout PVC Toolbox – Unfilled – 43.1(w)cm	*S1017
SAFETYPOUCH	Padlock Pouch – Unfilled	*SAFETYPOUCH
PEKS31REDKA6	Personal Lockout Pouch Kit	*PEKS31REDKA6

*** – SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT**

LOCKOUT HASPS



- Keeps equipment inoperative while repairs or maintenance are being undertaken
- Designed for multiple worker lockout



Item Code	Description	Size	Lock Capacity	Bishops Code
0416	Aluminium Hasp 25mm	25mm	6	55075111
0417	Aluminium Hasp 38mm	38mm	6	55075112
0418	Heavy Duty Steel Hasp	25mm	4	55075106
0419	Heavy Duty Steel Hasp	38mm	8	55075113
0420	Steel Hasp	25mm	6	55075105
0421	Steel Hasp	38mm	6	55075110
S430	Shackle Hasp	4mm	2	55075101
0428	Nylon Hasp	25mm	6	55075107
0429	Dual Jaw Aluminium Hasp		8	55075114
S440B	Aluminium Hasp		12	*S440B
S450B	Aluminium Hasp		24	*S450B

*** – SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT**



LOCKOUT/TAGOUT STATIONS & BOXES

LOCKOUT STATION

- 4.7mm thick bright acrylic board with acrylic lock rails
- Tag pockets are clear polycarbonate and suit 76.2mm wide tags
- Board size: 343 x 343mm
- Includes:**
 - 10 x Safety Padlocks
 - 2 x 25mm Metal Hasps
 - 2 x 38mm Metal Hasps
 - 12 x Heavy Duty Tags



Item Code	Bishops Code
51187	55075009

WALL MOUNTABLE LOCKOUT STATIONS

- Central location to access safety padlocks, tags, hasps and other essential devices
- Integrated one piece moulded construction
- Durable polycarbonate with translucent lockable cover
- Wall mountable
- Reinforced snap-on clips inside
- Designed for multiple workers with all locks supplied keyed different
- More kits available



S1850V410



1482B



1482BP410



S1850E410



1483B



1483BP410



S1800



1484B



1484BP410



S1900VE410

Item Code	Description	Bishops Code
1482B	4 Lock Covered Station Without Accessories	55075016
1482BP410	4 Lock Covered Station With Accessories	55075015
1483B	10 Lock Covered Station Without Accessories	55075018
1483BP410	10 Lock Covered Station With Accessories	55075017
1484B	20 Lock Covered Station Without Accessories	55075021
1484BP410	20 Lock Covered Station With Accessories	55075019
S1800	Deluxe Safety Tag Station	*S1800
S1850V410	Lockout Station (Valve Focus) With Accessories	*S1850V410
S1850E410	Lockout Station (Electrical Focus) With Accessories	*S1850E410
S1900VE410	Deluxe Wall Mounted Station (Electrical & Valve Focus) With Accessories	*S1900VE410

* - SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

GROUP LOCK BOXES



- Secure each lockout point with a single padlock and place the keys in the lock box
- All authorised employees then attach their personal padlocks to the lock box
- Durable powder coated finish
- 0503RED and 0503YLW can be mounted or carried between jobs and accept 14 padlocks or hasps
- S601 and S602 constructed from 430-grade stainless steel for corrosion resistance



0503RED

0503YLW



0498A



S601



S602

Item Code	Description	Capacity	Bishops Code
0498A	Latch Tight™ Portable Group Lock Box	12 Lock	55075012
0503RED	Latch Tight™ Group Lock Box	14 Lock	55075025
0503YLW	Latch Tight™ Group Lock Box	14 Lock	55075026
S601	Portable Group Lock Box with Key & Side Window	19 Lock	*S601
S602	Large Portable Group Lock Box with Key Window & Rewritable Tag	19 Lock	*S602

* - SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

COMPLETE PERMIT CONTROL LOCKOUT STATION



- Various lockout solutions for permit control and group isolation
- Permit Control Station:**
 - Portable or wall mounted single location to display and protect paperwork and padlocks for group lockout
 - Modular design allows various options for placement and use
 - 430 grade stainless steel with impact resistant polycarbonate windows
 - Group lock box contains a multiple lock hand caddy, removable key cup, exterior lock holes for personal safety locks, plus a hole in the latch for the control lock
 - Rubber seal to protect documents from water damage



PH1



IB3



S3500



S3650



S3502



S3501

Item Code	Description	Bishops Code
PH1	PVC A4 Permit Document Holder	55075003
IB3	PVC Group Isolation Box - 14 Lock	*IB3

PERMIT CONTROL LOCKOUT STATION

S3500	Permit Control Lockout Station	*S3500
S3501	Permit Control Lockout Station	*S3501
S3502	Wall Mounted Group Lock Box	*S3502
S3650	Group Lock Box & Wall Mount Bracket	*S3650

* - SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

PRESSURISED GAS VALVE LOCKOUT



- Surrounds the gas valve handle to protect against accidental valve opening
- Works on valves with or without guarding
- Fits valves up to 76mm diameter
- Works with any Master Lock or American Lock safety padlock or lockout hasp
- Multiple workers can apply their personal safety padlocks
- Padlock not included



Item Code

S3910

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

ZENEX™ GATE VALVE LOCKOUTS



- Surrounds the valve operating handle to protect against accidental valve opening
- Designed for multiple worker lockout
- Tough, lightweight, dielectric Zenex™ construction
- 5 piece set includes 0480-0484



55075055

Item Code	Handle Diameter Capacity	Bishops Code
0480	25–76mm	55075050
0481	50–127mm	55075051
0483	152–254mm	55075053
0484	203–330mm	55075054
0485	Set 5 Piece – 0480, 0481, 0482, 0483 & 0484	55075055

CABLE LOCKOUT DEVICES



- Integrated safety hasp and cable is ideal for multiple circuit breaker panel and side-by-side gate valve lockouts
- Tough lightweight thermoplastic body withstands chemicals and performs effectively in extreme conditions
- Tough, flexible insulated cables

Retractable Cable Lockouts:

- Internal ratcheting system to increase tension
- Colour coded labels and cable for easy identification



Item Code	Description	Cable Length	Bishops Code
S806CBL3	Adjustable Cable Lockout – Steel Cable	0.9m	55075071
S806	Adjustable Cable Lockout – Steel Cable	1.8m	55075072
S806CBL15	Adjustable Cable Lockout – Steel Cable	4.5m	55075073
S856	Retractable Cable Lockout – Steel Core Cable	2.7m	*S856
S866	Retractable Cable Lockout – Nylon Core Cable	2.7m	*S866

*** – SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT**

BUTTERFLY VALVE LOCKOUT DEVICES



- Lightweight and compact design
- Attaches to handle to prevent activation during maintenance or repair
- Universal design fits a wide range of butterfly valves
- Quick and easy installation and removal



Item Code	Description	Bishops Code
S3920	Butterfly Valve Lockout without Cable	55075035
S3921	Butterfly Valve Lockout with 4.5(d) x 900(l)mm Cable	55075036

BALL VALVE LOCKOUTS



- Effective lockout of ball valves to prevent re-energisation during maintenance or repair
- Simple, tool-free installation
- Durable design and materials



Item Code	Description	Bishops Code
S3068	Seal Tight™ Ball Valve Lockout	55075062
S3080	Adjustable Ball Valve Lockout	55075063
S3476	Handle-On Lockout Fits 6–25mm	55075065
S3477	Handle-On Lockout Fits 32–76mm	55075066
0468L	Handle-Off Seal Tight™ Ball Valve Lockout	55075064

GET MORE AT BISHOPS



EXTENSION LEADS

Page 368

MINIATURE CIRCUIT BREAKER LOCKOUTS



- Effectively lockout virtually any electrical circuit breaker to prevent accidental re-energisation during maintenance or repair
- Durable design and materials
- Accepts Master Lock safety padlocks and lockout hasps



Item Code	Description	Bishops Code
0491B	Grip Tight™ Circuit Breaker Lockout Tall & Wide Toggles	55075023
0493B	Grip Tight™ Circuit Breaker Lockout Single & Double Toggles	55075022
S3821	Grip Tight™ Plus Miniature Circuit Breaker Lockout	*S3821
S3822	Grip Tight™ Plus Circuit Breaker Lockout	*S3822
S3823	Grip Tight™ Plus Oversized Circuit Breaker Lockout	*S3823
CBL-2	Small Circuit Breaker Lockout	*CBL-2
S2390	Miniature Circuit Breaker Lockout Pin-Out Toggles – <11mm	55075020
S2391	Miniature Circuit Breaker Lockout Pin-Out Toggles – >11mm	55075029
S2393	Miniature Circuit Breaker Lockout Universal Fit	55075031
S2394	Miniature Circuit Breaker Lockout Universal Fit – Tool Free	55075032
FL1	Fuse Blocker Lockout	*FL1

*** – SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT**



ELECTRICAL LOCKOUT/TAGOUTS, SDS STORAGE & SAFETY TAGS

ZENEX™ ELECTRICAL PLUG LOCKOUTS

- Surrounds the electrical plug to prevent accidental activation
- Easy to use rotating design works well in confined or restricted spaces
- Dielectric Zenex™ thermoplastic body
- Rewritable safety labels



Item Code	Description	Bishops Code
0487	120V & 240V	55075130
0488	240V & 250V	55075135

PLUG & HOIST CONTROL COVER

- Flexible and durable rip-stop nylon bag fits easily in safety tool boxes
- Lockout with up to 6 padlocks or hasps
- Versatile solution for effective lockout of electrical plugs, pneumatic controls and more



Item Code	Size	Dimensions	Bishops Code
0453L	Large	431(h) x 158(w)mm	55075076
0453XL	X-Large	660(h) x 254(w)mm	55075077

DOCUMENT STORAGE BOXES

- Convenient solution to safely storing and managing manuals and documents
- Provides a secure and weather-resistant place for any documents or paperwork
- Colour: Red



Item Code	Description	Size
23303	Large Front Opening	400(h) x 340(w) x 90(d)mm
23304	Medium Front Opening	368(h) x 279(w) x 54(d)mm
23306	Medium Top Opening	318(h) x 260(w) x 57(d)mm
23305	Tube Twist Lid	317(h) x 94(dia)mm

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

OUT OF SERVICE TAGS

- All tags come standard with string and an 8mm eyelet (suitable for a padlock to be attached)
- Printed on high quality 140gsm Polyart paper
- Easy to write on
- Weatherproof
- Tags sold individually
- 75 x 130mm



Item Code	Bishops Code
1423037	55075364

CAUTION LOCKOUT TAGS

- Durable polypropylene construction
- Suitable for lockout applications
- Size: 100(w) x 150(h)mm
- Yellow/black



Item Code	Bishops Code
842390	55075094

SAFETY & INFORMATION TAGS



- Durable polyester laminate resists water, grease and extreme temperatures
- Customise with name, department and expected completion time
- S4801:
 - Clear adhesive overlay allows tags to be personalised with photo Guardian Extreme™:
 - Industrial grade polypropylene
 - Survives frequent washdowns and humidity
- Caution & Information Tags:
 - Single use disposable tags
 - 200gsm waterproof non-tear material



S297



Item Code	Description	Size	Qty	Bishops Code
0497A	Danger – Do Not Operate Laminated Tag	79 x 146mm	12	55075096
S4801	Danger – Do Not Operate Self-Laminating Photo ID Tag	81 x 147mm	12	55075079
S297	Danger – Do Not Operate Flag	140 x 32mm	100	*S297
S4002	Guardian Extreme™ Danger – Do Not Operate Tag	76 x 146mm	6	55075082
TAGOOS	Caution Out of Service Tag – Yellow/Black	75 x 150mm	25	*TAGOOS
TAGINFO	Information Tag – Blue/White	75 x 150mm	25	*TAGINFO

* – SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

SAFETY TAG CARD STOCK

- 150 x 100mm
- Pack of 100



Item Code	Description	Bishops Code
B842357	Danger Out of Service	55075305
B842358	Danger Do Not Start	55075306
B842359	Danger Do Not Operate	55075307

SELF-LOCKING LOCKOUT TAGS

- Durable polypropylene material
- Self-locking design requires no additional string or ties
- Suitable for lockout applications
- Size: 85(w) x 160(h)mm
- 25 per pack



Item Code	Description	Bishops Code
847204	Warning Do Not Operate	55075359
847205	Danger Symbol	55075360
842552	Danger Out Of Service	55075361
842555	Danger Do Not Operate	55075362

DANGER LOCKOUT TAGS

- Durable polyester construction
- Double sided
- Features unauthorised removal statement
- Size: 76(w) x 140(h)mm



Item Code	Description	Bishops Code
66050	Danger Do Not Operate	55075355
65520	Danger Do Not Operate – Striped	55075356
65526	Danger Locked Out Do Not Operate	55075357

TWO PART LOCKOUT TAG

- 80 x 158mm



Item Code	Description	Pack Qty	Bishops Code
B59390	"Danger Do Not Operate"	100	55075375
B59391	"Danger Equipment Tagged Out"	25	55075377

SCAFFTAG KIT STANDARD MK1

- Tagging system that helps prevent working at height hazards and manage inspection procedures
- Weatherproof, UV protected and durable to withstand industrial environments
- Different colours indicate different loading classifications



- Includes:
- 10 x holders
 - 20 x inserts
 - 1 x marker pen

Item Code	Description	Bishops Code
B857184	ScaffTag Kit	55075475
B857167	Scaff Tag Holder- Includes 10 Tag Holders Only	55075480
B857210	ScaffTag Insert – Green (Pack of 50)	55075485
B857191	ScaffTag Insert – Red (Pack of 50)	55075490

APPLIANCE TEST TAGS


- 120 x 135mm



Item Code	Colour	Bishops Code
BAT103AP	Red	55075450
BAT104AP	Blue	55075455
BAT101AP	Yellow	55075460
BAT102AP	Green	55075465

RFID M-PRINCE HIGH FREQUENCY TAG

- Operates effectively with a very good read range, especially when attached to metal
- Rugged construction for high durability
- Can be attached by screws with the help of two holes
- Can also be provided with adhesive tape for easy attachment
- Flexible read/write range (reader dependent)
- 90(l) x 34(w) x 7(h)mm
- Colour: Yellow
- Other colours available on request



Item Code
RFID1

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

RFID M-WARRIOR HIGH FREQUENCY TAG

- Operates effectively with good read range when attached to metal
- Rugged construction IP68 for high durability
- Can be attached by thread or cable tie
- Can also be provided with adhesive tape for easy attachment
- 62(l) x 14(w) x 13(h)mm
- Colour: Yellow
- Other colours available on request



Item Code
RFID4

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT



DANGER SIGNS

Item Code	Description	Size	Material	Bishops Code
SSD-HVCP	Danger High Voltage	225 x 300mm	Poly	55070282
SSD-HVAM	Danger High Voltage	600 x 450mm	Metal	55070397
SSD-NEAPOAM	Danger No Entry Authorised Personnel Only	600 x 450mm	Metal	55070390
SSD-NEAPOCM	Danger No Entry Authorised Personnel Only	225 x 300mm	Metal	55070905
SSD-DNEAM	Danger Do Not Enter	600 x 450mm	Metal	55070852
SSD-KOAM	Danger Keep Out	600 x 450mm	Metal	55070858
SSD-CSDNEAM	Danger Construction Site	600 x 450mm	Metal	55070395
SSD-FLAM	Danger Flammable Liquids	600 x 450mm	Metal	55070396
SSD-FKFHABM	Danger Flammable Keep Flames & Heat Away	450 x 300mm	Metal	55070854
SSD-FEKCBM	Danger Fire Exit Keep Clear	300 x 450mm	Metal	55070400
SSD-WAAM	Danger Workers Above	600 x 450mm	Metal	55070860
SSD-OPAM	Danger Open Pit	600 x 450mm	Metal	55070862
SSW-GDDAM	Danger Guard Dogs On Duty	600 x 450mm	Metal	55070866
SSD-LOFTAM	Danger Look Out For Truck	600 x 450mm	Metal	55070878
SSD-DFAM	Danger Diesel Fuel	600 x 450mm	Metal	55070880
SSD-CSAM	Danger Confined Space Entry By Permit	600 x 450mm	Metal	55070897
SSD-CSAF	Danger Confined Space Entry By Permit	600 x 450mm	Fluted	55070898
CS-CTBP	Danger Worker In Confined Space	450 x 300mm	Fluted	55070901
SSW-BVAM	Beware of Vehicles	600 x 450mm	Metal	55070882

TRAFFIC MANAGEMENT SIGNS

RMQ-TC1220AC1	Reduce Speed	1,200 x 300mm	Metal	55070055
SSFM-KLDAAM	Keep Left	600 x 450mm	Metal	55070045
CS-CAUTPC*M	Caution Pedestrian Crossing	1,200 x 600mm	Metal	55070050
CS-CTJM	Traffic Hazard Ahead - Slow Down	900 x 600mm	Metal	55070060
CS-CT*AC1	School Children Crossing	600 x 450mm	Reflective Metal	55070065
CS-CT*AC1	Speed Hump Ahead	450 x 600mm	Metal	55070070
SSFM-NPAM	No Parking Anytime	450 x 600mm	Metal	55070115
RS-R12A-AC1	Give Way	750mm Triangle	Metal	55070245
RS-R11A-AC1	Stop	600 x 600mm	Reflective Metal	55070250
CS-CT*M	Stop	460 x 460mm	Metal	55070255
SSFM-NP1AM	No Parking	600 x 450mm	Metal	55070265
SSM-BISHAM	Blind Intersection Sound Horn	600 x 450mm	Metal	55070105
SSFM-NPBM	No Parking Anytime	300 x 450mm	Metal	55070889
SSFM-NPDBM	No Parking in Driveway	300 x 450mm	Metal	55070890
SSFM-PLZBM	Loading Zone	300 x 450mm	Metal	55070891
SSFM-NPBUSBM	No Parking Bus Stop	300 x 450mm	Metal	55070892
SSFM-NVBVM	No Vehicles Beyond This Point	300 x 450mm	Metal	55070893
SSFM-AVOBVM	Authorised Vehicles Only	300 x 450mm	Metal	55070894
SSFM-RPOBVM	Reverse Parking Only	300 x 450mm	Metal	55070895
SSFM-NP1BVM	No Parking	300 x 450mm	Metal	55070896
SSRA-HVKOBP	Restricted Area High Voltage Keep Out	450 x 300mm	Poly	55070300
SSFM-PTAZBM	No Parking Tow Away Zone	300 x 450mm	Metal	55070302
SSW-KCAM	Keep Clear	600 x 450mm	Metal	55070884
CS-ENYOAM	Entry Only	450 x 600mm	Metal	55070080
CS-CTCM	Exit Only	300 x 225mm	Metal	55070085
CS-CTCP	Exit	300 x 225mm	Poly	55070292
SSP-NEAM	No Entry	300 x 600mm	Metal	55070310

SPEED SIGNS

SSFM-S5AMC1	5kph	600 x 450mm	Reflective Metal	55070015
RS-R41A10-AC1	10kph	600 x 450mm	Reflective Metal	55070020
RS-R41A20-AC1	20kph	600 x 450mm	Reflective Metal	55070025
SSFM-S15AMC1	15kph	600 x 450mm	Reflective Metal	55070030
RS-R41B40-AC1	40kph	900 x 600mm	Reflective Metal	55070035

PERSONAL PROTECTION & FIRST AID SIGNS

SSRA-APOAM	Restricted Area Authorised Personnel Only	600 x 450mm	Metal	55070872
SSM-EPAAM	Eye Protection Must Be Worn	600 x 450mm	Metal	55070210
SSM-FPAAM	Foot Protection Must Be Worn	600 x 450mm	Metal	55070220
SSM-HEDPAAM	Head Protection	600 x 450mm	Metal	55070230
SSM-HPAAM	Hearing Protection	600 x 450mm	Metal	55070240
SSM-RAAM	Respirator	600 x 450mm	Metal	55070330
SSM-DMAAM	Dust Mask	600 x 450mm	Metal	55070335
SSM-HDPAAM	Hand Protection	600 x 450mm	Metal	55070340
SSM-SGAAM	Safety Goggles	600 x 450mm	Metal	55070350
SSM-FSAAM	Face Shield Must Be Worn	600 x 450mm	Metal	55070360
SSM-HVCAM	Hi-Vis Clothing or Vest Must Be Worn	600 x 450mm	Metal	55070368
SSM-PCMBWAM	Protective Clothing Must Be Worn	600 x 450mm	Metal	55070370
SSM-SHAM	Safety Harness	600 x 450mm	Metal	55070372
SSM-PEAC_t2_10_5_14J	Multi-Conditions Protective Equipment	900 x 600mm	Metal	55070375
SSE-EEWAM	Emergency Eyewash	600 x 450mm	Metal	55070378
SSE-FAAM	First Aid	600 x 450mm	Metal	55070379
SSF-FECPABE200S	AB(E) Type Dry Chemical First Extinguisher	200mm Dia.	Self-Adhesive Vinyl Sticker	55070380
SSE-FASBP	First Aid Station	450 x 300mm	Poly	55070308

ADVISORY SIGNS

SSFM-RLDS	Ladies	180 x 250mm	Self-Adhesive Vinyl Sticker	55070296
SSFM-RGDS	Gentlemen	180 x 250mm	Self-Adhesive Vinyl Sticker	55070298
SSE-SRB1200M	Safety Record	1,200 x 600mm	Metal	55070886
SSFM-SOFFAM	Site Office	600 x 450mm	Metal	55070874
SSNVROBM	All Visitors Register At Office	300 x 450mm	Metal	55070867
SSN-VROAM	All Visitors Register At Office	600 x 450mm	Metal	55070868
SSM-SOWNIUBP	Switch Off When Not In Use	450 x 300mm	Poly	55070315
SSD-CWOAM	Crane Working Overhead	600 x 450mm	Metal	55070850

EMERGENCY SIGNS

SSE-EAPAM	Emergency Assembly	600 x 450mm	Metal	55070876
SSE-MPAM	Muster Point	600 x 450mm	Metal	55070877

SMOKING, BUAI & ALCOHOL SIGNS

SSD-NSAM	Danger No Smoking	300 x 450mm	Metal	55070393
SSP-NSCM	No Smoking	300 x 225mm	Metal	55070318
SSP-NSAM	No Smoking	600 x 400mm	Metal	55070320
SSFM-SAAM	Smoking Area	650 x 400mm	Metal	55070325
SSP-NSFAM	No Smoking - Flammable	600 x 450mm	Metal	55070392
SSP-NSBPAM	No Smoking Beyond This Point	600 x 450mm	Metal	55070394
SSP-NSDS	No Smoking	250 x 180mm	Self-Adhesive Vinyl Sticker	55070820
SSD-FSNSAM	Fuel Storage No Smoking	600 x 450mm	Metal	55070856
CS-CT_S	No Chewing Buai	450 x 450mm	Self-Adhesive Vinyl Sticker	55070830
SSP-ANPSAM	No Alcohol Permitted On Site	600 x 450mm	Metal	55070870

WELDING SIGNS

SSW-BWFCM	Beware Of Welding Flash	300 x 225mm	Metal	55070386
SSW-BWFAM	Beware Of Welding Flash	600 x 450mm	Metal	55070387
SSW-DNWWAM	Do Not Watch Welding Arc	600 x 450mm	Metal	55070388

SPEED LIMIT SIGNS

- Class 1 reflective aluminium
- Various sizes



55070040

Description	Size	Bishops Code
5kph	600 x 450mm	55070015
10kph	600 x 450mm	55070020
15kph	600 x 450mm	55070030
20kph	600 x 450mm	55070025
40kph	900 x 600mm	55070035
50kph	600 x 600mm	55070040

“NO RIGHT TURN” SIGN

- Class 1 reflective aluminium
- 600 x 600mm



Size	Bishops Code
600 x 600mm	55070110

STOP/SLOW LOLLIPOP SAFETY SIGN

- Suitable for traffic control in construction sites, school zones and pedestrian crossings
- Double-sided
- Letter height: 150mm
- Diameter: 457mm



Item Code	Bishops Code
TTCSSAL 450AL	55070275

“SLOW” ROAD CONE SIGN

- Rectangular shape with silk-screen printing
- Easy to fasten on top of a traffic cone
- Can quickly barricade dangerous sites and direct traffic safely
- 220(l) x 270(w)mm
- Colour: Orange
- Road cones not included



Item Code	Bishops Code
844289	55060550

WET FLOOR DELUXE FLOOR STAND



- Height: 670mm
- Yellow



Bishops Code
55070304

GET MORE AT BISHOPS ▶

MOPS
Page 406

REFLECTIVE SAFETY TRIANGLE

- ECE regulation No. 27/E11
- Durable and impact resistant
- Hi-vis reflection for extra safety
- Easy to erect and set up
- Orange
- Triangle dimensions: 50(w) x 450(h)mm



Size	Bishops Code
50 x 450mm	55060590

REFLECTIVE ROAD TRAFFIC CONES

- Flexible and durable PVC cone
- Square base prevents cone rolling away even when knocked over
- Reflective collar increases visibility
- Helps with marking hazardous areas to prevent accidents
- Orange



Height	Bishops Code
460mm	55060220
700mm	55060240
900mm	55060242



TRAFFIC & SITE CONTROL

SAFETY EQUIPMENT & CONSUMABLES

RETRACTABLE ROAD CONE BAR



- For temporary barricading
- Adjustable from 115cm to 2m
- Expandable/retractable
- Suits most road cones
- Striped for visual intensity
- Ideal for controlling crowds, warning of road hazards and directing traffic
- Black/yellow
- Road cones not included



Item Code	Bishops Code
7106	55060500

REFLECTIVE TRAFFIC CONTROL BOLLARD


- Low-density polyethylene post with octagonal recycled soled rubber base
- Tough, sturdy and stable
- Ideal for controlling crowds and directing traffic around dangerous areas
- 24cm reflective collar
- Two-piece design is simple and convenient
- Orange
- Base weight: 6kg
- Base diameter: 420mm
- Post diameter: 80mm
- Height: 1,150mm



Item Code	Bishops Code
7272	55060260

BARRIER MESH

- Tough, durable polyethylene
- Lightweight and reusable
- Ideal for temporary construction sites, road working and recreation areas
- Provides excellent visibility for hazardous areas
- Orange
- Roll size: 1 x 50m
- Weight: 8kg per roll



Item Code	Bishops Code
6400	55060140

FLURO ORANGE FLAG BUNTING



- Hi-vis fluoro orange
- Flag height: 200mm
- Length: 25m



Item Code	Bishops Code
7120	55060100

PVC BUNTING FLAGS



- Use to cordon off an area to prevent unauthorised access
- Provides excellent warning for hazard areas
- Hi-vis fluoro orange PVC flags
- High strength nylon rope
- Length: 30m



Item Code
BUNTINGO-30M
SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

REFLECTIVE PVC BUNTING FLAGS



- Use to cordon off an area to prevent unauthorised access
- Provides excellent warning for hazard areas
- Hi-vis fluoro orange PVC flags
- Reflective tabs inbetween flags
- High strength nylon rope
- Length: 30m



Item Code	Bishops Code
BUNTINGDN-30M	55060115

DANGER SAFETY BARRICADE TAPE



- Heavy duty plastic
- High visibility colours and wording
- Suitable for marking out hazardous areas
- Red and white stripes with black text
- 75mm width



Length	Bishops Code
100m	55060060
300m	55060052

HAZARD BARRIER TAPE

- High visibility, lightweight and non-adhesive
- Suitable for marking traffic hazards and other dangerous areas
- Reusable
- 75mm width



Colour	Length	Bishops Code
Red & White	100m	55060020
Red & White	300m	55060022
Black & Yellow	100m	55060040
Black & Yellow	300m	55060045

CAUTION SAFETY BARRICADE TAPE

- High visibility, lightweight and non-adhesive
- Suitable for marking traffic hazards and other dangerous areas
- Reusable
- Yellow with black text
- 75mm width



Length	Bishops Code
100m	55060049
250m	55060050

EL SERIES SAFETY BARRIER REELS

- For creating temporary barriers and identifying dangerous areas
- Robust plastic outer reel casing
- Wall mountable with swivel steel wall bracket
- Compact design allows mounting in most situations
- Automatic spring rewind
- Tape length: 16m



Item Code	Description	Tape Colour
BR50010D	Danger Barrier Reel	Red/White
BR50020C	Caution Barrier Reel	Yellow/Black

SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

ANTI-SLIP ADHESIVE SAFETY TRACK

- Premium high traction non-slip tape
- Easy to install with peel off adhesive backing
- Fuel, water and fluid resistant
- Silicon carbide grit for durable, consistent slip resistance
- Barefoot grade suits general purpose use
- Commercial grade for heavy duty use



Item Code	Size	Colour	Bishops Code
BAREFOOT GRADE			
3335-50	50mm x 18.3m	Yellow	55570101
3335-100	100mm x 18.3m	Yellow	55570102
3335-150	150mm x 18.3m	Yellow	55570103
3360-50	50mm x 18.3m	Yellow & Black Stripe	55570104
3100-25	25mm x 18.3m	Black	55570106
3100-50	50mm x 18.3m	Black	55570107
3100-75	75mm x 18.3m	Black	55570108
3100-100	100mm x 18.3m	Black	55570109
3100-150	150mm x 18.3m	Black	55570110

Item Code	Size	Colour	Bishops Code
COMMERCIAL GRADE			
3200-25	25mm x 18.3m	Black	*3200-25
3200-50	50mm x 18.3m	Black	*3200-50
3200-75	75mm x 18.3m	Black	*3200-75
3200-100	100mm x 18.3m	Black	*3200-100
3200-150	150mm x 18.3m	Black	*3200-150

* - SPECIAL ORDER: PLEASE QUOTE ITEM CODE UPON ORDERING THIS PRODUCT

SAFETY WALK™ GENERAL PURPOSE ANTI-SLIP TAPE



- A highly durable mineral coated slip resistant surface
- General purpose tread, designed for use in light to heavy shoe-traffic areas
- Ideal for entrances, walkways, loading docks, machinery, vehicles and more



Item Code	Size	Colour	Bishops Code
70071667045	25mm x 18.2m	Black	65230094
70070543528	50mm x 18.2m	Black	65230096
70070544351	100mm x 18.2m	Black	65230098
70070975647	100mm x 18.2m	Yellow	65230100
70070544369	150mm x 18.2m	Black	65230102

DIAMOND GRADE™ REFLECTIVE TAPE

- Highly reflective, fluorescent, wide angle performance delivers outstanding vehicle/object visibility, night and day
- Sealed edge prevents delamination
- Strong adhesive provides permanent bond to a variety of surfaces
- Exceeds AS1906.1 Class 1W standards (9963ES), meets AS1906.2 Class 1A standards (983)



Reflective Tape Applied to Trucks

Item Code	Series	Size	Colour	Bishops Code
XA010013309	DG39963ES	45.7m x 50.8mm	Fluoro Yellow	55595041
XA010017680	DG39963ES	45.7m x 76mm	Fluoro Yellow	55595042
XA010013911	DG39963ES	45.7m x 101.6mm	Fluoro Yellow	55595043
XA010012616	983	45.7m x 50.8mm	White	55595045
XA010013234	983	45.7m x 101.6mm	White	55595046
XA010012632	983	45.7m x 50.8mm	Red	55595047
XA010013176	983	45.7m x 101.6mm	Red	55595048
AR010596575	983	15m x 50mm	White	55595050
AR010596583	983	15m x 50mm	Yellow	55595051
AR010596591	983	15m x 50mm	Red	55595052
AR010602290	983	15m x 50mm	Fluoro Yellow	55595053
AR010602308	983	15m x 76mm	Fluoro Yellow	55595054




AERIAL WHIPS & SAFETY LIGHTING

SAFETY EQUIPMENT & CONSUMABLES

LED AERIAL BUGGY WHIP


- Vehicle whip flag with LED light
- Standard mesh flag
- Quick release mounting base
- Length: 2.4m



Item Code	Description	Bishops Code
BW1024	2.4m Buggy Whip	86485017
BWDG3	Replacement 12/24V LED Globe	86485019
BWSB700	Large Spring Base – Suits Whips Over 1.8m	86485018

AERIAL WHIP WITH FLAG

- Metal with PVC outer casing
- Hi-vis flag: 110 x 950mm
- 2.4m length



Item Code	Bishops Code
WAN-2.4M	86485015

GET MORE AT BISHOPS



HI-VIS CLOTHING & VESTS

From Page 66

HAZARD LIGHT STICKS

- Non-toxic and non-flammable
- Suitable to store in first aid and emergency kits
- Length: 150mm



Colour	Bishops Code	Colour	Bishops Code
Yellow	86480096	White	86480099
Orange	86480097	Green	86480100
Blue	86480098	–	–

AMBER HAZARD WARNING LAMP

- High impact resistance and durable plastic body with polycarbonate lens offer maximum light output
- Loop at top of lens for easy handling or fixing to scaffolding
- Automatic on and off
- Uses 2 x 6V, 509 batteries (not included)



Diameter	Bishops Code
112mm	30220190

AMBER REVOLVING WARNING LIGHTS

- Base diameter: 220mm
- Height: 257mm
- Flash rate: 130/min



Voltage	Bishops Code
DC 12V	30220160
DC 24V	30220180

AMBER ROTATING BEACON LIGHT

- High impact polycarbonate lens
- Magnetic base with cigarette lighter plug
- 3.5m spiral lead
- Current: 4.4amp @ 12V, 2.6A @ 24V
- Base diameter: 153mm
- Lens diameter: 110mm
- Height: 180mm
- Globe not included



Item Code	Bishops Code
35.205.000.01	30220005

AMBER ROTATING LED BEACON LIGHTS

- High intensity LED beacon lamp
- Fully sealed against dust and moisture
- Lightweight polycarbonate housing
- Flash patterns: 12 x strobe patterns, 2 x rotating patterns, steady on
- 50,000 Hour LED lifespan
- 9–32V
- IP67 Rated
- Size: 146 x 155mm
- SAE J845 Class I & CA13 Approved, ECE Reg R65 & R10



Item Code	Description	Bishops Code
281R-A	Beacon With 3-Bolt Mount	30220014
281RM-A	Beacon With Magnetic Mount	30220016

LED AMBER ROTATING BEACON

- 12-80V
- 3 bolt mount alloy base
- Dimensions: 130(dia) x 93(h)mm



Item Code	Bishops Code
LS9785	30220012

LED AMBER ROTATING BEACON

- 12-80V
- LED amber rotating beacon
- Magnetic base mount
- Comes with cigarette lighter plug
- Dimensions: 130(dia) x 93(h)mm



Item Code	Bishops Code
LS9787	30220010

HI-OPTICS LED ROTATING BEACON

- Combines precision, rotating optics with 8 high intensity LEDs
- SAE class 1 light output
- Features an ultra quiet, brushless magnetic drive system, low current draw, and die-cast aluminium flange base
- High impact polycarbonate amber lens
- Dual voltage 12/24V
- Current draw: 1.7A @ 12V
- Base diameter: 161mm
- Light diameter: 121mm
- Height: 157mm



Item Code	Bishops Code
35.201.000.01	30221020

AMBER REVOLVING WARNING STROBE LIGHT

- Magnetic base with plugs for attaching to vehicles
- Voltage: DC 12V/24V, AC 110V/220V
- Flash rate: 130/min
- Diameter: 122mm
- Height: 182mm



Item Code	Bishops Code
SE5120	30220120

4X4 LED MINEBAR

- Heavy duty automotive lighting unit
- Aluminum housing
- 12/24V
- 2 x LED Combination lamps
- Low profile amber LED beacon
- Brigade tonal sound reversing alarm
- Dimensions: 1,275(l) x 124(w) x 165(h)mm



Item Code	Bishops Code
HU9770	30250500

LED MINEBAR

- Heavy duty unit with multiple mounting options
- 12/24V
- 2 x LED Combo lamps
- Low profile amber LED beacon
- 2 x LED Work lamps
- 97dB alarm
- Dimensions: 1,275(l) x 125(w) x 165(h)mm



Dimensions	Bishops Code
HU9771	30250510

SIGNAL AIR HORN

- Suitable for marine, sports and safety applications
- Does not contain fluorocarbons
- Cannister included
- 380ml



Item Code	Bishops Code
3210004	30221110

HEAVY DUTY SIREN

- Suitable for emergency warnings, start/stop alarms, fire and evacuation situations
- Has an impact resistant metal case for extra durability
- Easy to install
- DC 12V/24V
- 75(dia) x 82(h)mm
- Colour: Red



Item Code	Bishops Code
SE5311	30222100

